

QuTiP: Quantum Toolbox in Python

Release 4.5.0

**P.D. Nation, J.R. Johansson, A.J.G. Pitchford,
C. Granade, A.L. Grimsmo,
N. Shammah, S. Ahmed, N. Lambert, and È. Giguère**

Feb 01, 2020


Contents

1	Frontmatter	3
1.1	About This Documentation	3
1.2	Citing This Project	3
1.3	Funding	4
1.4	About QuTiP	4
1.5	Contributing to QuTiP	5
2	Installation	7
2.1	General Requirements	7
2.2	Platform-independent Installation	7
2.2.1	Building your Conda environment	8
2.2.2	Adding the conda-forge channel	8
2.3	Installing via pip	9
2.4	Installing from Source	9
2.5	Installation on MS Windows	9
2.5.1	Windows and Python 2.7	10
2.6	Verifying the Installation	10
2.7	Checking Version Information using the About Function	10
3	Users Guide	11
3.1	Guide Overview	11
3.1.1	Organization	11
3.2	Basic Operations on Quantum Objects	12
3.2.1	First things first	12
3.2.2	The quantum object class	13
3.2.3	Functions operating on Qobj class	18
3.3	Manipulating States and Operators	21
3.3.1	Introduction	21
3.3.2	State Vectors (kets or bras)	21
3.3.3	Density matrices	25
3.3.4	Qubit (two-level) systems	27
3.3.5	Expectation values	29
3.3.6	Superoperators and Vectorized Operators	30
3.3.7	Choi, Kraus, Stinespring and χ Representations	33
3.3.8	Properties of Quantum Maps	37
3.4	Using Tensor Products and Partial Traces	38
3.4.1	Tensor products	38
3.4.2	Example: Constructing composite Hamiltonians	40
3.4.3	Partial trace	41
3.4.4	Superoperators and Tensor Manipulations	42
3.5	Time Evolution and Quantum System Dynamics	43
3.5.1	Dynamics Simulation Results	43
3.5.2	Lindblad Master Equation Solver	45
3.5.3	Monte Carlo Solver	51
3.5.4	Stochastic Solver - Photocurrent	57
3.5.5	Stochastic Solver	58
3.5.6	Solving Problems with Time-dependent Hamiltonians	60

3.5.7	Bloch-Redfield master equation	69
3.5.8	Floquet Formalism	76
3.5.9	Permutational Invariance	84
3.5.10	Setting Options for the Dynamics Solvers	86
3.6	Solving for Steady-State Solutions	88
3.6.1	Introduction	88
3.6.2	Steady State solvers in QuTiP	88
3.6.3	Using the Steadystate Solver	89
3.6.4	Additional Solver Arguments	90
3.6.5	Example: Harmonic Oscillator in Thermal Bath	90
3.7	An Overview of the Eseries Class	92
3.7.1	Exponential-series representation of time-dependent quantum objects	92
3.7.2	Applications of exponential series	94
3.8	Two-time correlation functions	96
3.8.1	Steadystate correlation function	97
3.8.2	Emission spectrum	98
3.8.3	Non-steadystate correlation function	100
3.9	Quantum Optimal Control	104
3.9.1	Introduction	104
3.9.2	Closed Quantum Systems	104
3.9.3	The GRAPE algorithm	105
3.9.4	The CRAB Algorithm	106
3.9.5	Optimal Quantum Control in QuTiP	107
3.9.6	Using the pulseoptim functions	108
3.10	Plotting on the Bloch Sphere	108
3.10.1	Introduction	108
3.10.2	The Bloch and Bloch3d Classes	108
3.10.3	Configuring the Bloch sphere	118
3.10.4	Animating with the Bloch sphere	121
3.11	Visualization of quantum states and processes	123
3.11.1	Fock-basis probability distribution	123
3.11.2	Quasi-probability distributions	124
3.11.3	Visualizing operators	127
3.11.4	Quantum process tomography	129
3.12	Parallel computation	131
3.12.1	Parallel map and parallel for-loop	131
3.12.2	IPython-based parallel_map	133
3.13	Saving QuTiP Objects and Data Sets	133
3.13.1	Storing and loading QuTiP objects	133
3.13.2	Storing and loading datasets	134
3.14	Generating Random Quantum States & Operators	137
3.14.1	Random objects with a given eigen spectrum	138
3.14.2	Composite random objects	139
3.15	Modifying Internal QuTiP Settings	139
3.15.1	User Accessible Parameters	139
3.15.2	Example: Changing Settings	140
3.15.3	Persistent Settings	140
3.16	Quantum Information Processing	141
3.16.1	Introduction	141
3.16.2	Quantum Circuit	141
3.16.3	Processor for QIP simulation	143
3.16.4	Noise Simulation	146
3.16.5	Workflow of the Processor	148
4	Gallery	151
4.1	Quantum Information Processing	151
4.1.1	Basic use of Processor	151
4.1.2	T2 Relaxation	153

4.1.3	Control Amplitude Noise	155
5	API documentation	157
5.1	Classes	157
5.1.1	Qobj	157
5.1.2	QobjEvo	167
5.1.3	eseries	170
5.1.4	Bloch sphere	170
5.1.5	Cubic Spline	173
5.1.6	Non-Markovian Solvers	173
5.1.7	Solver Options and Results	177
5.1.8	Permutational Invariance	182
5.1.9	One-Dimensional Lattice	185
5.1.10	Distribution functions	189
5.1.11	Quantum information processing	190
5.1.12	Optimal control	221
5.2	Functions	242
5.2.1	Manipulation and Creation of States and Operators	242
5.2.2	Functions acting on states and operators	270
5.2.3	Dynamics and Time-Evolution	277
5.2.4	Lattice	310
5.2.5	Visualization	311
5.2.6	Quantum Information Processing	319
5.2.7	Non-Markovian Solvers	327
5.2.8	Optimal control	327
5.2.9	Utility Functions	341
6	Change Log	349
6.1	Version 4.5.0 (January 31, 2020)	349
6.1.1	Improvements	349
6.1.2	Bug Fixes	350
6.2	Version 4.4.1 (August 29, 2019)	350
6.2.1	Improvements	350
6.2.2	Bug Fixes	350
6.3	Version 4.4.0 (July 03, 2019)	351
6.3.1	Improvements	351
6.3.2	Bug Fixes	351
6.4	Version 4.3.0 (July 14, 2018)	351
6.4.1	Improvements	351
6.4.2	Bug Fixes	352
6.5	Version 4.2.0 (July 28, 2017)	352
6.5.1	Improvements	352
6.5.2	Bug Fixes	352
6.6	Version 4.1.0 (March 10, 2017)	353
6.6.1	Improvements	353
6.6.2	Bug Fixes	353
6.7	Version 4.0.2 (January 5, 2017)	353
6.7.1	Bug Fixes	353
6.8	Version 4.0.0 (December 22, 2016)	353
6.8.1	Improvements	353
6.8.2	Bug Fixes	354
6.9	Version 3.2.0 (Never officially released)	354
6.9.1	New Features	354
6.9.2	Improvements	354
6.9.3	Bug Fixes	356
6.10	Version 3.1.0 (January 1, 2015):	356
6.10.1	New Features	356
6.10.2	Bug Fixes	357

6.11	Version 3.0.1 (Aug 5, 2014):	357
6.11.1	Bug Fixes	357
6.12	Version 3.0.0 (July 17, 2014):	357
6.12.1	New Features	357
6.12.2	Improvements	358
6.13	Version 2.2.0 (March 01, 2013):	359
6.13.1	New Features	359
6.13.2	Bug Fixes:	359
6.14	Version 2.1.0 (October 05, 2012):	359
6.14.1	New Features	359
6.14.2	Bug Fixes:	360
6.15	Version 2.0.0 (June 01, 2012):	360
6.15.1	New Features	360
6.16	Version 1.1.4 (May 28, 2012):	361
6.16.1	Bug Fixes:	361
6.17	Version 1.1.3 (November 21, 2011):	361
6.17.1	New Functions:	361
6.17.2	Bug Fixes:	361
6.18	Version 1.1.2 (October 27, 2011)	362
6.18.1	Bug Fixes	362
6.19	Version 1.1.1 (October 25, 2011)	362
6.19.1	New Functions	362
6.19.2	Bug Fixes	362
6.20	Version 1.1.0 (October 04, 2011)	362
6.20.1	New Functions	362
6.20.2	Bug Fixes	363
6.21	Version 1.0.0 (July 29, 2011)	363
7	Developers	365
7.1	Lead Developers	365
7.2	Contributors	365
8	Bibliography	367
9	Indices and tables	369
	Bibliography	371
	Python Module Index	373
	Index	375



Chapter 1

Frontmatter

1.1 About This Documentation

This document contains a user guide and automatically generated API documentation for QuTiP. A PDF version of this text is available at the [documentation page](#).

For more information see the [QuTiP project web page](#).

Author J.R. Johansson

Author P.D. Nation

Author Alexander Pitchford

Author Arne Grimsmo

Author Chris Grenade

Author Nathan Shammah

Author Shahnawaz Ahmed

Author Neill Lambert

Author Eric Giguere

version 4.5

status Released (January 30, 2020)

copyright This documentation is licensed under the Creative Commons Attribution 3.0 Unported License.

1.2 Citing This Project

If you find this project useful, then please cite:

J. R. Johansson, P.D. Nation, and F. Nori, “QuTiP 2: A Python framework for the dynamics of open quantum systems”, *Comp. Phys. Comm.* **184**, 1234 (2013).

or

J. R. Johansson, P.D. Nation, and F. Nori, “QuTiP: An open-source Python framework for the dynamics of open quantum systems”, *Comp. Phys. Comm.* **183**, 1760 (2012).

which may also be download from <http://arxiv.org/abs/1211.6518> or <http://arxiv.org/abs/1110.0573>, respectively.

1.3 Funding

QuTiP is developed under the auspice of the non-profit organization:



QuTiP was partially supported by



1.4 About QuTiP

Every quantum system encountered in the real world is an open quantum system. For although much care is taken experimentally to eliminate the unwanted influence of external interactions, there remains, if ever so slight, a coupling between the system of interest and the external world. In addition, any measurement performed on the system necessarily involves coupling to the measuring device, therefore introducing an additional source of external influence. Consequently, developing the necessary tools, both theoretical and numerical, to account for the interactions between a system and its environment is an essential step in understanding the dynamics of practical quantum systems.

In general, for all but the most basic of Hamiltonians, an analytical description of the system dynamics is not possible, and one must resort to numerical simulations of the equations of motion. In absence of a quantum computer, these simulations must be carried out using classical computing techniques, where the exponentially increasing dimensionality of the underlying Hilbert space severely limits the size of system that can be efficiently simulated. However, in many fields such as quantum optics, trapped ions, superconducting circuit devices, and most recently nanomechanical systems, it is possible to design systems using a small number of effective oscillator and spin components, excited by a limited number of quanta, that are amenable to classical simulation in a truncated Hilbert space.

The Quantum Toolbox in Python, or QuTiP, is an open-source framework written in the Python programming language, designed for simulating the open quantum dynamics of systems such as those listed above. This framework distinguishes itself from other available software solutions in providing the following advantages:

- QuTiP relies entirely on open-source software. You are free to modify and use it as you wish with no licensing fees or limitations.
- QuTiP is based on the Python scripting language, providing easy to read, fast code generation without the need to compile after modification.
- The numerics underlying QuTiP are time-tested algorithms that run at C-code speeds, thanks to the [Numpy](#), [Scipy](#), and [Cython](#) libraries, and are based on many of the same algorithms used in propriety software.
- QuTiP allows for solving the dynamics of Hamiltonians with (almost) arbitrary time-dependence, including collapse operators.
- Time-dependent problems can be automatically compiled into C++-code at run-time for increased performance.
- Takes advantage of the multiple processing cores found in essentially all modern computers.
- QuTiP was designed from the start to require a minimal learning curve for those users who have experience using the popular quantum optics toolbox by Sze M. Tan.
- Includes the ability to create high-quality plots, and animations, using the excellent [Matplotlib](#) package.

For detailed information about new features of each release of QuTiP, see the [Change Log](#).

1.5 Contributing to QuTiP

We welcome anyone who is interested in helping us make QuTiP the best package for simulating quantum systems. Anyone who contributes will be duly recognized. Even small contributions are noted. See [Contributors](#) for a list of people who have helped in one way or another. If you are interested, please drop us a line at the [QuTiP discussion group webpage](#).

Chapter 2

Installation

2.1 General Requirements

QuTiP depends on several open-source libraries for scientific computing in the Python programming language. The following packages are currently required:

Package	Version	Details
Python	2.7+	Version 3.5+ is highly recommended.
NumPy	1.8+	Not tested on lower versions.
SciPy	0.15+	Lower versions have missing features.
Matplotlib	1.2.1+	Some plotting does not work on lower versions.
Cython	0.21+	Needed for compiling some time-dependent Hamiltonians.
C++ Compiler	GCC 4.7+, MS VS 2015	Needed for compiling Cython files.
Python Headers	2.7+	Linux only. Needed for compiling Cython files.

In addition, there are several optional packages that provide additional functionality:

Package	Version	Details
LaTeX	TeXLive 2009+	Needed if using LaTeX in matplotlib figures.
pytest	5.3+	For running the test suite.

We would not recommend installation into the system Python on Linux platforms, as it is likely that the required libraries will be difficult to update to sufficiently recent versions. The system Python on Linux is used for system things, changing its configuration could lead to highly undesirable results. We are recommending and supporting Anaconda / Miniconda Python environments for QuTiP on all platformsx [It is also possible to install the Intel Python Distribution via the conda installer in Anaconda].

2.2 Platform-independent Installation

QuTiP is designed to work best when using the [Anaconda](#) or [Intel Python](#) distributions that support the conda package management system.

If you already have your conda environment set up, and have the `conda-forge` channel available, then you can install QuTiP using:

```
conda install qutip
```

Otherwise refer to [building-conda-environment](#)

If you are using MS Windows, then you will probably want to refer to [installation-on-MS-Windows](#)

2.2.1 Building your Conda environment

Important: There are no working conda-forge packages for Python 2.7 on Windows. On Windows you should create a Python 3.5+ environment.

The default Anaconda environment has all the Python packages needed for running QuTiP. You may however wish to install QuTiP in a Conda environment (env) other than the default Anaconda environment. You may wish to install [Miniconda](#) instead if you need to be economical with disk space. However, if you are not familiar with conda environments and only plan to use it for QuTiP, then you should probably work with a default Anaconda / Miniconda environment.

To create a Conda env for QuTiP called `qutip-env`:

```
conda create -n qutip-env python=3
```

Note the `python=3` can be omitted if you want the default Python version for the Anaconda / Miniconda install.

If you have created a specific conda environment, or you have installed Miniconda, then you will need to install the required packages for QuTiP.

recommended:

```
conda install numpy scipy cython matplotlib pytest pytest-cov jupyter notebook_
↳ spyder
```

minimum (recommended):

```
conda install numpy scipy cython pytest pytest-cov matplotlib
```

absolute minimum:

```
conda install numpy scipy cython
```

The `jupyter` and `notebook` packages are for working with [Jupyter](#) notebooks (fka IPython notebooks). [Spyder](#) is an IDE for scientific development with Python.

2.2.2 Adding the conda-forge channel

If you have conda 4.1.0 or later then, add the conda-forge channel with lowest priority using:

```
conda config --append channels conda-forge
```

Otherwise you should consider reinstalling Anaconda / Miniconda. In theory:

```
conda update conda
```

will update your conda to the latest version, but this can lead to breaking your default Anaconda environment.

Alternatively, this will add `conda-forge` as the highest priority channel.

```
conda config --add channels conda-forge
```

It is almost certainly better to have `defaults` as the highest priority channel. You can edit your `.condarc` (user home folder) file manually, so that `conda-forge` is below `defaults` in the `channels` list.

2.3 Installing via pip

For other types of installation, it is often easiest to use the Python package manager `pip`.

```
pip install qutip
```

More detailed platform-dependent installation alternatives are given below.

2.4 Installing from Source

Official releases of QuTiP are available from the download section on the project's web pages

<http://www.qutip.org/download.html>

and the latest source code is available in our Github repository

<http://github.com/qutip>

In general we recommend users to use the latest stable release of QuTiP, but if you are interested in helping us out with development or wish to submit bug fixes, then use the latest development version from the Github repository.

Installing QuTiP from source requires that all the dependencies are satisfied. To install QuTiP from the source code run:

```
python setup.py install
```

To install OPENMP support, if available, run:

```
python setup.py install --with-openmp
```

If you are wishing to contribute to the QuTiP project, then you will want to create your own fork of qutip, clone this to a local folder, and 'install' it into your Python env using:

```
python setup.py develop --with-openmp
```

`import qutip` in this Python env will then load the code from your local fork, enabling you to test changes interactively.

The `sudo` pre-command is typically not needed when installing into Anaconda type environments, as Anaconda is usually installed in the users home directory. `sudo` will be needed (on Linux and OSX) for installing into Python environments where the user does not have write access.

2.5 Installation on MS Windows

Important: Installation on Windows has changed substantially as of QuTiP 4.1. The only supported installation configuration is using the Conda environment with Python 3.5+ and Visual Studio 2015.

We are recommending and supporting installation of QuTiP into a Conda environment. Other scientific Python implementations such as Python-xy may also work, but are not supported.

As of QuTiP 4.1, recommended installation on Windows requires Python 3.5+, as well as Visual Studio 2015. With this configuration, one can install QuTiP using any of the above mentioned recipes. Visual Studio 2015 is not required for the install of the conda-forge package, but it is required at runtime for the string format time-dependence solvers. When installing Visual Studio 2015 be sure to select options for the C++ compiler.

The 'Community' edition of Visual Studio 2015 is free to download use, however it does require approx 10GB of disk space, much of which does have to be on the system drive. If this is not feasible, then it is possible to run QuTiP under Python 2.7.

2.5.1 Windows and Python 2.7

Important: Running QuTiP under Python 2.7 on Windows is not recommended or supported. However, it is currently possible. There are no working conda-forge packages for Python 2.7 on Windows. You will have to install via pip or from source in Python 2.7 on Windows. The ‘MS Visual C for Python 2.7’ compiler will not work with QuTiP. You will have to use the g++ compiler in mingw32.

If you need to create a Python 2.7 conda environment see [building-conda-environment](#), including [adding-conda-forge](#)

Then run:

```
conda install mingwpy
```

To specify the use of the mingw compiler you will need to create the following file:

```
<path to my Python env>/Lib/distutils/distutils.cfg
```

with the following contents:

```
[build]
compiler=mingw32
[build_ext]
compiler=mingw32
```

<path to my Python env> will be something like C:\Ananconda2\ or C:\Ananconda2\envs\qutip-env\ depending on where you installed Anaconda or Miniconda, and whether you created a specific environment.

You can then install QuTiP using either the [install-via_pip](#) or [install-get-it](#) method.

2.6 Verifying the Installation

QuTiP includes a collection of built-in test scripts to verify that an installation was successful. To run the suite of tests scripts you must have the pytest testing library. After installing QuTiP, leave the installation directory, run Python (or iPython), and call:

```
import qutip.testing as qt
qt.run()
```

If successful, these tests indicate that all of the QuTiP functions are working properly. If any errors occur, please check that you have installed all of the required modules. See the next section on how to check the installed versions of the QuTiP dependencies. If these tests still fail, then head on over to the [QuTiP Discussion Board](#) and post a message detailing your particular issue.

2.7 Checking Version Information using the About Function

QuTiP includes an “about” function for viewing information about QuTiP and the important dependencies installed on your system. To view this information:

```
In [1]: from qutip import *
In [2]: about()
```

Chapter 3

Users Guide

3.1 Guide Overview

The goal of this guide is to introduce you to the basic structures and functions that make up QuTiP. This guide is divided up into several sections, each highlighting a specific set of functionalities. In combination with the examples that can be found on the project web page <http://qutip.org/tutorials.html>, this guide should provide a more or less complete overview. In addition, the *API documentation* for each function is located at the end of this guide.

3.1.1 Organization

QuTiP is designed to be a general framework for solving quantum mechanics problems such as systems composed of few-level quantum systems and harmonic oscillators. To this end, QuTiP is built from a large (and ever growing) library of functions and classes; from `qutip.states.basis` to `qutip.wigner`. The general organization of QuTiP, highlighting the important API available to the user, is shown in the figure-qutip_org


```
In [2]: import numpy as np
In [3]: import matplotlib.pyplot as plt
```

Note that, in the rest of the documentation, functions are written using `qutip.module.function()` notation which links to the corresponding function in the QuTiP API: *Functions*. However, in calling `import *`, we have already loaded all of the QuTiP modules. Therefore, we will only need the function name and not the complete path when calling the function from the interpreter prompt, Python script, or Jupyter notebook.

3.2.2 The quantum object class

Introduction

The key difference between classical and quantum mechanics lies in the use of operators instead of numbers as variables. Moreover, we need to specify state vectors and their properties. Therefore, in computing the dynamics of quantum systems we need a data structure that is capable of encapsulating the properties of a quantum operator and ket/bra vectors. The quantum object class, `qutip.Qobj`, accomplishes this using matrix representation.

To begin, let us create a blank `Qobj`:

```
In [4]: Qobj()
Out [4]:
Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[0.]]
```

where we see the blank `Qobj` object with dimensions, shape, and data. Here the data corresponds to a 1x1-dimensional matrix consisting of a single zero entry.

Hint: By convention, Class objects in Python such as `Qobj()` differ from functions in the use of a beginning capital letter.

We can create a `Qobj` with a user defined data set by passing a list or array of data into the `Qobj`:

```
In [5]: Qobj([[1], [2], [3], [4], [5]])
Out [5]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[1.]
 [2.]
 [3.]
 [4.]
 [5.]]

In [6]: x = np.array([1, 2, 3, 4, 5])

In [7]: Qobj(x)
Out [7]:
Quantum object: dims = [[1], [5]], shape = (1, 5), type = bra
Qobj data =
[[1. 2. 3. 4. 5.]]

In [8]: r = np.random.rand(4, 4)

In [9]: Qobj(r)
Out [9]:
Quantum object: dims = [[4], [4]], shape = (4, 4), type = oper, isherm = False
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[ [0.20357442 0.88873526 0.65825042 0.14998379]
  [0.58809628 0.32734096 0.38274417 0.26404025]
  [0.16646896 0.51620007 0.9151869 0.61009921]
  [0.35544738 0.69216207 0.36788579 0.28856135]]
```

Notice how both the dims and shape change according to the input data. Although dims and shape appear to have the same function, the difference will become quite clear in the section on *tensor products and partial traces*.

Note: If you are running QuTiP from a python script you must use the `print` function to view the Qobj attributes.

States and operators

Manually specifying the data for each quantum object is inefficient. Even more so when most objects correspond to commonly used types such as the ladder operators of a harmonic oscillator, the Pauli spin operators for a two-level system, or state vectors such as Fock states. Therefore, QuTiP includes predefined objects for a variety of states:

States	Command (# means optional)	Inputs
Fock state ket vector	<code>basis(N, #m) / fock(N, #m)</code>	N = number of levels in Hilbert space, m = level containing excitation (0 if no m given)
Fock density matrix (outer product of basis)	<code>fock_dm(N, #p)</code>	same as <code>basis(N,m) / fock(N,m)</code>
Coherent state	<code>coherent(N, alpha)</code>	alpha = complex number (eigenvalue) for requested coherent state
Coherent density matrix (outer product)	<code>coherent_dm(N, alpha)</code>	same as <code>coherent(N,alpha)</code>
Thermal density matrix (for n particles)	<code>thermal_dm(N, n)</code>	n = particle number expectation value

and operators:

Operators	Command (# means optional)	Inputs
Charge operator	<code>charge (N, M=-N)</code>	Diagonal operator with entries from $M..0..N$.
Commutator	<code>commutator (A, B, kind)</code>	Kind = 'normal' or 'anti'.
Diagonals operator	<code>qdiags (N)</code>	Quantum object created from arrays of diagonals at given offsets.
Displacement operator (Single-mode)	<code>displace (N, alpha)</code>	N =number of levels in Hilbert space, α = complex displacement amplitude.
Higher spin operators	<code>jmat (j, #s)</code>	j = integer or half-integer representing spin, s = 'x', 'y', 'z', '+', or '-'
Identity	<code>qeye (N)</code>	N = number of levels in Hilbert space.
Lowering (destruction) operator	<code>destroy (N)</code>	same as above
Momentum operator	<code>momentum (N)</code>	same as above
Number operator	<code>num (N)</code>	same as above
Phase operator (Single-mode)	<code>phase (N, phi0)</code>	Single-mode Pegg-Barnett phase operator with ref phase ϕ_0 .
Position operator	<code>position (N)</code>	same as above
Raising (creation) operator	<code>create (N)</code>	same as above
Squeezing operator (Single-mode)	<code>squeeze (N, sp)</code>	N =number of levels in Hilbert space, sp = squeezing parameter.
Squeezing operator (Generalized)	<code>squeezing (q1, q2, sp)</code>	$q1, q2$ = Quantum operators (Qobj) sp = squeezing parameter.
Sigma-X	<code>sigmax ()</code>	
Sigma-Y	<code>sigmay ()</code>	
Sigma-Z	<code>sigmaz ()</code>	
Sigma plus	<code>sigmap ()</code>	
Sigma minus	<code>sigmam ()</code>	
Tunneling operator	<code>tunneling (N, m)</code>	Tunneling operator with elements of the form $ N \gg \langle N + m + N + m \gg \langle N $.

As an example, we give the output for a few of these functions:

```
In [10]: basis(5,3)
Out [10]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [0.]
 [1.]
 [0.]]

In [11]: coherent(5,0.5-0.5j)
Out [11]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[ 0.7788017 +0.j          ]
 [ 0.38939142-0.38939142j]
 [ 0.          -0.27545895j]
 [-0.07898617-0.07898617j]
 [-0.04314271+0.j          ]]

In [12]: destroy(4)
Out [12]:
Quantum object: dims = [[4], [4]], shape = (4, 4), type = oper, isherm = False
```

(continues on next page)

(continued from previous page)

```

Qobj data =
[[0.      1.      0.      0.      ]
 [0.      0.      1.41421356 0.      ]
 [0.      0.      0.      1.73205081]
 [0.      0.      0.      0.      ]]

In [13]: sigmaz()
Out [13]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[ 1.  0.]
 [ 0. -1.]]

In [14]: jmat(5/2.0, '+')
Out [14]:
Quantum object: dims = [[6], [6]], shape = (6, 6), type = oper, isherm = False
Qobj data =
[[0.      2.23606798 0.      0.      0.      0.      ]
 [0.      0.      2.82842712 0.      0.      0.      ]
 [0.      0.      0.      3.      0.      0.      ]
 [0.      0.      0.      0.      2.82842712 0.      ]
 [0.      0.      0.      0.      0.      2.23606798]
 [0.      0.      0.      0.      0.      0.      ]]

```

Qobj attributes

We have seen that a quantum object has several internal attributes, such as data, dims, and shape. These can be accessed in the following way:

```

In [15]: q = destroy(4)

In [16]: q.dims
Out [16]: [[4], [4]]

In [17]: q.shape
Out [17]: (4, 4)

```

In general, the attributes (properties) of a Qobj object (or any Python class) can be retrieved using the *Q.attribute* notation. In addition to the attributes shown with the print function, the Qobj class also has the following:

Property	At-tribute	Description
Data	Q. data	Matrix representing state or operator
Dimen- sions	Q. dims	List keeping track of shapes for individual components of a multipartite system (for tensor products and partial traces).
Shape	Q. shape	Dimensions of underlying data matrix.
is Hermi- tian?	Q. isherm	Is the operator Hermitian or not?
Type	Q. type	Is object of type 'ket', 'bra', 'oper', or 'super'?




Fig. 1: The Qobj Class viewed as a container for the properties need to characterize a quantum operator or state vector.

For the destruction operator above:

```
In [18]: q.type
Out[18]: 'oper'

In [19]: q.isherm
Out[19]: False

In [20]: q.data
Out[20]:
<4x4 sparse matrix of type '<class 'numpy.complex128''>'
      with 3 stored elements in Compressed Sparse Row format>
```

The data attribute returns a message stating that the data is a sparse matrix. All Qobj instances store their data as a sparse matrix to save memory. To access the underlying dense matrix one needs to use the `qutip.Qobj.full` function as described below.

Qobj Math

The rules for mathematical operations on Qobj instances are similar to standard matrix arithmetic:

```
In [21]: q = destroy(4)

In [22]: x = sigmax()

In [23]: q + 5
Out[23]:
Quantum object: dims = [[4], [4]], shape = (4, 4), type = oper, isherm = False
Qobj data =
[[5.      1.      0.      0.      ]
 [0.      5.      1.41421356 0.      ]
 [0.      0.      5.      1.73205081]
 [0.      0.      0.      5.      ]]

In [24]: x * x
Out[24]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[1. 0.]
 [0. 1.]]
```

(continues on next page)

(continued from previous page)

```
In [25]: q ** 3
Out[25]:
Quantum object: dims = [[4], [4]], shape = (4, 4), type = oper, isherm = False
Qobj data =
[[0.         0.         0.         2.44948974]
 [0.         0.         0.         0.         ]
 [0.         0.         0.         0.         ]
 [0.         0.         0.         0.         ]]

In [26]: x / np.sqrt(2)
Out[26]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.         0.70710678]
 [0.70710678 0.         ]]
```

Of course, like matrices, multiplying two objects of incompatible shape throws an error:

```
In [27]: q * x

-----
TypeError                                 Traceback (most recent call last)
<ipython-input-27-57f05cd0899f> in <module>
----> 1 q * x

/miniconda3/envs/release/lib/python3.6/site-packages/qutip-4.5.0-py3.6-macosx-10.9-
↳x86_64.egg/qutip/qobj.py in __mul__(self, other)
    553
    554         else:
--> 555             raise TypeError("Incompatible Qobj shapes")
    556
    557         elif isinstance(other, np.ndarray):

TypeError: Incompatible Qobj shapes
```

In addition, the logic operators is equal `==` and is not equal `!=` are also supported.

3.2.3 Functions operating on Qobj class

Like attributes, the quantum object class has defined functions (methods) that operate on Qobj class instances. For a general quantum object Q:

Function	Command	Description
Check Hermiticity	<code>Q.check_herm()</code>	Check if quantum object is Hermitian
Conjugate	<code>Q.conj()</code>	Conjugate of quantum object.
Cosine	<code>Q.cosm()</code>	Cosine of quantum object.
Dagger (adjoint)	<code>Q.dag()</code>	Returns adjoint (dagger) of object.
Diagonal	<code>Q.diag()</code>	Returns the diagonal elements.
Diamond Norm	<code>Q.dnorm()</code>	Returns the diamond norm.
Eigenenergies	<code>Q.eigenenergies()</code>	Eigenenergies (values) of operator.
Eigenstates	<code>Q.eigenstates()</code>	Returns eigenvalues and eigenvectors.
Eliminate States	<code>Q.eliminate_states(inds)</code>	Returns quantum object with states in list inds removed.
Exponential	<code>Q.expm()</code>	Matrix exponential of operator.
Extract States	<code>Q.extract_states(inds)</code>	Qobj with states listed in inds only.
Full	<code>Q.full()</code>	Returns full (not sparse) array of Q's data.
Groundstate	<code>Q.groundstate()</code>	Eigenval & eigket of Qobj groundstate.
Matrix Element	<code>Q.matrix_element(bra, ket)</code>	Matrix element $\langle \text{bra} Q \text{ket} \rangle$
Norm	<code>Q.norm()</code>	Returns L2 norm for states, trace norm for operators.
Overlap	<code>Q.overlap(state)</code>	Overlap between current Qobj and a given state.
Partial Trace	<code>Q.ptrace(sel)</code>	Partial trace returning components selected using 'sel' parameter.
Permute	<code>Q.permute(order)</code>	Permutates the tensor structure of a composite object in the given order.
Projector	<code>Q.proj()</code>	Form projector operator from given ket or bra vector.
Sine	<code>Q.sinm()</code>	Sine of quantum operator.
Sqrt	<code>Q.sqrtm()</code>	Matrix sqrt of operator.
Tidyup	<code>Q.tidyup()</code>	Removes small elements from Qobj.
Trace	<code>Q.tr()</code>	Returns trace of quantum object.
Transform	<code>Q.transform(inpt)</code>	A basis transformation defined by matrix or list of kets 'inpt'.
Transpose	<code>Q.trans()</code>	Transpose of quantum object.
Truncate Neg	<code>Q.trunc_neg()</code>	Truncates negative eigenvalues
Unit	<code>Q.unit()</code>	Returns normalized (unit) vector $Q/Q.norm()$.

```

In [28]: basis(5, 3)
Out [28]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [0.]
 [1.]
 [0.]]

In [29]: basis(5, 3).dag()
Out [29]:
Quantum object: dims = [[1], [5]], shape = (1, 5), type = bra
Qobj data =
[[0. 0. 0. 1. 0.]]

In [30]: coherent_dm(5, 1)
Out [30]:

```

(continues on next page)

(continued from previous page)

```
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0.36791117 0.36774407 0.26105441 0.14620658 0.08826704]
 [0.36774407 0.36757705 0.26093584 0.14614018 0.08822695]
 [0.26105441 0.26093584 0.18523331 0.10374209 0.06263061]
 [0.14620658 0.14614018 0.10374209 0.05810197 0.035077 ]
 [0.08826704 0.08822695 0.06263061 0.035077 0.0211765 ]]
```

In [31]: coherent_dm(5, 1).diag()

Out [31]: array([0.36791117, 0.36757705, 0.18523331, 0.05810197, 0.0211765])

In [32]: coherent_dm(5, 1).full()

Out [32]:

```
array([[0.36791117+0.j, 0.36774407+0.j, 0.26105441+0.j, 0.14620658+0.j,
        0.08826704+0.j],
       [0.36774407+0.j, 0.36757705+0.j, 0.26093584+0.j, 0.14614018+0.j,
        0.08822695+0.j],
       [0.26105441+0.j, 0.26093584+0.j, 0.18523331+0.j, 0.10374209+0.j,
        0.06263061+0.j],
       [0.14620658+0.j, 0.14614018+0.j, 0.10374209+0.j, 0.05810197+0.j,
        0.035077 +0.j],
       [0.08826704+0.j, 0.08822695+0.j, 0.06263061+0.j, 0.035077 +0.j,
        0.0211765 +0.j]])
```

In [33]: coherent_dm(5, 1).norm()

Out [33]: 1.0000000225514842

In [34]: coherent_dm(5, 1).sqrtm()

Out [34]:

```
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0.36791119 0.36774406 0.2610544 0.14620658 0.08826704]
 [0.36774406 0.36757705 0.26093584 0.14614018 0.08822695]
 [0.2610544 0.26093584 0.18523332 0.10374209 0.06263061]
 [0.14620658 0.14614018 0.10374209 0.05810197 0.03507701]
 [0.08826704 0.08822695 0.06263061 0.03507701 0.0211765 ]]
```

In [35]: coherent_dm(5, 1).tr()

Out [35]: 1.0

In [36]: (basis(4, 2) + basis(4, 1)).unit()

Out [36]:

```
Quantum object: dims = [[4], [1]], shape = (4, 1), type = ket
Qobj data =
[[0.          ]
 [0.70710678]
 [0.70710678]
 [0.          ]]
```

3.3 Manipulating States and Operators

3.3.1 Introduction

In the previous guide section *Basic Operations on Quantum Objects*, we saw how to create states and operators, using the functions built into QuTiP. In this portion of the guide, we will look at performing basic operations with states and operators. For more detailed demonstrations on how to use and manipulate these objects, see the examples on the [tutorials](#) web page.

3.3.2 State Vectors (kets or bras)

Here we begin by creating a Fock `qutip.states.basis` vacuum state vector $|0\rangle$ with in a Hilbert space with 5 number states, from 0 to 4:

```
In [1]: vac = basis(5, 0)

In [2]: vac
Out[2]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[1.]
 [0.]
 [0.]
 [0.]
 [0.]
```

and then create a lowering operator (\hat{a}) corresponding to 5 number states using the `qutip.operators.destroy` function:

```
In [3]: a = destroy(5)

In [4]: a
Out[4]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = False
Qobj data =
[[0.      1.      0.      0.      0.      ]
 [0.      0.      1.41421356 0.      0.      ]
 [0.      0.      0.      1.73205081 0.      ]
 [0.      0.      0.      0.      2.      ]
 [0.      0.      0.      0.      0.      ]]
```

Now lets apply the destruction operator to our vacuum state `vac`,

```
In [5]: a * vac
Out[5]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [0.]
 [0.]
 [0.]
```

We see that, as expected, the vacuum is transformed to the zero vector. A more interesting example comes from using the adjoint of the lowering operator, the raising operator \hat{a}^\dagger :

```
In [6]: a.dag() * vac
Out[6]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
```

(continues on next page)

(continued from previous page)

```
Qobj data =
[[0.]
 [1.]
 [0.]
 [0.]
 [0.]]
```

The raising operator has in indeed raised the state *vec* from the vacuum to the $|1\rangle$ state. Instead of using the dagger `Qobj.dag()` method to raise the state, we could have also used the built in `qutip.operators.create` function to make a raising operator:

```
In [7]: c = create(5)

In [8]: c * vac
Out [8]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [1.]
 [0.]
 [0.]
 [0.]]
```

which does the same thing. We can raise the vacuum state more than once by successively apply the raising operator:

```
In [9]: c * c * vac
Out [9]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.      ]
 [0.      ]
 [1.41421356]
 [0.      ]
 [0.      ]]
```

or just taking the square of the raising operator $(\hat{a}^\dagger)^2$:

```
In [10]: c ** 2 * vac
Out [10]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.      ]
 [0.      ]
 [1.41421356]
 [0.      ]
 [0.      ]]
```

Applying the raising operator twice gives the expected $\sqrt{n+1}$ dependence. We can use the product of $c * a$ to also apply the number operator to the state vector *vac*:

```
In [11]: c * a * vac
Out [11]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [0.]
 [0.]
 [0.]]
```

or on the $|1\rangle$ state:

```
In [12]: c * a * (c * vac)
Out [12]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [1.]
 [0.]
 [0.]
 [0.]]
```

or the $|2\rangle$ state:

```
In [13]: c * a * (c**2 * vac)
Out [13]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.      ]
 [0.      ]
 [2.82842712]
 [0.      ]
 [0.      ]]
```

Notice how in this last example, application of the number operator does not give the expected value $n = 2$, but rather $2\sqrt{2}$. This is because this last state is not normalized to unity as $c|n\rangle = \sqrt{n+1}|n+1\rangle$. Therefore, we should normalize our vector first:

```
In [14]: c * a * (c**2 * vac).unit()
Out [14]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [2.]
 [0.]
 [0.]]
```

Since we are giving a demonstration of using states and operators, we have done a lot more work than we should have. For example, we do not need to operate on the vacuum state to generate a higher number Fock state. Instead we can use the `qutip.states.basis` (or `qutip.states.fock`) function to directly obtain the required state:

```
In [15]: ket = basis(5, 2)

In [16]: print(ket)
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [1.]
 [0.]
 [0.]]
```

Notice how it is automatically normalized. We can also use the built in `qutip.operators.num` operator:

```
In [17]: n = num(5)

In [18]: print(n)
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0. 0. 0. 0. 0.]
 [0. 1. 0. 0. 0.]
```

(continues on next page)

(continued from previous page)

```
[0. 0. 2. 0. 0.]
[0. 0. 0. 3. 0.]
[0. 0. 0. 0. 4.]
```

Therefore, instead of `c * a * (c ** 2 * vac).unit()` we have:

```
In [19]: n * ket
Out[19]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [2.]
 [0.]
 [0.]]
```

We can also create superpositions of states:

```
In [20]: ket = (basis(5, 0) + basis(5, 1)).unit()

In [21]: print(ket)
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.70710678]
 [0.70710678]
 [0.         ]
 [0.         ]
 [0.         ]]
```

where we have used the `qutip.Qobj.unit` method to again normalize the state. Operating with the number function again:

```
In [22]: n * ket
Out[22]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[0.         ]
 [0.70710678]
 [0.         ]
 [0.         ]
 [0.         ]]
```

We can also create coherent states and squeezed states by applying the `qutip.operators.displace` and `qutip.operators.squeeze` functions to the vacuum state:

```
In [23]: vac = basis(5, 0)

In [24]: d = displace(5, 1j)

In [25]: s = squeeze(5, 0.25 + 0.25j)

In [26]: d * vac
Out[26]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[ 0.60655682+0.j          ]
 [ 0.         +0.60628133j]
 [-0.4303874 +0.j         ]
 [ 0.         -0.24104351j]
 [ 0.14552147+0.j         ]]
```

```
In [27]: d * s * vac
Out [27]:
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[ 0.65893786+0.08139381j]
 [ 0.10779462+0.51579735j]
 [-0.37567217-0.01326853j]
 [-0.02688063-0.23828775j]
 [ 0.26352814+0.11512178j]]
```

Of course, displacing the vacuum gives a coherent state, which can also be generated using the built in `qutip.states.coherent` function.

3.3.3 Density matrices

One of the main purpose of QuTiP is to explore the dynamics of **open** quantum systems, where the most general state of a system is not longer a state vector, but rather a density matrix. Since operations on density matrices operate identically to those of vectors, we will just briefly highlight creating and using these structures.

The simplest density matrix is created by forming the outer-product $|\psi\rangle\langle\psi|$ of a ket vector:

```
In [28]: ket = basis(5, 2)

In [29]: ket * ket.dag()
Out [29]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 1. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
```

A similar task can also be accomplished via the `qutip.states.fock_dm` or `qutip.states.ket2dm` functions:

```
In [30]: fock_dm(5, 2)
Out [30]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 1. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
```

```
In [31]: ket2dm(ket)
Out [31]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 1. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
```

If we want to create a density matrix with equal classical probability of being found in the $|2\rangle$ or $|4\rangle$ number states we can do the following:

```
In [32]: 0.5 * ket2dm(basis(5, 4)) + 0.5 * ket2dm(basis(5, 2))
Out [32]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0.  0.  0.  0.  0. ]
 [0.  0.  0.  0.  0. ]
 [0.  0.  0.5 0.  0. ]
 [0.  0.  0.  0.  0. ]
 [0.  0.  0.  0.  0.5]]
```

or use `0.5 * fock_dm(5, 2) + 0.5 * fock_dm(5, 4)`. There are also several other built-in functions for creating predefined density matrices, for example `qutip.states.coherent_dm` and `qutip.states.thermal_dm` which create coherent state and thermal state density matrices, respectively.

```
In [33]: coherent_dm(5, 1.25)
Out [33]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0.20980701 0.26141096 0.23509686 0.15572585 0.13390765]
 [0.26141096 0.32570738 0.29292109 0.19402805 0.16684347]
 [0.23509686 0.29292109 0.26343512 0.17449684 0.1500487 ]
 [0.15572585 0.19402805 0.17449684 0.11558499 0.09939079]
 [0.13390765 0.16684347 0.1500487  0.09939079 0.0854655 ]]
```

```
In [34]: thermal_dm(5, 1.25)
Out [34]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[0.46927974 0.          0.          0.          0.          ]
 [0.          0.26071096 0.          0.          0.          ]
 [0.          0.          0.14483942 0.          0.          ]
 [0.          0.          0.          0.08046635 0.          ]
 [0.          0.          0.          0.          0.04470353]]
```

QuTiP also provides a set of distance metrics for determining how close two density matrix distributions are to each other. Included are the trace distance `qutip.metrics.tracedist`, fidelity `qutip.metrics.fidelity`, Hilbert-Schmidt distance `qutip.metrics.hilbert_dist`, Bures distance `qutip.metrics.bures_dist`, Bures angle `qutip.metrics.bures_angle`, and quantum Hellinger distance `qutip.metrics.hellinger_dist`.

```
In [35]: x = coherent_dm(5, 1.25)
In [36]: y = coherent_dm(5, 1.25j) # <-- note the 'j'
In [37]: z = thermal_dm(5, 0.125)
In [38]: fidelity(x, x)
Out [38]: 1.0000000053282376
In [39]: tracedist(y, y)
Out [39]: 0.0
In [40]: hellinger_dist(y, y)
Out [40]: 0.0
```

We also know that for two pure states, the trace distance (T) and the fidelity (F) are related by $T = \sqrt{1 - F^2}$, while the quantum Hellinger distance (QHE) between two pure states $|\psi\rangle$ and $|\phi\rangle$ is given by $QHE = \sqrt{2 - 2|\langle\psi|\phi\rangle|^2}$.

```
In [41]: tracedist(y, x)
Out [41]: 0.977156579211186
```

```
In [42]: np.sqrt(1 - fidelity(y, x) ** 2)
Out[42]: 0.9771565700334389
```

For a pure state and a mixed state, $1 - F^2 \leq T$ which can also be verified:

```
In [43]: 1 - fidelity(x, z) ** 2
Out[43]: 0.778289048225615
```

```
In [44]: tracedist(x, z)
Out[44]: 0.855902832886259
```

3.3.4 Qubit (two-level) systems

Having spent a fair amount of time on basis states that represent harmonic oscillator states, we now move on to qubit, or two-level quantum systems (for example a spin-1/2). To create a state vector corresponding to a qubit system, we use the same `qutip.states.basis`, or `qutip.states.fock`, function with only two levels:

```
In [45]: spin = basis(2, 0)
```

Now at this point one may ask how this state is different than that of a harmonic oscillator in the vacuum state truncated to two energy levels?

```
In [46]: vac = basis(2, 0)
```

At this stage, there is no difference. This should not be surprising as we called the exact same function twice. The difference between the two comes from the action of the spin operators `qutip.operators.sigmax`, `qutip.operators.sigmay`, `qutip.operators.sigmaz`, `qutip.operators.sigmamp`, and `qutip.operators.sigmam` on these two-level states. For example, if `vac` corresponds to the vacuum state of a harmonic oscillator, then, as we have already seen, we can use the raising operator to get the $|1\rangle$ state:

```
In [47]: vac
Out[47]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[1.]
 [0.]]
```

```
In [48]: c = create(2)
```

```
In [49]: c * vac
Out[49]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.]
 [1.]]
```

For a spin system, the operator analogous to the raising operator is the sigma-plus operator `qutip.operators.sigmamp`. Operating on the spin state gives:

```
In [50]: spin
Out[50]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[1.]
 [0.]]

In [51]: sigmap() * spin
Out[51]:
```

(continues on next page)

(continued from previous page)

```
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.]
 [0.]]
```

Now we see the difference! The `qutip.operators.sigmap` operator acting on the spin state returns the zero vector. Why is this? To see what happened, let us use the `qutip.operators.sigmaz` operator:

```
In [52]: sigmaz()
Out [52]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[ 1.  0.]
 [ 0. -1.]]

In [53]: sigmaz() * spin
Out [53]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[1.]
 [0.]]

In [54]: spin2 = basis(2, 1)

In [55]: spin2
Out [55]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.]
 [1.]]

In [56]: sigmaz() * spin2
Out [56]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[ 0.]
 [-1.]]
```

The answer is now apparent. Since the QuTiP `qutip.operators.sigmaz` function uses the standard z-basis representation of the sigma-z spin operator, the `spin` state corresponds to the $|\uparrow\rangle$ state of a two-level spin system while `spin2` gives the $|\downarrow\rangle$ state. Therefore, in our previous example `sigmap() * spin`, we raised the qubit state out of the truncated two-level Hilbert space resulting in the zero state.

While at first glance this convention might seem somewhat odd, it is in fact quite handy. For one, the spin operators remain in the conventional form. Second, when the spin system is in the $|\uparrow\rangle$ state:

```
In [57]: sigmaz() * spin
Out [57]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[1.]
 [0.]]
```

the non-zero component is the zeroth-element of the underlying matrix (remember that python uses c-indexing, and matrices start with the zeroth element). The $|\downarrow\rangle$ state therefore has a non-zero entry in the first index position. This corresponds nicely with the quantum information definitions of qubit states, where the excited $|\uparrow\rangle$ state is label as $|0\rangle$, and the $|\downarrow\rangle$ state by $|1\rangle$.

If one wants to create spin operators for higher spin systems, then the `qutip.operators.jmat` function comes in handy.

3.3.5 Expectation values

Some of the most important information about quantum systems comes from calculating the expectation value of operators, both Hermitian and non-Hermitian, as the state or density matrix of the system varies in time. Therefore, in this section we demonstrate the use of the `qutip.expect` function. To begin:

```
In [58]: vac = basis(5, 0)
```

```
In [59]: one = basis(5, 1)
```

```
In [60]: c = create(5)
```

```
In [61]: N = num(5)
```

```
In [62]: expect(N, vac)
```

```
Out [62]: 0.0
```

```
In [63]: expect(N, one)
```

```
Out [63]: 1.0
```

```
In [64]: coh = coherent_dm(5, 1.0j)
```

```
In [65]: expect(N, coh)
```

```
Out [65]: 0.9970555745806596
```

```
In [66]: cat = (basis(5, 4) + 1.0j * basis(5, 3)).unit()
```

```
In [67]: expect(c, cat)
```

```
Out [67]: 0.9999999999999998j
```

The `qutip.expect` function also accepts lists or arrays of state vectors or density matrices for the second input:

```
In [68]: states = [(c**k * vac).unit() for k in range(5)] # must normalize
```

```
In [69]: expect(N, states)
```

```
Out [69]: array([0., 1., 2., 3., 4.])
```

```
In [70]: cat_list = [(basis(5, 4) + x * basis(5, 3)).unit() for x in [0, 1.0j, -1.0j, -1.0j]]
```

```
In [71]: expect(c, cat_list)
```

```
Out [71]: array([ 0.+0.j,  0.+1.j, -1.+0.j,  0.-1.j])
```

Notice how in this last example, all of the return values are complex numbers. This is because the `qutip.expect` function looks to see whether the operator is Hermitian or not. If the operator is Hermitian, then the output will always be real. In the case of non-Hermitian operators, the return values may be complex. Therefore, the `qutip.expect` function will return an array of complex values for non-Hermitian operators when the input is a list/array of states or density matrices.

Of course, the `qutip.expect` function works for spin states and operators:

```
In [72]: up = basis(2, 0)
```

```
In [73]: down = basis(2, 1)
```

```
In [74]: expect(sigmaz(), up)
```

```
Out [74]: 1.0
```

```
In [75]: expect(sigmaz(), down)
```

```
Out [75]: -1.0
```

as well as the composite objects discussed in the next section *Using Tensor Products and Partial Traces*:

```
In [76]: spin1 = basis(2, 0)
In [77]: spin2 = basis(2, 1)
In [78]: two_spins = tensor(spin1, spin2)
In [79]: sz1 = tensor(sigmaz(), qeye(2))
In [80]: sz2 = tensor(qeye(2), sigmaz())
In [81]: expect(sz1, two_spins)
Out [81]: 1.0
In [82]: expect(sz2, two_spins)
Out [82]: -1.0
```

3.3.6 Superoperators and Vectorized Operators

In addition to state vectors and density operators, QuTiP allows for representing maps that act linearly on density operators using the Kraus, Liouville supermatrix and Choi matrix formalisms. This support is based on the correspondence between linear operators acting on a Hilbert space, and vectors in two copies of that Hilbert space, $\text{vec} : \mathcal{L}(\mathcal{H}) \rightarrow \mathcal{H} \otimes \mathcal{H}$ [Hav03], [Wat13].

This isomorphism is implemented in QuTiP by the `operator_to_vector` and `vector_to_operator` functions:

```
In [83]: psi = basis(2, 0)
In [84]: rho = ket2dm(psi)
In [85]: rho
Out [85]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[1. 0.]
 [0. 0.]]
In [86]: vec_rho = operator_to_vector(rho)
In [87]: vec_rho
Out [87]:
Quantum object: dims = [[[2], [2]], [1]], shape = (4, 1), type = operator-ket
Qobj data =
[[1.]
 [0.]
 [0.]
 [0.]]
In [88]: rho2 = vector_to_operator(vec_rho)
In [89]: (rho - rho2).norm()
Out [89]: 0.0
```

The `type` attribute indicates whether a quantum object is a vector corresponding to an operator (`operator-ket`), or its Hermitian conjugate (`operator-bra`).

Note that QuTiP uses the *column-stacking* convention for the isomorphism between $\mathcal{L}(\mathcal{H})$ and $\mathcal{H} \otimes \mathcal{H}$:

```
In [90]: import numpy as np
```

(continues on next page)

(continued from previous page)

```
In [91]: A = Qobj(np.arange(4).reshape((2, 2)))

In [92]: A
Out [92]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = False
Qobj data =
[[0. 1.]
 [2. 3.]]

In [93]: operator_to_vector(A)
Out [93]:
Quantum object: dims = [[[2], [2]], [1]], shape = (4, 1), type = operator-ket
Qobj data =
[[0.]
 [2.]
 [1.]
 [3.]]
```

Since $\mathcal{H} \otimes \mathcal{H}$ is a vector space, linear maps on this space can be represented as matrices, often called *superoperators*. Using the `Qobj`, the `spre` and `spost` functions, supermatrices corresponding to left- and right-multiplication respectively can be quickly constructed.

```
In [94]: X = sigmax()

In [95]: S = spre(X) * spost(X.dag()) # Represents conjugation by X.
```

Note that this is done automatically by the `to_super` function when given `type='oper'` input.

```
In [96]: S2 = to_super(X)

In [97]: (S - S2).norm()
Out [97]: 0.0
```

Quantum objects representing superoperators are denoted by `type='super'`:

```
In [98]: S
Out [98]:
Quantum object: dims = [[[2], [2]], [[2], [2]]], shape = (4, 4), type = super,
↳ isherm = True
Qobj data =
[[0. 0. 0. 1.]
 [0. 0. 1. 0.]
 [0. 1. 0. 0.]
 [1. 0. 0. 0.]]
```

Information about superoperators, such as whether they represent completely positive maps, is exposed through the `iscp`, `istp` and `iscptp` attributes:

```
In [99]: S.iscp, S.istp, S.iscptp
Out [99]: (True, True, True)
```

In addition, dynamical generators on this extended space, often called *Liouvillian superoperators*, can be created using the `liouvillian` function. Each of these takes a Hamiltonian along with a list of collapse operators, and returns a `type="super"` object that can be exponentiated to find the superoperator for that evolution.

```
In [100]: H = 10 * sigmaz()

In [101]: c1 = destroy(2)

In [102]: L = liouvillian(H, [c1])
```


(continues on next page)

(continued from previous page)

```
In [103]: L
Out [103]:
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = False
Qobj data =
[[ 0. +0.j  0. +0.j  0. +0.j  1. +0.j]
 [ 0. +0.j -0.5+20.j  0. +0.j  0. +0.j]
 [ 0. +0.j  0. +0.j -0.5-20.j  0. +0.j]
 [ 0. +0.j  0. +0.j  0. +0.j -1. +0.j]]

In [104]: S = (L * L).expm()
```

For qubits, a particularly useful way to visualize superoperators is to plot them in the Pauli basis, such that $S_{\mu,\nu} = \langle\langle \sigma_\mu | S[\sigma_\nu] \rangle\rangle$. Because the Pauli basis is Hermitian, $S_{\mu,\nu}$ is a real number for all Hermitian-preserving superoperators S , allowing us to plot the elements of S as a **Hinton diagram**. In such diagrams, positive elements are indicated by white squares, and negative elements by black squares. The size of each element is indicated by the size of the corresponding square. For instance, let $S[\rho] = \sigma_x \rho \sigma_x^\dagger$. Then $S[\sigma_\mu] = \sigma_\mu \cdot \begin{cases} +1 & \mu = 0, x \\ -1 & \mu = y, z \end{cases}$. We can quickly see this by noting that the Y and Z elements of the Hinton diagram for S are negative:



3.3.7 Choi, Kraus, Stinespring and χ Representations

In addition to the superoperator representation of quantum maps, QuTiP supports several other useful representations. First, the Choi matrix $J(\Lambda)$ of a quantum map Λ is useful for working with ancilla-assisted process tomography (AAPT), and for reasoning about properties of a map or channel. **Up to normalization, the Choi matrix is defined by acting Λ on half of an entangled pair. In the column-stacking convention,**

$$J(\Lambda) = (\mathbb{K} \otimes \Lambda)[|\mathbb{K}\rangle\rangle\langle\langle\mathbb{K}|].$$

In QuTiP, $J(\Lambda)$ can be found by calling the `to_choi` function on a `type="super"` Qobj.

```
In [105]: X = sigmax()

In [106]: S = sprepost(X, X)

In [107]: J = to_choi(S)

In [108]: print(J)
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True, superrep = choi
Qobj data =
[[0. 0. 0. 0.]
 [0. 1. 1. 0.]
 [0. 1. 1. 0.]
 [0. 0. 0. 0.]]

In [109]: print(to_choi(spre(qeye(2))))
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True, superrep = choi
Qobj data =
[[1. 0. 0. 1.]
 [0. 0. 0. 0.]
 [0. 0. 0. 0.]
 [1. 0. 0. 1.]]
```

If a Qobj instance is already in the Choi superrep, then calling `to_choi` does nothing:

```
In [110]: print(to_choi(J))
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True, superrep = choi
Qobj data =
[[0. 0. 0. 0.]
 [0. 1. 1. 0.]
 [0. 1. 1. 0.]
 [0. 0. 0. 0.]]
```

To get back to the superoperator representation, simply use the `to_super` function. As with `to_choi`, `to_super` is idempotent:

```
In [111]: print(to_super(J) - S)
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True
Qobj data =
[[0. 0. 0. 0.]
 [0. 0. 0. 0.]
 [0. 0. 0. 0.]
 [0. 0. 0. 0.]]

In [112]: print(to_super(S))
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[[0. 0. 0. 1.]
 [0. 0. 1. 0.]
 [0. 1. 0. 0.]
 [1. 0. 0. 0.]]
```

We can quickly obtain another useful representation from the Choi matrix by taking its eigendecomposition. In particular, let $\{A_i\}$ be a set of operators such that $J(\Lambda) = \sum_i |A_i\rangle\rangle\langle\langle A_i|$. We can write $J(\Lambda)$ in this way for any hermicity-preserving map; that is, for any map Λ such that $J(\Lambda) = J^\dagger(\Lambda)$. These operators then form the Kraus representation of Λ . In particular, for any input ρ ,

$$\Lambda(\rho) = \sum_i A_i \rho A_i^\dagger.$$

Notice using the column-stacking identity that $(C^T \otimes A)|B\rangle\rangle = |ABC\rangle\rangle$, we have that

$$\sum_i (|K \otimes A_i\rangle\rangle\langle\langle K \otimes A_i|) = \sum_i |A_i\rangle\rangle\langle\langle A_i| = J(\Lambda).$$

The Kraus representation of a hermicity-preserving map can be found in QuTiP using the `to_kraus` function.

```
In [113]: I, X, Y, Z = qeye(2), sigmax(), sigmay(), sigmaz()

In [114]: S = sum([sprepost(P, P) for P in (I, X, Y, Z)]) / 4
.....: print(S)
.....:
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True
Qobj data =
[[0.5 0. 0. 0.5]
 [0. 0. 0. 0. ]
 [0. 0. 0. 0. ]
 [0.5 0. 0. 0.5]]

In [115]: J = to_choi(S)
.....: print(J)
.....:
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = True, superrep = choi
Qobj data =
[[0.5 0. 0. 0. ]
 [0. 0.5 0. 0. ]
 [0. 0. 0.5 0. ]
 [0. 0. 0. 0.5]]

In [116]: print(J.eigenstates()[1])
[Quantum object: dims = [[2], [2]], [1, 1]], shape = (4, 1), type = operator-ket
Qobj data =
[[1.]
 [0.]
 [0.]
 [0.]]
Quantum object: dims = [[2], [2]], [1, 1]], shape = (4, 1), type = operator-ket
Qobj data =
[[0.]
 [1.]
 [0.]
 [0.]]
Quantum object: dims = [[2], [2]], [1, 1]], shape = (4, 1), type = operator-ket
Qobj data =
[[0.]
 [0.]
 [1.]
 [0.]]
```

(continues on next page)

(continued from previous page)

```
[1.]
[0.]]
Quantum object: dims = [[[2], [2]], [1, 1]], shape = (4, 1), type = operator-ket
Qobj data =
[[0.]
 [0.]
 [0.]
 [1.]]]

In [117]: K = to_kraus(S)
.....: print(K)
.....:
[Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.70710678 0.          ]
 [0.          0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = False
Qobj data =
[[0.          0.          ]
 [0.70710678 0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = False
Qobj data =
[[0.          0.70710678]
 [0.          0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = True
Qobj data =
[[0.          0.          ]
 [0.          0.70710678]]]
```

As with the other representation conversion functions, `to_kraus` checks the `superrep` attribute of its input, and chooses an appropriate conversion method. Thus, in the above example, we can also call `to_kraus` on `J`.

```
In [118]: KJ = to_kraus(J)
.....: print(KJ)
.....:
[Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.70710678 0.          ]
 [0.          0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = False
Qobj data =
[[0.          0.          ]
 [0.70710678 0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = False
Qobj data =
[[0.          0.70710678]
 [0.          0.          ]], Quantum object: dims = [[2], [2]], shape = (2, 2), type_
↔= oper, isherm = True
Qobj data =
[[0.          0.          ]
 [0.          0.70710678]]]

In [119]: for A, AJ in zip(K, KJ):
.....:     print(A - AJ)
.....:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0. 0.]
 [0. 0.]]
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[[0. 0.]
 [0. 0.]]
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0. 0.]
 [0. 0.]]
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0. 0.]
 [0. 0.]]
```

The Stinespring representation is closely related to the Kraus representation, and consists of a pair of operators A and B such that for all operators X acting on \mathcal{H} ,

$$\Lambda(X) = \text{Tr}_2(AXB^\dagger),$$

where the partial trace is over a new index that corresponds to the index in the Kraus summation. Conversion to Stinespring is handled by the `to_stinespring` function.

```
In [120]: a = create(2).dag()

In [121]: S_ad = sprepost(a * a.dag(), a * a.dag()) + sprepost(a, a.dag())
.....: S = 0.9 * sprepost(I, I) + 0.1 * S_ad
.....: print(S)
.....:
Quantum object: dims = [[[2], [2]], [[2], [2]]], shape = (4, 4), type = super,
↳ isherm = False
Qobj data =
[[1.  0.  0.  0.1]
 [0.  0.9 0.  0. ]
 [0.  0.  0.9 0. ]
 [0.  0.  0.  0.9]]

In [122]: A, B = to_stinespring(S)
.....: print(A)
.....: print(B)
.....:
Quantum object: dims = [[2, 3], [2]], shape = (6, 2), type = oper, isherm = False
Qobj data =
[[-0.98845443  0.          ]
 [ 0.          0.31622777]
 [ 0.15151842  0.          ]
 [ 0.          -0.93506452]
 [ 0.          0.          ]
 [ 0.          -0.16016975]]
Quantum object: dims = [[2, 3], [2]], shape = (6, 2), type = oper, isherm = False
Qobj data =
[[-0.98845443  0.          ]
 [ 0.          0.31622777]
 [ 0.15151842  0.          ]
 [ 0.          -0.93506452]
 [ 0.          0.          ]
 [ 0.          -0.16016975]]
```

Notice that a new index has been added, such that A and B have dimensions `[[2, 3], [2]]`, with the length-3 index representing the fact that the Choi matrix is rank-3 (alternatively, that the map has three Kraus operators).

```
In [123]: to_kraus(S)
Out [123]:
[Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[[0.98845443 0.          ]
 [0.          0.93506452]],
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[-0.15151842  0.          ]
 [ 0.          0.16016975]],
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = False
Qobj data =
[[0.          0.31622777]
 [0.          0.          ]]]

In [124]: print(to_choi(S).eigenenergies())
[0.          0.04861218 0.1          1.85138782]
```

Finally, the last superoperator representation supported by QuTiP is the χ -matrix representation,

$$\Lambda(\rho) = \sum_{\alpha,\beta} \chi_{\alpha,\beta} B_{\alpha} \rho B_{\beta}^{\dagger},$$

where $\{B_{\alpha}\}$ is a basis for the space of matrices acting on \mathcal{H} . In QuTiP, this basis is taken to be the Pauli basis $B_{\alpha} = \sigma_{\alpha}/\sqrt{2}$. Conversion to the χ formalism is handled by the `to_chi` function.

```
In [125]: chi = to_chi(S)
.....: print(chi)
.....:
Quantum object: dims = [[[2], [2]], [[2], [2]]], shape = (4, 4), type = super,
↳ isherm = True, superrep = chi
Qobj data =
[[3.7+0.j  0. +0.j  0. +0.j  0.1+0.j ]
 [0. +0.j  0.1+0.j  0. +0.1j  0. +0.j ]
 [0. +0.j  0. -0.1j  0.1+0.j  0. +0.j ]
 [0.1+0.j  0. +0.j  0. +0.j  0.1+0.j ]]
```

One convenient property of the χ matrix is that the average gate fidelity with the identity map can be read off directly from the χ_{00} element:

```
In [126]: print(average_gate_fidelity(S))
0.94999999999999998

In [127]: print(chi[0, 0] / 4)
(0.925+0j)
```

Here, the factor of 4 comes from the dimension of the underlying Hilbert space \mathcal{H} . As with the superoperator and Choi representations, the χ representation is denoted by the `superrep`, such that `to_super`, `to_choi`, `to_kraus`, `to_stinespring` and `to_chi` all convert from the χ representation appropriately.

3.3.8 Properties of Quantum Maps

In addition to converting between the different representations of quantum maps, QuTiP also provides attributes to make it easy to check if a map is completely positive, trace preserving and/or hermicity preserving. Each of these attributes uses `superrep` to automatically perform any needed conversions.

In particular, a quantum map is said to be positive (but not necessarily completely positive) if it maps all positive operators to positive operators. For instance, the transpose map $\Lambda(\rho) = \rho^T$ is a positive map. We run into problems, however, if we tensor Λ with the identity to get a partial transpose map.

```
In [128]: rho = ket2dm(bell_state())

In [129]: rho_out = partial_transpose(rho, [0, 1])
```

(continues on next page)

(continued from previous page)

```
.....: print(rho_out.eigenenergies())
.....:
[-0.5  0.5  0.5  0.5]
```

Notice that even though we started with a positive map, we got an operator out with negative eigenvalues. Complete positivity addresses this by requiring that a map returns positive operators for all positive operators, and does so even under tensoring with another map. The Choi matrix is very useful here, as it can be shown that a map is completely positive if and only if its Choi matrix is positive [Wat13]. QuTiP implements this check with the `iscp` attribute. As an example, notice that the snippet above already calculates the Choi matrix of the transpose map by acting it on half of an entangled pair. We simply need to manually set the `dims` and `superrep` attributes to reflect the structure of the underlying Hilbert space and the chosen representation.

```
In [130]: J = rho_out

In [131]: J.dims = [[[2], [2]], [[2], [2]]]
.....: J.superrep = 'choi'
.....:

In [132]: print(J.iscp)
False
```

This confirms that the transpose map is not completely positive. On the other hand, the transpose map does satisfy a weaker condition, namely that it is hermicity preserving. That is, $\Lambda(\rho) = (\Lambda(\rho))^\dagger$ for all ρ such that $\rho = \rho^\dagger$. To see this, we note that $(\rho^T)^\dagger = \rho^*$, the complex conjugate of ρ . By assumption, $\rho = \rho^\dagger = (\rho^*)^T$, though, such that $\Lambda(\rho) = \Lambda(\rho^\dagger) = \rho^*$. We can confirm this by checking the `ishp` attribute:

```
In [133]: print(J.ishp)
True
```

Next, we note that the transpose map does preserve the trace of its inputs, such that $\text{Tr}(\Lambda[\rho]) = \text{Tr}(\rho)$ for all ρ . This can be confirmed by the `istp` attribute:

```
In [134]: print(J.istp)
False
```

Finally, a map is called a quantum channel if it always maps valid states to valid states. Formally, a map is a channel if it is both completely positive and trace preserving. Thus, QuTiP provides a single attribute to quickly check that this is true.

```
In [135]: print(J.iscstp)
False

In [136]: print(to_super(qeye(2)).iscstp)
True
```

3.4 Using Tensor Products and Partial Traces

3.4.1 Tensor products

To describe the states of multipartite quantum systems - such as two coupled qubits, a qubit coupled to an oscillator, etc. - we need to expand the Hilbert space by taking the tensor product of the state vectors for each of the system components. Similarly, the operators acting on the state vectors in the combined Hilbert space (describing the coupled system) are formed by taking the tensor product of the individual operators.

In QuTiP the function `qutip.tensor.tensor` is used to accomplish this task. This function takes as argument a collection:

```
>>> tensor(op1, op2, op3)
```

or a list:

```
>>> tensor([op1, op2, op3])
```

of state vectors *or* operators and returns a composite quantum object for the combined Hilbert space. The function accepts an arbitrary number of states or operators as argument. The type returned quantum object is the same as that of the input(s).

For example, the state vector describing two qubits in their ground states is formed by taking the tensor product of the two single-qubit ground state vectors:

```
In [1]: tensor(basis(2, 0), basis(2, 0))
Out [1]:
Quantum object: dims = [[2, 2], [1, 1]], shape = (4, 1), type = ket
Qobj data =
[[1.]
 [0.]
 [0.]
 [0.]]
```

or equivalently using the list format:

```
In [2]: tensor([basis(2, 0), basis(2, 0)])
Out [2]:
Quantum object: dims = [[2, 2], [1, 1]], shape = (4, 1), type = ket
Qobj data =
[[1.]
 [0.]
 [0.]
 [0.]]
```

This is straightforward to generalize to more qubits by adding more component state vectors in the argument list to the `qutip.tensor.tensor` function, as illustrated in the following example:

```
In [3]: tensor((basis(2, 0) + basis(2, 1)).unit(),
...:          (basis(2, 0) + basis(2, 1)).unit(), basis(2, 0))
...:
Out [3]:
Quantum object: dims = [[2, 2, 2], [1, 1, 1]], shape = (8, 1), type = ket
Qobj data =
[[0.5]
 [0. ]
 [0.5]
 [0. ]
 [0.5]
 [0. ]
 [0.5]
 [0. ]]
```

This state is slightly more complicated, describing two qubits in a superposition between the up and down states, while the third qubit is in its ground state.

To construct operators that act on an extended Hilbert space of a combined system, we similarly pass a list of operators for each component system to the `qutip.tensor.tensor` function. For example, to form the operator that represents the simultaneous action of the σ_x operator on two qubits:

```
In [4]: tensor(sigmax(), sigmax())
Out [4]:
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[[0. 0. 0. 1.]
 [0. 0. 1. 0.]
 [0. 1. 0. 0.]
 [1. 0. 0. 0.]]
```

To create operators in a combined Hilbert space that only act only on a single component, we take the tensor product of the operator acting on the subspace of interest, with the identity operators corresponding to the components that are to be unchanged. For example, the operator that represents σ_z on the first qubit in a two-qubit system, while leaving the second qubit unaffected:

```
In [5]: tensor(sigmaz(), identity(2))
Out [5]:
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[ 1.  0.  0.  0.]
 [ 0.  1.  0.  0.]
 [ 0.  0. -1.  0.]
 [ 0.  0.  0. -1.]]
```

3.4.2 Example: Constructing composite Hamiltonians

The `qutip.tensor.tensor` function is extensively used when constructing Hamiltonians for composite systems. Here we'll look at some simple examples.

Two coupled qubits

First, let's consider a system of two coupled qubits. Assume that both qubit has equal energy splitting, and that the qubits are coupled through a $\sigma_x \otimes \sigma_x$ interaction with strength $g = 0.05$ (in units where the bare qubit energy splitting is unity). The Hamiltonian describing this system is:

```
In [6]: H = tensor(sigmaz(), identity(2)) + tensor(identity(2),
...:            sigmaz()) + 0.05 * tensor(sigmax(), sigmax())
...:

In [7]: H
Out [7]:
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[ 2.  0.  0.  0.05]
 [ 0.  0.  0.05 0. ]
 [ 0.  0.05 0.  0. ]
 [ 0.05 0.  0. -2. ]]
```

Three coupled qubits

The two-qubit example is easily generalized to three coupled qubits:

```
In [8]: H = (tensor(sigmaz(), identity(2), identity(2)) +
...:        tensor(identity(2), sigmaz(), identity(2)) +
...:        tensor(identity(2), identity(2), sigmaz()) +
...:        0.5 * tensor(sigmax(), sigmax(), identity(2)) +
...:        0.25 * tensor(identity(2), sigmax(), sigmax()))
...:

In [9]: H
Out [9]:
```

(continues on next page)

(continued from previous page)

```
Quantum object: dims = [[2, 2, 2], [2, 2, 2]], shape = (8, 8), type = oper, isherm_
↔= True
Qobj data =
[[ 3.  0.  0.  0.25  0.  0.  0.5  0. ]
 [ 0.  1.  0.25  0.  0.  0.  0.  0.5 ]
 [ 0.  0.25  1.  0.  0.5  0.  0.  0. ]
 [ 0.25  0.  0. -1.  0.  0.5  0.  0. ]
 [ 0.  0.  0.5  0.  1.  0.  0.  0.25]
 [ 0.  0.  0.  0.5  0. -1.  0.25  0. ]
 [ 0.5  0.  0.  0.  0.  0.25 -1.  0. ]
 [ 0.  0.5  0.  0.  0.25  0.  0. -3. ]]
```

A two-level system coupled to a cavity: The Jaynes-Cummings model

The simplest possible quantum mechanical description for light-matter interaction is encapsulated in the Jaynes-Cummings model, which describes the coupling between a two-level atom and a single-mode electromagnetic field (a cavity mode). Denoting the energy splitting of the atom and cavity ω_a and ω_c , respectively, and the atom-cavity interaction strength g , the Jaynes-Cummings Hamiltonian can be constructed as:

```
In [10]: N = 10
In [11]: omega_a = 1.0
In [12]: omega_c = 1.25
In [13]: g = 0.05
In [14]: a = tensor(identity(2), destroy(N))
In [15]: sm = tensor(destroy(2), identity(N))
In [16]: sz = tensor(sigmaz(), identity(N))
In [17]: H = 0.5 * omega_a * sz + omega_c * a.dag() * a + g * (a.dag() * sm + a *
↔sm.dag())
```

Here N is the number of Fock states included in the cavity mode.

3.4.3 Partial trace

The partial trace is an operation that reduces the dimension of a Hilbert space by eliminating some degrees of freedom by averaging (tracing). In this sense it is therefore the converse of the tensor product. It is useful when one is interested in only a part of a coupled quantum system. For open quantum systems, this typically involves tracing over the environment leaving only the system of interest. In QuTiP the class method `qutip.Qobj.ptrace` is used to take partial traces. `qutip.Qobj.ptrace` acts on the `qutip.Qobj` instance for which it is called, and it takes one argument `sel`, which is a list of integers that mark the component systems that should be **kept**. All other components are traced out.

For example, the density matrix describing a single qubit obtained from a coupled two-qubit system is obtained via:

```
In [18]: psi = tensor(basis(2, 0), basis(2, 1))
In [19]: psi.ptrace(0)
Out [19]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[1. 0.]
```

(continues on next page)

(continued from previous page)

```
[0. 0.]]

In [20]: psi.ptrace(1)
Out [20]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0. 0.]
 [0. 1.]]
```

Note that the partial trace always results in a density matrix (mixed state), regardless of whether the composite system is a pure state (described by a state vector) or a mixed state (described by a density matrix):

```
In [21]: psi = tensor((basis(2, 0) + basis(2, 1)).unit(), basis(2, 0))

In [22]: psi
Out [22]:
Quantum object: dims = [[2, 2], [1, 1]], shape = (4, 1), type = ket
Qobj data =
[[0.70710678]
 [0.         ]
 [0.70710678]
 [0.         ]]

In [23]: psi.ptrace(0)
Out [23]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.5 0.5]
 [0.5 0.5]]

In [24]: rho = tensor(ket2dm((basis(2, 0) + basis(2, 1)).unit()), fock_dm(2, 0))

In [25]: rho
Out [25]:
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[0.5 0. 0.5 0. ]
 [0. 0. 0. 0. ]
 [0.5 0. 0.5 0. ]
 [0. 0. 0. 0. ]]

In [26]: rho.ptrace(0)
Out [26]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.5 0.5]
 [0.5 0.5]]
```

3.4.4 Superoperators and Tensor Manipulations

As described in *Superoperators and Vectorized Operators*, *superoperators* are operators that act on Liouville space, the vectorspace of linear operators. Superoperators can be represented using the isomorphism $\text{vec} : \mathcal{L}(\mathcal{H}) \rightarrow \mathcal{H} \otimes \mathcal{H}$ [Hav03], [Wat13]. To represent superoperators acting on $\mathcal{L}(\mathcal{H}_1 \otimes \mathcal{H}_2)$ thus takes some tensor rearrangement to get the desired ordering $\mathcal{H}_1 \otimes \mathcal{H}_2 \otimes \mathcal{H}_1 \otimes \mathcal{H}_2$.

In particular, this means that `qutip.tensor` does not act as one might expect on the results of `qutip.to_super`:

```
In [27]: A = qeye([2])
In [28]: B = qeye([3])
In [29]: to_super(tensor(A, B)).dims
Out[29]: [[2, 3], [2, 3]], [[2, 3], [2, 3]]
In [30]: tensor(to_super(A), to_super(B)).dims
Out[30]: [[[2], [2], [3], [3]], [[2], [2], [3], [3]]]
```

In the former case, the result correctly has four copies of the compound index with dims [2, 3]. In the latter case, however, each of the Hilbert space indices is listed independently and in the wrong order.

The `qutip.super_tensor` function performs the needed rearrangement, providing the most direct analog to `qutip.tensor` on the underlying Hilbert space. In particular, for any two `type="oper"` Qobjs A and B, `to_super(tensor(A, B)) == super_tensor(to_super(A), to_super(B))` and `operator_to_vector(tensor(A, B)) == super_tensor(operator_to_vector(A), operator_to_vector(B))`. Returning to the previous example:

```
In [31]: super_tensor(to_super(A), to_super(B)).dims
Out[31]: [[[2, 3], [2, 3]], [[2, 3], [2, 3]]]
```

The `qutip.composite` function automatically switches between `qutip.tensor` and `qutip.super_tensor` based on the type of its arguments, such that `composite(A, B)` returns an appropriate Qobj to represent the composition of two systems.

```
In [32]: composite(A, B).dims
Out[32]: [[2, 3], [2, 3]]
In [33]: composite(to_super(A), to_super(B)).dims
Out[33]: [[[2, 3], [2, 3]], [[2, 3], [2, 3]]]
```

QuTiP also allows more general tensor manipulations that are useful for converting between superoperator representations [WBC11]. In particular, the `tensor_contract` function allows for contracting one or more pairs of indices. As detailed in the [channel contraction tutorial](#), this can be used to find superoperators that represent partial trace maps. Using this functionality, we can construct some quite exotic maps, such as a map from 3×3 operators to 2×2 operators:

```
In [34]: tensor_contract(composite(to_super(A), to_super(B)), (1, 3), (4, 6)).dims
Out[34]: [[[2], [2]], [[3], [3]]]
```

3.5 Time Evolution and Quantum System Dynamics

3.5.1 Dynamics Simulation Results

Important: In QuTiP 2, the results from all of the dynamics solvers are returned as Odedata objects. This unified and significantly simplified postprocessing of simulation results from different solvers, compared to QuTiP 1. However, this change also results in the loss of backward compatibility with QuTiP version 1.x. In QuTiP 3, the Odedata class has been renamed to Result, but for backwards compatibility an alias between Result and Odedata is provided.

The solver.Result Class

Before embarking on simulating the dynamics of quantum systems, we will first look at the data structure used for returning the simulation results to the user. This object is a `qutip.solver.Result` class that stores all the crucial data needed for analyzing and plotting the results of a simulation. Like the `qutip.Qobj` class, the `Result` class has a collection of properties for storing information. However, in contrast to the `Qobj` class, this structure contains no methods, and is therefore nothing but a container object. A generic `Result` object `result` contains the following properties for storing simulation data:

Property	Description
<code>result.solver</code>	String indicating which solver was used to generate the data.
<code>result.times</code>	List/array of times at which simulation data is calculated.
<code>result.expect</code>	List/array of expectation values, if requested.
<code>result.states</code>	List/array of state vectors/density matrices calculated at <code>times</code> , if requested.
<code>result.num_expect</code>	The number of expectation value operators in the simulation.
<code>result.num_collapse</code>	The number of collapse operators in the simulation.
<code>result.ntraj</code>	Number of Monte Carlo trajectories run.
<code>result.col_times</code>	Times at which state collapse occurred. Only for Monte Carlo solver.
<code>result.col_which</code>	Which collapse operator was responsible for each collapse in <code>col_times</code> . Only used by Monte Carlo solver.
<code>result.seeds</code>	Seeds used in generating random numbers for Monte Carlo solver.

Accessing Result Data

To understand how to access the data in a `Result` object we will use an example as a guide, although we do not worry about the simulation details at this stage. Like all solvers, the Monte Carlo solver used in this example returns an `Result` object, here called simply `result`. To see what is contained inside `result` we can use the `print` function:

```
>>> print(result)
Result object with mcsolve data.
-----
expect = True
num_expect = 2, num_collapse = 2, ntraj = 500
```

The first line tells us that this data object was generated from the Monte Carlo solver `mcsolve` (discussed in *Monte Carlo Solver*). The next line (not the `---` line of course) indicates that this object contains expectation value data. Finally, the last line gives the number of expectation value and collapse operators used in the simulation, along with the number of Monte Carlo trajectories run. Note that the number of trajectories `ntraj` is only displayed when using the Monte Carlo solver.

Now we have all the information needed to analyze the simulation results. To access the data for the two expectation values one can do:

```
>>> expt0 = result.expect[0]
>>> expt1 = result.expect[1]
```

Recall that Python uses C-style indexing that begins with zero (i.e., `[0]` => 1st collapse operator data). Together with the array of times at which these expectation values are calculated:

```
>>> times = result.times
```

we can plot the resulting expectation values:

```
>>> plot(times, expt0, times, expt1)
>>> show()
```

State vectors, or density matrices, as well as `col_times` and `col_which`, are accessed in a similar manner, although typically one does not need an index (i.e [0]) since there is only one list for each of these components. The one exception to this rule is if you choose to output state vectors from the Monte Carlo solver, in which case there are `ntraj` number of state vector arrays.

Saving and Loading Result Objects

The main advantage in using the Result class as a data storage object comes from the simplicity in which simulation data can be stored and later retrieved. The `qutip.fileio.qsave` and `qutip.fileio.qload` functions are designed for this task. To begin, let us save the `data` object from the previous section into a file called “cavity+qubit-data” in the current working directory by calling:

```
>>> qsave(result, 'cavity+qubit-data')
```

All of the data results are then stored in a single file of the same name with a “.qu” extension. Therefore, everything needed to later this data is stored in a single file. Loading the file is just as easy as saving:

```
>>> stored_result = qload('cavity+qubit-data')
Loaded Result object:
Result object with mcsolve data.
-----
expect = True
num_expect = 2, num_collapse = 2, ntraj = 500
```

where `stored_result` is the new name of the Result object. We can then extract the data and plot in the same manner as before:

```
expt0 = stored_result.expect[0]
expt1 = stored_result.expect[1]
times = stored_result.times
plot(times, expt0, times, expt1)
show()
```

Also see *Saving QuTiP Objects and Data Sets* for more information on saving quantum objects, as well as arrays for use in other programs.

3.5.2 Lindblad Master Equation Solver

Unitary evolution

The dynamics of a closed (pure) quantum system is governed by the Schrödinger equation

$$i\hbar \frac{\partial}{\partial t} \Psi = \hat{H} \Psi, \quad (3.1)$$

where Ψ is the wave function, \hat{H} the Hamiltonian, and \hbar is Planck’s constant. In general, the Schrödinger equation is a partial differential equation (PDE) where both Ψ and \hat{H} are functions of space and time. For computational purposes it is useful to expand the PDE in a set of basis functions that span the Hilbert space of the Hamiltonian, and to write the equation in matrix and vector form

$$i\hbar \frac{d}{dt} |\psi\rangle = H |\psi\rangle$$

where $|\psi\rangle$ is the state vector and H is the matrix representation of the Hamiltonian. This matrix equation can, in principle, be solved by diagonalizing the Hamiltonian matrix H . In practice, however, it is difficult to perform this diagonalization unless the size of the Hilbert space (dimension of the matrix H) is small. Analytically, it is

a formidable task to calculate the dynamics for systems with more than two states. If, in addition, we consider dissipation due to the inevitable interaction with a surrounding environment, the computational complexity grows even larger, and we have to resort to numerical calculations in all realistic situations. This illustrates the importance of numerical calculations in describing the dynamics of open quantum systems, and the need for efficient and accessible tools for this task.

The Schrödinger equation, which governs the time-evolution of closed quantum systems, is defined by its Hamiltonian and state vector. In the previous section, *Using Tensor Products and Partial Traces*, we showed how Hamiltonians and state vectors are constructed in QuTiP. Given a Hamiltonian, we can calculate the unitary (non-dissipative) time-evolution of an arbitrary state vector $|\psi_0\rangle$ (`psi0`) using the QuTiP function `qutip.mesolve`. It evolves the state vector and evaluates the expectation values for a set of operators `expt_ops` at the points in time in the list `times`, using an ordinary differential equation solver. Alternatively, we can use the function `qutip.essolve`, which uses the exponential-series technique to calculate the time evolution of a system. The `qutip.mesolve` and `qutip.essolve` functions take the same arguments and it is therefore easy switch between the two solvers.

For example, the time evolution of a quantum spin-1/2 system with tunneling rate 0.1 that initially is in the up state is calculated, and the expectation values of the σ_z operator evaluated, with the following code

```
In [1]: H = 2 * np.pi * 0.1 * sigmax()
In [2]: psi0 = basis(2, 0)
In [3]: times = np.linspace(0.0, 10.0, 20)
In [4]: result = sesolve(H, psi0, times, [sigmaz()])
```

The brackets in the fourth argument is an empty list of collapse operators, since we consider unitary evolution in this example. See the next section for examples on how dissipation is included by defining a list of collapse operators.

The function returns an instance of `qutip.solver.Result`, as described in the previous section *Dynamics Simulation Results*. The attribute `expect` in `result` is a list of expectation values for the operators that are included in the list in the fifth argument. Adding operators to this list results in a larger output list returned by the function (one array of numbers, corresponding to the times in `times`, for each operator)

```
In [5]: result = sesolve(H, psi0, times, [sigmaz(), sigmay()])
In [6]: result.expect
Out [6]:
[array([ 1.          ,  0.78914057,  0.24548559, -0.40169513, -0.8794735 ,
        -0.98636142, -0.67728219, -0.08258023,  0.54694721,  0.94581685,
         0.94581769,  0.54694945, -0.08257765, -0.67728015, -0.98636097,
        -0.87947476, -0.40169736,  0.24548326,  0.78913896,  1.          ]),
 array([ 0.00000000e+00, -6.14212640e-01, -9.69400240e-01, -9.15773457e-01,
        -4.75947849e-01,  1.64593874e-01,  7.35723339e-01,  9.96584419e-01,
         8.37167094e-01,  3.24700624e-01, -3.24698160e-01, -8.37165632e-01,
        -9.96584633e-01, -7.35725221e-01, -1.64596567e-01,  4.75945525e-01,
         9.15772479e-01,  9.69400830e-01,  6.14214701e-01,  2.77159958e-06])]
```


The resulting list of expectation values can easily be visualized using `matplotlib`'s plotting functions:

```
In [7]: H = 2 * np.pi * 0.1 * sigmax()
In [8]: psi0 = basis(2, 0)
In [9]: times = np.linspace(0.0, 10.0, 100)
In [10]: result = sesolve(H, psi0, times, [sigmaz(), sigmay()])
In [11]: fig, ax = subplots()
```

(continues on next page)

(continued from previous page)

```
In [12]: ax.plot(result.times, result.expect[0]);
In [13]: ax.plot(result.times, result.expect[1]);
In [14]: ax.set_xlabel('Time');
In [15]: ax.set_ylabel('Expectation values');
In [16]: ax.legend(("Sigma-Z", "Sigma-Y"));
In [17]: show()
```



If an empty list of operators is passed as fifth parameter, the `qutip.mesolve` function returns a `qutip.solver.Result` instance that contains a list of state vectors for the times specified in `times`

```
In [18]: times = [0.0, 1.0]
In [19]: result = mesolve(H, psi0, times, [], [])
In [20]: result.states
Out [20]:
[Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[1.]
 [0.]]], Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.80901699+0.j          ]
 [0.          -0.58778526j]]]
```

Non-unitary evolution

While the evolution of the state vector in a closed quantum system is deterministic, open quantum systems are stochastic in nature. The effect of an environment on the system of interest is to induce stochastic transitions between energy levels, and to introduce uncertainty in the phase difference between states of the system. The state of an open quantum system is therefore described in terms of ensemble averaged states using the density matrix formalism. A density matrix ρ describes a probability distribution of quantum states $|\psi_n\rangle$, in a matrix representation $\rho = \sum_n p_n |\psi_n\rangle \langle\psi_n|$, where p_n is the classical probability that the system is in the quantum state $|\psi_n\rangle$. The time evolution of a density matrix ρ is the topic of the remaining portions of this section.

The Lindblad Master equation

The standard approach for deriving the equations of motion for a system interacting with its environment is to expand the scope of the system to include the environment. The combined quantum system is then closed, and its evolution is governed by the von Neumann equation

$$\dot{\rho}_{\text{tot}}(t) = -\frac{i}{\hbar}[H_{\text{tot}}, \rho_{\text{tot}}(t)], \quad (3.2)$$

the equivalent of the Schrödinger equation (3.1) in the density matrix formalism. Here, the total Hamiltonian

$$H_{\text{tot}} = H_{\text{sys}} + H_{\text{env}} + H_{\text{int}},$$

includes the original system Hamiltonian H_{sys} , the Hamiltonian for the environment H_{env} , and a term representing the interaction between the system and its environment H_{int} . Since we are only interested in the dynamics of the system, we can at this point perform a partial trace over the environmental degrees of freedom in Eq. (3.2), and thereby obtain a master equation for the motion of the original system density matrix. The most general trace-preserving and completely positive form of this evolution is the Lindblad master equation for the reduced density matrix $\rho = \text{Tr}_{\text{env}}[\rho_{\text{tot}}]$

$$\dot{\rho}(t) = -\frac{i}{\hbar}[H(t), \rho(t)] + \sum_n \frac{1}{2} [2C_n \rho(t) C_n^\dagger - \rho(t) C_n^\dagger C_n - C_n^\dagger C_n \rho(t)] \quad (3.3)$$

where the $C_n = \sqrt{\gamma_n} A_n$ are collapse operators, and A_n are the operators through which the environment couples to the system in H_{int} , and γ_n are the corresponding rates. The derivation of Eq. (3.13) may be found in several sources, and will not be reproduced here. Instead, we emphasize the approximations that are required to arrive at the master equation in the form of Eq. (3.13) from physical arguments, and hence perform a calculation in QuTiP:

- **Separability:** At $t = 0$ there are no correlations between the system and its environment such that the total density matrix can be written as a tensor product $\rho_{\text{tot}}^I(0) = \rho^I(0) \otimes \rho_{\text{env}}^I(0)$.
- **Born approximation:** Requires: (1) that the state of the environment does not significantly change as a result of the interaction with the system; (2) The system and the environment remain separable throughout the evolution. These assumptions are justified if the interaction is weak, and if the environment is much larger than the system. In summary, $\rho_{\text{tot}}(t) \approx \rho(t) \otimes \rho_{\text{env}}$.
- **Markov approximation** The time-scale of decay for the environment τ_{env} is much shorter than the smallest time-scale of the system dynamics $\tau_{\text{sys}} \gg \tau_{\text{env}}$. This approximation is often deemed a “short-memory environment” as it requires that environmental correlation functions decay on a time-scale fast compared to those of the system.
- **Secular approximation** Stipulates that elements in the master equation corresponding to transition frequencies satisfy $|\omega_{ab} - \omega_{cd}| \ll 1/\tau_{\text{sys}}$, i.e., all fast rotating terms in the interaction picture can be neglected. It also ignores terms that lead to a small renormalization of the system energy levels. This approximation is not strictly necessary for all master-equation formalisms (e.g., the Block-Redfield master equation), but it is required for arriving at the Lindblad form (3.13) which is used in `qutip.mesolve`.

For systems with environments satisfying the conditions outlined above, the Lindblad master equation (3.13) governs the time-evolution of the system density matrix, giving an ensemble average of the system dynamics. In order to ensure that these approximations are not violated, it is important that the decay rates γ_n be smaller than the minimum energy splitting in the system Hamiltonian. Situations that demand special attention therefore include,

for example, systems strongly coupled to their environment, and systems with degenerate or nearly degenerate energy levels.

For non-unitary evolution of a quantum systems, i.e., evolution that includes incoherent processes such as relaxation and dephasing, it is common to use master equations. In QuTiP, the same function (`qutip.mesolve`) is used for evolution both according to the Schrödinger equation and to the master equation, even though these two equations of motion are very different. The `qutip.mesolve` function automatically determines if it is sufficient to use the Schrödinger equation (if no collapse operators were given) or if it has to use the master equation (if collapse operators were given). Note that to calculate the time evolution according to the Schrödinger equation is easier and much faster (for large systems) than using the master equation, so if possible the solver will fall back on using the Schrödinger equation.

What is new in the master equation compared to the Schrödinger equation are processes that describe dissipation in the quantum system due to its interaction with an environment. These environmental interactions are defined by the operators through which the system couples to the environment, and rates that describe the strength of the processes.

In QuTiP, the product of the square root of the rate and the operator that describe the dissipation process is called a collapse operator. A list of collapse operators (`c_ops`) is passed as the fourth argument to the `qutip.mesolve` function in order to define the dissipation processes in the master equation. When the `c_ops` isn't empty, the `qutip.mesolve` function will use the master equation instead of the unitary Schrödinger equation.

Using the example with the spin dynamics from the previous section, we can easily add a relaxation process (describing the dissipation of energy from the spin to its environment), by adding `np.sqrt(0.05) * sigmax()` to the previously empty list in the fourth parameter to the `qutip.mesolve` function:

```
In [21]: times = np.linspace(0.0, 10.0, 100)

In [22]: result = mesolve(H, psi0, times, [np.sqrt(0.05) * sigmax()], [sigmaz(),
↳sigmay()])

In [23]: fig, ax = subplots()

In [24]: ax.plot(times, result.expect[0]);


In [25]: ax.plot(times, result.expect[1]);

In [26]: ax.set_xlabel('Time');

In [27]: ax.set_ylabel('Expectation values');

In [28]: ax.legend(("Sigma-Z", "Sigma-Y"));

In [29]: show()
```



Here, 0.05 is the rate and the operator σ_x (`qutip.operators.sigmax`) describes the dissipation process.

Now a slightly more complex example: Consider a two-level atom coupled to a leaky single-mode cavity through a dipole-type interaction, which supports a coherent exchange of quanta between the two systems. If the atom initially is in its groundstate and the cavity in a 5-photon Fock state, the dynamics is calculated with the lines following code


```
In [30]: times = np.linspace(0.0, 10.0, 200)
In [31]: psi0 = tensor(fock(2,0), fock(10, 5))
In [32]: a = tensor(qeye(2), destroy(10))
In [33]: sm = tensor(destroy(2), qeye(10))
In [34]: H = 2 * np.pi * a.dag() * a + 2 * np.pi * sm.dag() * sm + \
.....: 2 * np.pi * 0.25 * (sm * a.dag() + sm.dag() * a)
.....:
In [35]: result = mesolve(H, psi0, times, [np.sqrt(0.1)*a], [a.dag()*a, sm.
↪dag()*sm])
In [36]: figure()
Out[36]: <Figure size 640x480 with 0 Axes>
In [37]: plot(times, result.expect[0])
Out[37]: [<matplotlib.lines.Line2D at 0x1a25f2b710>]
In [38]: plot(times, result.expect[1])
Out[38]: [<matplotlib.lines.Line2D at 0x1a259aab70>]
In [39]: xlabel('Time')
Out[39]: Text(0.5,0,'Time')
In [40]: ylabel('Expectation values')
Out[40]: Text(0,0.5,'Expectation values')
```

(continues on next page)

(continued from previous page)

```
In [41]: legend(("cavity photon number", "atom excitation probability"))
Out [41]: <matplotlib.legend.Legend at 0x1a26094860>

In [42]: show()
```



3.5.3 Monte Carlo Solver

Introduction

Where as the density matrix formalism describes the ensemble average over many identical realizations of a quantum system, the Monte Carlo (MC), or quantum-jump approach to wave function evolution, allows for simulating an individual realization of the system dynamics. Here, the environment is continuously monitored, resulting in a series of quantum jumps in the system wave function, conditioned on the increase in information gained about the state of the system via the environmental measurements. In general, this evolution is governed by the Schrödinger equation with a **non-Hermitian** effective Hamiltonian

$$H_{\text{eff}} = H_{\text{sys}} - \frac{i\hbar}{2} \sum_i C_n^\dagger C_n, \quad (3.4)$$

where again, the C_n are collapse operators, each corresponding to a separate irreversible process with rate γ_n . Here, the strictly negative non-Hermitian portion of Eq. (3.4) gives rise to a reduction in the norm of the wave function, that to first-order in a small time δt , is given by $\langle \psi(t + \delta t) | \psi(t + \delta t) \rangle = 1 - \delta p$ where

$$\delta p = \delta t \sum_n \langle \psi(t) | C_n^\dagger C_n | \psi(t) \rangle, \quad (3.5)$$

and δt is such that $\delta p \ll 1$. With a probability of remaining in the state $|\psi(t + \delta t)\rangle$ given by $1 - \delta p$, the corresponding quantum jump probability is thus Eq. (3.5). If the environmental measurements register a quantum jump, say via the emission of a photon into the environment, or a change in the spin of a quantum dot, the wave function undergoes a jump into a state defined by projecting $|\psi(t)\rangle$ using the collapse operator C_n corresponding to the measurement

$$|\psi(t + \delta t)\rangle = C_n |\psi(t)\rangle / \langle \psi(t) | C_n^\dagger C_n | \psi(t) \rangle^{1/2}. \quad (3.6)$$

If more than a single collapse operator is present in Eq. (3.4), the probability of collapse due to the i th-operator C_i is given by

$$P_i(t) = \langle \psi(t) | C_i^\dagger C_i | \psi(t) \rangle / \delta p. \quad (3.7)$$

Evaluating the MC evolution to first-order in time is quite tedious. Instead, QuTiP uses the following algorithm to simulate a single realization of a quantum system. Starting from a pure state $|\psi(0)\rangle$:

- **I:** Choose a random number r between zero and one, representing the probability that a quantum jump occurs.
- **II:** Integrate the Schrödinger equation, using the effective Hamiltonian (3.4) until a time τ such that the norm of the wave function satisfies $\langle \psi(\tau) | \psi(\tau) \rangle = r$, at which point a jump occurs.
- **III:** The resultant jump projects the system at time τ into one of the renormalized states given by Eq. (3.6). The corresponding collapse operator C_n is chosen such that n is the smallest integer satisfying:

$$\sum_{i=1}^n P_n(\tau) \geq r \quad (3.8)$$

where the individual P_n are given by Eq. (3.7). Note that the left hand side of Eq. (3.8) is, by definition, normalized to unity.

- **IV:** Using the renormalized state from step III as the new initial condition at time τ , draw a new random number, and repeat the above procedure until the final simulation time is reached.

Monte Carlo in QuTiP

In QuTiP, Monte Carlo evolution is implemented with the `qutip.mcsolve` function. It takes nearly the same arguments as the `qutip.mesolve` function for master-equation evolution, except that the initial state must be a ket vector, as oppose to a density matrix, and there is an optional keyword parameter `ntraj` that defines the number of stochastic trajectories to be simulated. By default, `ntraj=500` indicating that 500 Monte Carlo trajectories will be performed.

To illustrate the use of the Monte Carlo evolution of quantum systems in QuTiP, let's again consider the case of a two-level atom coupled to a leaky cavity. The only differences to the master-equation treatment is that in this case we invoke the `qutip.mcsolve` function instead of `qutip.mesolve`

```
In [1]: times = np.linspace(0.0, 10.0, 200)
In [2]: psi0 = tensor(fock(2, 0), fock(10, 5))
In [3]: a = tensor(qeye(2), destroy(10))
In [4]: sm = tensor(destroy(2), qeye(10))
In [5]: H = 2 * np.pi * a.dag() * a + 2 * np.pi * sm.dag() * sm + 2 * np.pi * 0.25_
↳* (sm * a.dag() + sm.dag() * a)
In [6]: data = mcsolve(H, psi0, times, [np.sqrt(0.1) * a], [a.dag() * a, sm.dag()_
↳* sm])
10.0%. Run time: 1.06s. Est. time left: 00:00:00:09
20.0%. Run time: 2.10s. Est. time left: 00:00:00:08
30.0%. Run time: 3.14s. Est. time left: 00:00:00:07
40.0%. Run time: 4.21s. Est. time left: 00:00:00:06
50.0%. Run time: 5.29s. Est. time left: 00:00:00:05
60.0%. Run time: 6.45s. Est. time left: 00:00:00:04
70.0%. Run time: 7.62s. Est. time left: 00:00:00:03
80.0%. Run time: 8.80s. Est. time left: 00:00:00:02
90.0%. Run time: 9.91s. Est. time left: 00:00:00:01
100.0%. Run time: 11.04s. Est. time left: 00:00:00:00
Total run time: 11.14s
```

(continues on next page)

(continued from previous page)

```

In [7]: figure()
Out[7]: <Figure size 640x480 with 0 Axes>

In [8]: plot(times, data.expect[0], times, data.expect[1])
Out[8]:
[<matplotlib.lines.Line2D at 0x1a26510b00>,
 <matplotlib.lines.Line2D at 0x1a26510048>]

In [9]: title('Monte Carlo time evolution')
Out[9]: Text(0.5,1,'Monte Carlo time evolution')

In [10]: xlabel('Time')
Out[10]: Text(0.5,0,'Time')

In [11]: ylabel('Expectation values')
Out[11]: Text(0,0.5,'Expectation values')

In [12]: legend(("cavity photon number", "atom excitation probability"))
Out[12]: <matplotlib.legend.Legend at 0x1a2601f208>

In [13]: show()
    
```



The advantage of the Monte Carlo method over the master equation approach is that only the state vector is required to be kept in the computers memory, as opposed to the entire density matrix. For large quantum system this becomes a significant advantage, and the Monte Carlo solver is therefore generally recommended for such systems. For example, simulating a Heisenberg spin-chain consisting of 10 spins with random parameters and initial states takes almost 7 times longer using the master equation rather than Monte Carlo approach with the default number of trajectories running on a quad-CPU machine. Furthermore, it takes about 7 times the memory as well. However, for small systems, the added overhead of averaging a large number of stochastic trajectories to obtain the open system dynamics, as well as starting the multiprocessing functionality, outweighs the benefit of the minor (in this case) memory saving. Master equation methods are therefore generally more efficient when Hilbert space sizes are on the order of a couple of hundred states or smaller.

Like the master equation solver `qutip.mesolve`, the Monte Carlo solver returns a `qutip.solver.Result` object consisting of expectation values, if the user has defined expectation value operators in the 5th argument to

`mcsolve`, or state vectors if no expectation value operators are given. If state vectors are returned, then the `qutip.solver.Result` returned by `qutip.mcsolve` will be an array of length `ntraj`, with each element containing an array of ket-type qobjs with the same number of elements as `times`. Furthermore, the output `qutip.solver.Result` object will also contain a list of times at which collapse occurred, and which collapse operators did the collapse, in the `col_times` and `col_which` properties, respectively.

Changing the Number of Trajectories

As mentioned earlier, by default, the `mcsolve` function runs 500 trajectories. This value was chosen because it gives good accuracy, Monte Carlo errors scale as $1/n$ where n is the number of trajectories, and simultaneously does not take an excessive amount of time to run. However, like many other options in QuTiP you are free to change the number of trajectories to fit your needs. If we want to run 1000 trajectories in the above example, we can simply modify the call to `mcsolve` like:

```
In [14]: data = mcsolve(H, psi0, times, [np.sqrt(0.1) * a], [a.dag() * a, sm.dag() *
↳ sm], ntraj=1000)
10.0%. Run time: 2.18s. Est. time left: 00:00:00:19
20.0%. Run time: 4.34s. Est. time left: 00:00:00:17
30.0%. Run time: 6.60s. Est. time left: 00:00:00:15
40.0%. Run time: 8.84s. Est. time left: 00:00:00:13
50.0%. Run time: 11.07s. Est. time left: 00:00:00:11
60.0%. Run time: 13.39s. Est. time left: 00:00:00:08
70.0%. Run time: 16.12s. Est. time left: 00:00:00:06
80.0%. Run time: 18.32s. Est. time left: 00:00:00:04
90.0%. Run time: 20.55s. Est. time left: 00:00:00:02
100.0%. Run time: 22.86s. Est. time left: 00:00:00:00
Total run time: 22.90s
```

where we have added the keyword argument `ntraj=1000` at the end of the inputs. Now, the Monte Carlo solver will calculate expectation values for both operators, `a.dag() * a`, `sm.dag() * sm` averaging over 1000 trajectories. Sometimes one is also interested in seeing how the Monte Carlo trajectories converge to the master equation solution by calculating expectation values over a range of trajectory numbers. If, for example, we want to average over 1, 10, 100, and 1000 trajectories, then we can input this into the solver using:

```
In [15]: ntraj = [1, 10, 100, 1000]
```

Keep in mind that the input list must be in ascending order since the total number of trajectories run by `mcsolve` will be calculated using the last element of `ntraj`. In this case, we need to use an extra index when getting the expectation values from the `qutip.solver.Result` object returned by `mcsolve`. In the above example using:

```
In [16]: data = mcsolve(H, psi0, times, [np.sqrt(0.1) * a], [a.dag() * a, sm.dag() *
↳ sm], ntraj=[1, 10, 100, 1000])
10.0%. Run time: 2.39s. Est. time left: 00:00:00:21
20.0%. Run time: 5.09s. Est. time left: 00:00:00:20
30.0%. Run time: 7.60s. Est. time left: 00:00:00:17
40.0%. Run time: 9.92s. Est. time left: 00:00:00:14
50.0%. Run time: 12.48s. Est. time left: 00:00:00:12
60.0%. Run time: 14.84s. Est. time left: 00:00:00:09
70.0%. Run time: 17.22s. Est. time left: 00:00:00:07
80.0%. Run time: 19.68s. Est. time left: 00:00:00:04
90.0%. Run time: 21.98s. Est. time left: 00:00:00:02
100.0%. Run time: 24.40s. Est. time left: 00:00:00:00
Total run time: 24.50s
```

we can extract the relevant expectation values using:

```
In [17]: expt1 = data.expect[0]
```

```
In [18]: expt10 = data.expect[1]
```

(continues on next page)

(continued from previous page)

```
In [19]: expt100 = data.expect[2]
In [20]: expt1000 = data.expect[3]
```

The Monte Carlo solver also has many available options that can be set using the `qutip.solver.Options` class as discussed in *Setting Options for the Dynamics Solvers*.

Reusing Hamiltonian Data

Note: This section covers a specialized topic and may be skipped if you are new to QuTiP.

In order to solve a given simulation as fast as possible, the solvers in QuTiP take the given input operators and break them down into simpler components before passing them on to the ODE solvers. Although these operations are reasonably fast, the time spent organizing data can become appreciable when repeatedly solving a system over, for example, many different initial conditions. In cases such as this, the Hamiltonian and other operators may be reused after the initial configuration, thus speeding up calculations. Note that, unless you are planning to reuse the data many times, this functionality will not be very useful.

To turn on the “reuse” functionality we must set the `rhs_reuse=True` flag in the `qutip.solver.Options`:

```
In [21]: options = Options(rhs_reuse=True)
```

A full account of this feature is given in *Setting Options for the Dynamics Solvers*. Using the previous example, we will calculate the dynamics for two different initial states, with the Hamiltonian data being reused on the second call

```
In [22]: times = np.linspace(0.0, 10.0, 200)
In [23]: psi0 = tensor(fock(2, 0), fock(10, 5))
In [24]: a = tensor(qeye(2), destroy(10))
In [25]: sm = tensor(destroy(2), qeye(10))
In [26]: H = 2 * np.pi * a.dag() * a + 2 * np.pi * sm.dag() * sm + \
.....: 2 * np.pi * 0.25 * (sm * a.dag() + sm.dag() * a)
.....:
In [27]: data1 = mcsolve(H, psi0, times, [np.sqrt(0.1) * a], [a.dag() * a, sm.
↪dag() * sm])
10.0%. Run time: 1.27s. Est. time left: 00:00:00:11
20.0%. Run time: 2.39s. Est. time left: 00:00:00:09
30.0%. Run time: 3.58s. Est. time left: 00:00:00:08
40.0%. Run time: 5.01s. Est. time left: 00:00:00:07
50.0%. Run time: 6.26s. Est. time left: 00:00:00:06
60.0%. Run time: 7.40s. Est. time left: 00:00:00:04
70.0%. Run time: 8.52s. Est. time left: 00:00:00:03
80.0%. Run time: 9.60s. Est. time left: 00:00:00:02
90.0%. Run time: 10.71s. Est. time left: 00:00:00:01
100.0%. Run time: 11.83s. Est. time left: 00:00:00:00
Total run time: 11.85s
In [28]: psi1 = tensor(fock(2, 0), coherent(10, 2 - 1j))
In [29]: opts = Options(rhs_reuse=True) # Run a second time, reusing RHS
```

(continues on next page)

(continued from previous page)

```

In [30]: data2 = mcsolve(H, psi1, times, [np.sqrt(0.1) * a], [a.dag() * a, sm.
↳dag() * sm], options=opts)
10.0%. Run time: 2.08s. Est. time left: 00:00:00:18
20.0%. Run time: 4.09s. Est. time left: 00:00:00:16
30.0%. Run time: 6.09s. Est. time left: 00:00:00:14
40.0%. Run time: 8.05s. Est. time left: 00:00:00:12
50.0%. Run time: 10.10s. Est. time left: 00:00:00:10
60.0%. Run time: 12.15s. Est. time left: 00:00:00:08
70.0%. Run time: 14.20s. Est. time left: 00:00:00:06
80.0%. Run time: 16.21s. Est. time left: 00:00:00:04
90.0%. Run time: 18.26s. Est. time left: 00:00:00:02
100.0%. Run time: 20.32s. Est. time left: 00:00:00:00
Total run time: 20.35s

In [31]: figure()
Out[31]: <Figure size 640x480 with 0 Axes>

In [32]: plot(times, data1.expect[0], times, data1.expect[1], lw=2)
Out[32]:
[<matplotlib.lines.Line2D at 0x1a25f56048>,
 <matplotlib.lines.Line2D at 0x1a25f563c8>]

In [33]: plot(times, data2.expect[0], '--', times, data2.expect[1], '--', lw=2)
Out[33]:
[<matplotlib.lines.Line2D at 0x1a2672e828>,
 <matplotlib.lines.Line2D at 0x1a2672eeb8>]

In [34]: title('Monte Carlo time evolution')
Out[34]: Text(0.5,1,'Monte Carlo time evolution')


In [35]: xlabel('Time', fontsize=14)
Out[35]: Text(0.5,0,'Time')

In [36]: ylabel('Expectation values', fontsize=14)
Out[36]: Text(0,0.5,'Expectation values')

In [37]: legend(("cavity photon number", "atom excitation probability"))
Out[37]: <matplotlib.legend.Legend at 0x1a25e76dd8>

In [38]: show()

```



In addition to the initial state, one may reuse the Hamiltonian data when changing the number of trajectories `ntraj` or simulation times `times`. The reusing of Hamiltonian data is also supported for time-dependent Hamiltonians. See *Solving Problems with Time-dependent Hamiltonians* for further details.

3.5.4 Stochastic Solver - Photocurrent

Photocurrent method, like monte-carlo method, allows for simulating an individual realization of the system evolution under continuous measurement.

Closed system

Photocurrent evolution have the state evolve deterministically between quantum jumps. During the deterministic part, the system evolve by schrodinger equation with a non-hermitian, norm conserving effective Hamiltonian.

$$H_{\text{eff}} = H_{\text{sys}} + \frac{i\hbar}{2} \left(- \sum_n C_n^+ C_n + |C_n \psi|^2 \right). \quad (3.9)$$

With C_n , the collapse operators. This effective Hamiltonian is equivalent to the monte-carlo effective Hamiltonian with an extra term to keep the state normalized. At each time step of δt , the wave function has a probability

$$\delta p_n = \langle \psi(t) | C_n^+ C_n | \psi(t) \rangle \delta t \quad (3.10)$$

of making a quantum jump. δt must be chosen small enough to keep that probability small $\delta p \ll 1$. *If multiple jumps happen at the same time step, the state become unphysical.* Each jump result in a sharp variation of the state by,

$$\delta \psi = \left(\frac{C_n \psi}{|C_n \psi|} - \psi \right) \quad (3.11)$$

The basic photocurrent method directly integrates these equations to the first-order. Starting from a state $|\psi(0)\rangle$, it evolves the state according to

$$\delta \psi(t) = -iH_{\text{sys}} \psi(t) \delta t + \sum_n \left(-\frac{C_n^+ C_n}{2} \psi(t) \delta t + \frac{|C_n \psi|^2}{2} \delta t + \delta N_n \left(\frac{C_n \psi}{|C_n \psi|} - \psi \right) \right), \quad (3.12)$$

for each time-step. Here $\delta N = 1$ with a probability of $\delta\omega$ and $\delta N_n = 0$ with a probability of $1 - \delta\omega$.

Trajectories obtained with this algorithm are equivalent to those obtained with monte-carlo evolution (up to $O(\delta t^2)$). In most cases, `qutip.mcsolve` is more efficient than `qutip.photocurrent_sesolve`.

Open system

Photocurrent approach allows to obtain trajectories for a system with both measured and dissipative interaction with the bath. The system evolves according to the master equation between jumps with a modified liouvillian

$$L_{\text{eff}}(\rho(t)) = L_{\text{sys}}(\rho(t)) + \sum_n (\text{tr}(C_n^+ C_n \rho C_n^+ C_n) - C_n^+ C_n \rho C_n^+ C_n), \quad (3.13)$$

with the probability of jumps in a time step δt given by

$$\delta p = \text{tr}(C \rho C^+) \delta t. \quad (3.14)$$

After a jump, the density matrix become

$$\rho' = \frac{C \rho C^+}{\text{tr}(C \rho C^+)}.$$

The evolution of the system at each time step if thus given by

$$\rho(t + \delta t) = \rho(t) + L_{\text{eff}}(\rho) \delta t + \delta N \left(\frac{C \rho C^+}{\text{tr}(C \rho C^+)} - \rho \right). \quad (3.15)$$

3.5.5 Stochastic Solver

Homodyne detection

Homodyne detection is an extension of the photocurrent method where the output is mixed with a strong external source allowing to get information about the phase of the system. With this method, the resulting detection rate depends is

$$\tau = \text{tr}((\gamma^2 + \gamma(C + C^\dagger) + C^\dagger C)\rho)$$

: label : jump_rate

With γ , the strength of the external beam and C the collapse operator. When the beam is very strong ($\gamma \gg C^\dagger C$), the rate becomes a constant term plus a term proportional to the quadrature of the system.

Closed system

In closed systems, the resulting stochastic differential equation is

$$\delta\psi(t) = -iH\psi(t)\delta t - \sum_n \left(\frac{C_n^+ C_n}{2} - \frac{e_n}{2} C_n + \frac{e_n^2}{8} \right) \psi \delta t + \sum_n \left(C_n - \frac{e_n}{2} \right) \psi \delta\omega \quad (3.16)$$

with

$$e_n = \langle \psi(t) | C_n + C_n^+ | \psi(t) \rangle$$

: label : jump_rate

Here $\delta\omega$ is a Wiener increment.

In QuTiP, this is available with the function `ssesolve`.

```

In [1]: times = np.linspace(0.0, 10.0, 201)

In [2]: psi0 = tensor(fock(2, 0), fock(10, 5))

In [3]: a = tensor(qeye(2), destroy(10))

In [4]: sm = tensor(destroy(2), qeye(10))

In [5]: H = 2 * np.pi * a.dag() * a + 2 * np.pi * sm.dag() * sm + 2 * np.pi * 0.25_
↳* (sm * a.dag() + sm.dag() * a)

In [6]: data = ssesolve(H, psi0, times, sc_ops=[np.sqrt(0.1) * a], e_ops=[a.dag()_
↳* a, sm.dag() * sm], method="homodyne")
Total run time: 0.01s

In [7]: figure()
Out[7]: <Figure size 640x480 with 0 Axes>

In [8]: plot(times, data.expect[0], times, data.expect[1])
Out[8]:
[<matplotlib.lines.Line2D at 0x1a2602d748>,
 <matplotlib.lines.Line2D at 0x1a2602d860>]


In [9]: title('Homodyne time evolution')
Out[9]: Text(0.5,1,'Homodyne time evolution')

In [10]: xlabel('Time')
Out[10]: Text(0.5,0,'Time')

In [11]: ylabel('Expectation values')
Out[11]: Text(0,0.5,'Expectation values')

In [12]: legend(("cavity photon number", "atom excitation probability"))
Out[12]: <matplotlib.legend.Legend at 0x1a22d20fd0>

In [13]: show()
    
```



Open system

In open systems, 2 types of collapse operators are considered, S_i represent the dissipation in the environment, C_i are monitored operators. The deterministic part of the evolution is the liouvillian with both types of collapses

$$L(\rho(t)) = -i[H(t), \rho(t)] + \sum_n D(S_n, \rho) + \sum_i D(C_i, \rho), \quad (3.17)$$

with

$$D(C, \rho) = \frac{1}{2} [2C\rho(t)C^+ - \rho(t)C^+C - C^+C\rho(t)]. \quad (3.18)$$

The stochastic part is given by

$$d_2 = (C\rho(t) + \rho(t)C^+ - \text{tr}(C \times \rho + \rho \times C^+) \rho(t)), \quad (3.19)$$

resulting in the stochastic differential equation

$$\delta\rho(t) = L(\rho(t))\delta t + d_2\delta\omega \quad (3.20)$$

The function `smesolve` cover these cases in QuTiP.

Heterodyne detection

With heterodyne detection, two measurements are made in order to obtain information about 2 orthogonal quadratures at once.

3.5.6 Solving Problems with Time-dependent Hamiltonians

Methods for Writing Time-Dependent Operators

In the previous examples of quantum evolution, we assumed that the systems under consideration were described by time-independent Hamiltonians. However, many systems have explicit time dependence in either the Hamiltonian, or the collapse operators describing coupling to the environment, and sometimes both components might depend on time. The time-evolutions solvers `qutip.mesolve`, `qutip.mcsolve`, `qutip.sesolve`, `qutip.brmsolve`, `qutip.ssesolve`, `qutip.photocurrent_sesolve`, `qutip.smesolve`, and `qutip.photocurrent_mesolve` are all capable of handling time-dependent Hamiltonians and collapse terms. There are, in general, three different ways to implement time-dependent problems in QuTiP:

1. **Function based:** Hamiltonian / collapse operators expressed using [qobj, func] pairs, where the time-dependent coefficients of the Hamiltonian (or collapse operators) are expressed using Python functions.
2. **String (Cython) based:** The Hamiltonian and/or collapse operators are expressed as a list of [qobj, string] pairs, where the time-dependent coefficients are represented as strings. The resulting Hamiltonian is then compiled into C code using Cython and executed.
3. **Array Based:** The Hamiltonian and/or collapse operators are expressed as a list of [qobj, np.array] pairs. The arrays are 1 dimensional and dtype are complex or float. They must contain one value for each time in the tlist given to the solver. Cubic spline interpolation will be used between the given times.
4. **Hamiltonian function (outdated):** The Hamiltonian is itself a Python function with time-dependence. Collapse operators must be time independent using this input format.

Give the multiple choices of input style, the first question that arises is which option to choose? In short, the function based method (option #1) is the most general, allowing for essentially arbitrary coefficients expressed via user defined functions. However, by automatically compiling your system into C++ code, the second option (string based) tends to be more efficient and will run faster [This is also the only format that is supported in the `qutip.brmsolve` solver]. Of course, for small system sizes and evolution times, the difference will

be minor. Although this method does not support all time-dependent coefficients that one can think of, it does support essentially all problems that one would typically encounter. Time-dependent coefficients using any of the following functions, or combinations thereof (including constants) can be compiled directly into C++-code:

```
'abs', 'acos', 'acosh', 'arg', 'asin', 'asinh', 'atan', 'atanh', 'conj',
'cos', 'cosh', 'exp', 'erf', 'zeta', 'imag', 'log', 'log10', 'norm', 'pi',
'proj', 'real', 'sin', 'sinh', 'sqrt', 'tan', 'tanh'
```

In addition, QuTiP supports cubic spline based interpolation functions [*Modeling Non-Analytic and/or Experimental Time-Dependent Parameters using Interpolating Functions*].

If you require mathematical functions other than those listed above, it is possible to call any of the functions in the NumPy library using the prefix `np.` before the function name in the string, i.e. `'np.sin(t)'` and `scipy.special` imported as `spe`. This includes a wide range of functionality, but comes with a small overhead created by going from C++->Python->C++.

Finally option #4, expressing the Hamiltonian as a Python function, is the original method for time dependence in QuTiP 1.x. However, this method is somewhat less efficient than the previously mentioned methods. However, in contrast to the other options this method can be used in implementing time-dependent Hamiltonians that cannot be expressed as a function of constant operators with time-dependent coefficients.

A collection of examples demonstrating the simulation of time-dependent problems can be found on the [tutorials](#) web page.

Function Based Time Dependence

A very general way to write a time-dependent Hamiltonian or collapse operator is by using Python functions as the time-dependent coefficients. To accomplish this, we need to write a Python function that returns the time-dependent coefficient. Additionally, we need to tell QuTiP that a given Hamiltonian or collapse operator should be associated with a given Python function. To do this, one needs to specify operator-function pairs in list format: `[Op, py_coeff]`, where `Op` is a given Hamiltonian or collapse operator and `py_coeff` is the name of the Python function representing the coefficient. With this format, the form of the Hamiltonian for both `mesolve` and `mcsolve` is:

```
>>> H = [H0, [H1, py_coeff1], [H2, py_coeff2], ...]
```

where `H0` is a time-independent Hamiltonian, while `H1`, `H2`, are time dependent. The same format can be used for collapse operators:

```
>>> c_ops = [[C0, py_coeff0], C1, [C2, py_coeff2], ...]
```

Here we have demonstrated that the ordering of time-dependent and time-independent terms does not matter. In addition, any or all of the collapse operators may be time dependent.

Note: While, in general, you can arrange time-dependent and time-independent terms in any order you like, it is best to place all time-independent terms first.

As an example, we will look at an example that has a time-dependent Hamiltonian of the form $H = H_0 - f(t)H_1$ where $f(t)$ is the time-dependent driving strength given as $f(t) = A \exp[-(t/\sigma)^2]$. The follow code sets up the problem

```
In [1]: ustate = basis(3, 0)
In [2]: excited = basis(3, 1)
In [3]: ground = basis(3, 2)
In [4]: N = 2 # Set where to truncate Fock state for cavity
```

(continues on next page)

(continued from previous page)

```
In [5]: sigma_ge = tensor(qeye(N), ground * excited.dag()) # |g><e|
In [6]: sigma_ue = tensor(qeye(N), ustate * excited.dag()) # |u><e|
In [7]: a = tensor(destroy(N), qeye(3))
In [8]: ada = tensor(num(N), qeye(3))
In [9]: c_ops = [] # Build collapse operators
In [10]: kappa = 1.5 # Cavity decay rate
In [11]: c_ops.append(np.sqrt(kappa) * a)
In [12]: gamma = 6 # Atomic decay rate
In [13]: c_ops.append(np.sqrt(5*gamma/9) * sigma_ue) # Use Rb branching ratio of 5/
↳9 e->u
In [14]: c_ops.append(np.sqrt(4*gamma/9) * sigma_ge) # 4/9 e->g
In [15]: t = np.linspace(-15, 15, 100) # Define time vector
In [16]: psi0 = tensor(basis(N, 0), ustate) # Define initial state
In [17]: state_GG = tensor(basis(N, 1), ground) # Define states onto which to
↳project
In [18]: sigma_GG = state_GG * state_GG.dag()
In [19]: state_UU = tensor(basis(N, 0), ustate)
In [20]: sigma_UU = state_UU * state_UU.dag()
In [21]: g = 5 # coupling strength
In [22]: H0 = -g * (sigma_ge.dag() * a + a.dag() * sigma_ge) # time-independent
↳term
In [23]: H1 = (sigma_ue.dag() + sigma_ue) # time-dependent term
```

Given that we have a single time-dependent Hamiltonian term, and constant collapse terms, we need to specify a single Python function for the coefficient $f(t)$. In this case, one can simply do

```
In [24]: def H1_coeff(t, args):
.....:     return 9 * np.exp(-(t / 5.) ** 2)
.....:
```

In this case, the return value depends only on time. However, when specifying Python functions for coefficients, **the function must have (t,args) as the input variables, in that order**. Having specified our coefficient function, we can now specify the Hamiltonian in list format and call the solver (in this case `qutip.mesolve`)

```
In [25]: H = [H0, [H1, H1_coeff]]
In [26]: output = mesolve(H, psi0, t, c_ops, [ada, sigma_UU, sigma_GG])
```

We can call the Monte Carlo solver in the exact same way (if using the default `ntraj=500`):

```
In [27]: output = mcsolve(H, psi0, t, c_ops, [ada, sigma_UU, sigma_GG])
10.0%. Run time: 0.32s. Est. time left: 00:00:00:02
20.0%. Run time: 0.61s. Est. time left: 00:00:00:02
```

(continues on next page)

(continued from previous page)

```
30.0%. Run time: 0.91s. Est. time left: 00:00:00:02
40.0%. Run time: 1.19s. Est. time left: 00:00:00:01
50.0%. Run time: 1.49s. Est. time left: 00:00:00:01
60.0%. Run time: 1.78s. Est. time left: 00:00:00:01
70.0%. Run time: 2.07s. Est. time left: 00:00:00:00
80.0%. Run time: 2.35s. Est. time left: 00:00:00:00
90.0%. Run time: 2.64s. Est. time left: 00:00:00:00
100.0%. Run time: 2.93s. Est. time left: 00:00:00:00
Total run time: 3.04s
```

The output from the master equation solver is identical to that shown in the examples, the Monte Carlo however will be noticeably off, suggesting we should increase the number of trajectories for this example. In addition, we can also consider the decay of a simple Harmonic oscillator with time-varying decay rate

```
In [28]: kappa = 0.5

In [29]: def col_coeff(t, args): # coefficient function
....:     return np.sqrt(kappa * np.exp(-t))
....:

In [30]: N = 10 # number of basis states

In [31]: a = destroy(N)

In [32]: H = a.dag() * a # simple HO

In [33]: psi0 = basis(N, 9) # initial state

In [34]: c_ops = [[a, col_coeff]] # time-dependent collapse term

In [35]: times = np.linspace(0, 10, 100)

In [36]: output = mesolve(H, psi0, times, c_ops, [a.dag() * a])
```

Using the args variable

In the previous example we hardcoded all of the variables, driving amplitude A and width σ , with their numerical values. This is fine for problems that are specialized, or that we only want to run once. However, in many cases, we would like to change the parameters of the problem in only one location (usually at the top of the script), and not have to worry about manually changing the values on each run. QuTiP allows you to accomplish this using the keyword `args` as an input to the solvers. For instance, instead of explicitly writing 9 for the amplitude and 5 for the width of the gaussian driving term, we can make use of the `args` variable

```
In [37]: def H1_coeff(t, args):
....:     return args['A'] * np.exp(-(t/args['sigma'])**2)
....:
```

or equivalently,

```
In [38]: def H1_coeff(t, args):
....:     A = args['A']
....:     sig = args['sigma']
....:     return A * np.exp(-(t / sig) ** 2)
....:
```

where `args` is a Python dictionary of key: value pairs `args = {'A': a, 'sigma': b}` where `a` and `b` are the two parameters for the amplitude and width, respectively. Of course, we can always hardcode the values in the dictionary as well `args = {'A': 9, 'sigma': 5}`, but there is much more flexibility by using

variables in `args`. To let the solvers know that we have a set of `args` to pass we append the `args` to the end of the solver input:

```
In [39]: output = mesolve(H, psi0, times, c_ops, [a.dag() * a], args={'A': 9,
↳ 'sigma': 5})
```

or to keep things looking pretty

```
In [40]: args = {'A': 9, 'sigma': 5}
In [41]: output = mesolve(H, psi0, times, c_ops, [a.dag() * a], args=args)
```

Once again, the Monte Carlo solver `qutip.mcsolve` works in an identical manner.

String Format Method

Note: You must have Cython installed on your computer to use this format. See [Installation](#) for instructions on installing Cython.

The string-based time-dependent format works in a similar manner as the previously discussed Python function method. That being said, the underlying code does something completely different. When using this format, the strings used to represent the time-dependent coefficients, as well as Hamiltonian and collapse operators, are rewritten as Cython code using a code generator class and then compiled into C code. The details of this meta-programming will be published in due course. However, in short, this can lead to a substantial reduction in time for complex time-dependent problems, or when simulating over long intervals.

Like the previous method, the string-based format uses a list pair format `[Op, str]` where `str` is now a string representing the time-dependent coefficient. For our first example, this string would be `'9 * exp(-(t / 5.) ** 2)'`. The Hamiltonian in this format would take the form:

```
In [42]: H = [H0, [H1, '9 * exp(-(t / 5) ** 2)']]
```

Notice that this is a valid Hamiltonian for the string-based format as `exp` is included in the above list of suitable functions. Calling the solvers is the same as before:

```
In [43]: output = mesolve(H, psi0, t, c_ops, [a.dag() * a])
```

We can also use the `args` variable in the same manner as before, however we must rewrite our string term to read: `'A * exp(-(t / sig) ** 2)'`

```
In [44]: H = [H0, [H1, 'A * exp(-(t / sig) ** 2)']]
In [45]: args = {'A': 9, 'sig': 5}
In [46]: output = mesolve(H, psi0, times, c_ops, [a.dag()*a], args=args)
```

Important: Naming your `args` variables `exp`, `sin`, `pi` etc. will cause errors when using the string-based format.


Collapse operators are handled in the exact same way.

Modeling Non-Analytic and/or Experimental Time-Dependent Parameters using Interpolating Functions

Note: New in QuTiP 4.1

Sometimes it is necessary to model a system where the time-dependent parameters are non-analytic functions, or are derived from experimental data (i.e. a collection of data points). In these situations, one can use interpolating functions as an approximate functional form for input into a time-dependent solver. QuTiP includes its own custom cubic spline interpolation class `qutip.interpolate.Cubic_Spline` to provide this functionality. To see how this works, let's first generate some noisy data:

```
In [47]: t = np.linspace(-15, 15, 100)
In [48]: func = lambda t: 9*np.exp(-(t / 5)** 2)
In [49]: noisy_func = lambda t: func(t)+(0.05*func(t))*np.random.randn(t.shape[0])
In [50]: noisy_data = noisy_func(t)
In [51]: plt.figure()
Out [51]: <Figure size 640x480 with 0 Axes>
In [52]: plt.plot(t, func(t))
Out [52]: [<matplotlib.lines.Line2D at 0x1a27962208>]
In [53]: plt.plot(t, noisy_data, 'o')
Out [53]: [<matplotlib.lines.Line2D at 0x1a27962780>]
In [54]: plt.show()
```



To turn these data points into a function we call the QuTiP `qutip.interpolate.Cubic_Spline` class using the first and last domain time points, $t[0]$ and $t[-1]$, respectively, as well as the entire array of data points:

```

In [55]: S = Cubic_Spline(t[0], t[-1], noisy_data)

In [56]: plt.figure()
Out[56]: <Figure size 640x480 with 0 Axes>


In [57]: plt.plot(t, func(t))
Out[57]: [<matplotlib.lines.Line2D at 0x1a280b51d0>]

In [58]: plt.plot(t, noisy_data, 'o')
Out[58]: [<matplotlib.lines.Line2D at 0x1a280b5828>]

In [59]: plt.plot(t, S(t), lw=2)
Out[59]: [<matplotlib.lines.Line2D at 0x1a280ad4a8>]

In [60]: plt.show()

```



Note that, at present, only equally spaced real or complex data sets can be accommodated. This cubic spline class S can now be pasted to any of the `mesolve`, `mcsolve`, or `sesolve` functions where one would normally input a time-dependent function or string-representation. Taking the problem from the previous section as an example. We would make the replacement:

```
H = [H0, [H1, '9 * exp(-(t / 5) ** 2)']]
```

to

```
H = [H0, [H1, S]]
```

When combining interpolating functions with other Python functions or strings, the interpolating class will automatically pick the appropriate method for calling the class. That is to say that, if for example, you have other time-dependent terms that are given in the string-format, then the cubic spline representation will also be passed in a string-compatible format. In the string-format, the interpolation function is compiled into c-code, and thus is quite fast. This is the default method if no other time-dependent terms are present.

Accessing the state from solver

New in QuTiP 4.4

The state of the system, the ket vector or the density matrix, is available to time-dependent Hamiltonian and collapse operators in `args`. Some keys of the argument dictionary are understood by the solver to be values to be updated with the evolution of the system. The state can be obtained in 3 forms: `Qobj`, vector (1d `np.array`), matrix (2d `np.array`), expectation values and collapse can also be obtained.

Here `psi0` is the initial value used for tests before the evolution begins. `qutip.brmsolve` does not support these arguments.

Reusing Time-Dependent Hamiltonian Data

Note: This section covers a specialized topic and may be skipped if you are new to QuTiP.

When repeatedly simulating a system where only the time-dependent variables, or initial state change, it is possible to reuse the Hamiltonian data stored in QuTiP and thereby avoid spending time needlessly preparing the Hamiltonian and collapse terms for simulation. To turn on the reuse features, we must pass a `qutip.Options` object with the `rhs_reuse` flag turned on. Instructions on setting flags are found in *Setting Options for the Dynamics Solvers*. For example, we can do

```
In [61]: H = [H0, [H1, 'A * exp(-(t / sig) ** 2)']]

In [62]: args = {'A': 9, 'sig': 5}

In [63]: output = mcsolve(H, psi0, times, c_ops, [a.dag()*a], args=args)
10.0%. Run time: 0.23s. Est. time left: 00:00:00:02
20.0%. Run time: 0.40s. Est. time left: 00:00:00:01
30.0%. Run time: 0.62s. Est. time left: 00:00:00:01
40.0%. Run time: 0.81s. Est. time left: 00:00:00:01
50.0%. Run time: 0.99s. Est. time left: 00:00:00:00
60.0%. Run time: 1.18s. Est. time left: 00:00:00:00
70.0%. Run time: 1.40s. Est. time left: 00:00:00:00
80.0%. Run time: 2.05s. Est. time left: 00:00:00:00
90.0%. Run time: 2.36s. Est. time left: 00:00:00:00
100.0%. Run time: 2.56s. Est. time left: 00:00:00:00
Total run time: 2.63s

In [64]: opts = Options(rhs_reuse=True)

In [65]: args = {'A': 10, 'sig': 3}

In [66]: output = mcsolve(H, psi0, times, c_ops, [a.dag()*a], args=args,
↳ options=opts)
10.0%. Run time: 0.22s. Est. time left: 00:00:00:01
20.0%. Run time: 0.41s. Est. time left: 00:00:00:01
30.0%. Run time: 0.59s. Est. time left: 00:00:00:01
40.0%. Run time: 0.79s. Est. time left: 00:00:00:01
50.0%. Run time: 0.99s. Est. time left: 00:00:00:00
60.0%. Run time: 1.21s. Est. time left: 00:00:00:00
70.0%. Run time: 1.50s. Est. time left: 00:00:00:00
80.0%. Run time: 2.10s. Est. time left: 00:00:00:00
90.0%. Run time: 2.62s. Est. time left: 00:00:00:00
100.0%. Run time: 2.91s. Est. time left: 00:00:00:00
Total run time: 3.02s
```

The second call to `qutip.mcsolve` does not reorganize the data, and in the case of the string format, does not recompile the Cython code. For the small system here, the savings in computation time is quite small, however, if you need to call the solvers many times for different parameters, this savings will obviously start to add up.

Running String-Based Time-Dependent Problems using Parfor

Note: This section covers a specialized topic and may be skipped if you are new to QuTiP.

In this section we discuss running string-based time-dependent problems using the `qutip.parfor` function. As the `qutip.mcsolve` function is already parallelized, running string-based time dependent problems inside of parfor loops should be restricted to the `qutip.mesolve` function only. When using the string-based format, the system Hamiltonian and collapse operators are converted into C code with a specific file name that is automatically generated, or supplied by the user via the `rhs_filename` property of the `qutip.Options` class. Because the `qutip.parfor` function uses the built-in Python multiprocessing functionality, in calling the solver inside a parfor loop, each thread will try to generate compiled code with the same file name, leading to a crash. To get around this problem you can call the `qutip.rhs_generate` function to compile simulation into C code before calling parfor. You **must** then set the `qutip.Odedata` object `rhs_reuse=True` for all solver calls inside the parfor loop that indicates that a valid C code file already exists and a new one should not be generated. As an example, we will look at the Landau-Zener-Stuckelberg interferometry example that can be found in the notebook “Time-dependent master equation: Landau-Zener-Stuckelberg inteferometry” in the tutorials section of the QuTiP web site.

To set up the problem, we run the following code:

```
In [67]: delta = 0.1 * 2 * np.pi # qubit sigma_x coefficient
In [68]: w = 2.0 * 2 * np.pi # driving frequency
In [69]: T = 2 * np.pi / w # driving period
In [70]: gamma1 = 0.00001 # relaxation rate
In [71]: gamma2 = 0.005 # dephasing rate
In [72]: eps_list = np.linspace(-10.0, 10.0, 51) * 2 * np.pi # epsilon
In [73]: A_list = np.linspace(0.0, 20.0, 51) * 2 * np.pi # Amplitude
In [74]: sx = sigmax(); sz = sigmaz(); sm = destroy(2); sn = num(2)
In [75]: c_ops = [np.sqrt(gamma1) * sm, np.sqrt(gamma2) * sz] # relaxation and_
↪dephasing
In [76]: H0 = -delta / 2.0 * sx
In [77]: H1 = [sz, '-eps / 2.0 + A / 2.0 * sin(w * t)']
In [78]: H_td = [H0, H1]
In [79]: Hargs = {'w': w, 'eps': eps_list[0], 'A': A_list[0]}
```

where the last code block sets up the problem using a string-based Hamiltonian, and `Hargs` is a dictionary of arguments to be passed into the Hamiltonian. In this example, we are going to use the `qutip.propagator` and `qutip.propagator.propagator_steadystate` to find expectation values for different values of ϵ and A in the Hamiltonian $H = -\frac{1}{2}\Delta\sigma_x - \frac{1}{2}\epsilon\sigma_z - \frac{1}{2}A\sin(\omega t)$.

We must now tell the `qutip.mesolve` function, that is called by `qutip.propagator` to reuse a pre-generated Hamiltonian constructed using the `qutip.rhs_generate` command:

```
In [80]: opts = Options(rhs_reuse=True)
In [81]: rhs_generate(H_td, c_ops, Hargs, name='lz_func')
```

Here, we have given the generated file a custom name `lz_func`, however this is not necessary as a generic name

will automatically be given. Now we define the function `task` that is called by `qutip.parallel.parfor` with the `m`-index parallelized in loop over the elements of `p_mat [m, n]`:

```
In [82]: def task(args):
...:     m, eps = args
...:     p_mat_m = np.zeros(len(A_list))
...:     for n, A in enumerate(A_list):
...:         # change args sent to solver, w is really a constant though.
...:         Hargs = {'w': w, 'eps': eps, 'A': A}
...:         U = propagator(H_td, T, c_ops, Hargs, opts) #<- IMPORTANT LINE
...:         rho_ss = propagator_steadystate(U)
...:         p_mat_m[n] = expect(sn, rho_ss)
...:     return [m, p_mat_m]
...:
```

Notice the Options `opts` in the call to the `qutip.propagator` function. This tells the `qutip.mesolve` function used in the propagator to call the pre-generated file `lz_func`. If this were missing then the routine would fail.

3.5.7 Bloch-Redfield master equation

Introduction

The Lindblad master equation introduced earlier is constructed so that it describes a physical evolution of the density matrix (i.e., trace and positivity preserving), but it does not provide a connection to any underlying microscopic physical model. The Lindblad operators (collapse operators) describe phenomenological processes, such as for example dephasing and spin flips, and the rates of these processes are arbitrary parameters in the model. In many situations the collapse operators and their corresponding rates have clear physical interpretation, such as dephasing and relaxation rates, and in those cases the Lindblad master equation is usually the method of choice.

However, in some cases, for example systems with varying energy biases and eigenstates and that couple to an environment in some well-defined manner (through a physically motivated system-environment interaction operator), it is often desirable to derive the master equation from more fundamental physical principles, and relate it to for example the noise-power spectrum of the environment.

The Bloch-Redfield formalism is one such approach to derive a master equation from a microscopic system. It starts from a combined system-environment perspective, and derives a perturbative master equation for the system alone, under the assumption of weak system-environment coupling. One advantage of this approach is that the dissipation processes and rates are obtained directly from the properties of the environment. On the downside, it does not intrinsically guarantee that the resulting master equation unconditionally preserves the physical properties of the density matrix (because it is a perturbative method). The Bloch-Redfield master equation must therefore be used with care, and the assumptions made in the derivation must be honored. (The Lindblad master equation is in a sense more robust – it always results in a physical density matrix – although some collapse operators might not be physically justified). For a full derivation of the Bloch Redfield master equation, see e.g. [Coh92] or [Bre02]. Here we present only a brief version of the derivation, with the intention of introducing the notation and how it relates to the implementation in QuTiP.

Brief Derivation and Definitions

The starting point of the Bloch-Redfield formalism is the total Hamiltonian for the system and the environment (bath): $H = H_S + H_B + H_I$, where H is the total system+bath Hamiltonian, H_S and H_B are the system and bath Hamiltonians, respectively, and H_I is the interaction Hamiltonian.

The most general form of a master equation for the system dynamics is obtained by tracing out the bath from the von-Neumann equation of motion for the combined system ($\dot{\rho} = -i\hbar^{-1}[H, \rho]$). In the interaction picture the result is

$$\frac{d}{dt}\rho_S(t) = -\hbar^{-2} \int_0^t d\tau \operatorname{Tr}_B[H_I(t), [H_I(\tau), \rho_S(\tau) \otimes \rho_B]], \quad (3.21)$$

where the additional assumption that the total system-bath density matrix can be factorized as $\rho(t) \approx \rho_S(t) \otimes \rho_B$. This assumption is known as the Born approximation, and it implies that there never is any entanglement between the system and the bath, neither in the initial state nor at any time during the evolution. *It is justified for weak system-bath interaction.*

The master equation (3.21) is non-Markovian, i.e., the change in the density matrix at a time t depends on states at all times $\tau < t$, making it intractable to solve both theoretically and numerically. To make progress towards a manageable master equation, we now introduce the Markovian approximation, in which $\rho(s)$ is replaced by $\rho(t)$ in Eq. (3.21). The result is the Redfield equation

$$\frac{d}{dt}\rho_S(t) = -\hbar^{-2} \int_0^t d\tau \text{Tr}_B[H_I(t), [H_I(\tau), \rho_S(t) \otimes \rho_B]], \quad (3.22)$$

which is local in time with respect the density matrix, but still not Markovian since it contains an implicit dependence on the initial state. By extending the integration to infinity and substituting $\tau \rightarrow t - \tau$, a fully Markovian master equation is obtained:

$$\frac{d}{dt}\rho_S(t) = -\hbar^{-2} \int_0^\infty d\tau \text{Tr}_B[H_I(t), [H_I(t - \tau), \rho_S(t) \otimes \rho_B]]. \quad (3.23)$$

The two Markovian approximations introduced above are valid if the time-scale with which the system dynamics changes is large compared to the time-scale with which correlations in the bath decays (corresponding to a “short-memory” bath, which results in Markovian system dynamics).

The master equation (3.23) is still on a too general form to be suitable for numerical implementation. We therefore assume that the system-bath interaction takes the form $H_I = \sum_\alpha A_\alpha \otimes B_\alpha$ and where A_α are system operators and B_α are bath operators. This allows us to write master equation in terms of system operators and bath correlation functions:

$$\begin{aligned} \frac{d}{dt}\rho_S(t) = -\hbar^{-2} \sum_{\alpha\beta} \int_0^\infty d\tau \{ & g_{\alpha\beta}(\tau) [A_\alpha(t)A_\beta(t-\tau)\rho_S(t) - A_\alpha(t-\tau)\rho_S(t)A_\beta(t)] \\ & g_{\alpha\beta}(-\tau) [\rho_S(t)A_\alpha(t-\tau)A_\beta(t) - A_\alpha(t)\rho_S(t)A_\beta(t-\tau)] \}, \end{aligned}$$

where $g_{\alpha\beta}(\tau) = \text{Tr}_B [B_\alpha(t)B_\beta(t-\tau)\rho_B] = \langle B_\alpha(\tau)B_\beta(0) \rangle$, since the bath state ρ_B is a steady state.

In the eigenbasis of the system Hamiltonian, where $A_{mn}(t) = A_{mn}e^{i\omega_{mn}t}$, $\omega_{mn} = \omega_m - \omega_n$ and ω_m are the eigenfrequencies corresponding the eigenstate $|m\rangle$, we obtain in matrix form in the Schrödinger picture

$$\begin{aligned} \frac{d}{dt}\rho_{ab}(t) = -i\omega_{ab}\rho_{ab}(t) - \hbar^{-2} \sum_{\alpha,\beta} \sum_{c,d}^{\text{sec}} \int_0^\infty d\tau \left\{ & g_{\alpha\beta}(\tau) \left[\delta_{bd} \sum_n A_{an}^\alpha A_{nc}^\beta e^{i\omega_{cn}\tau} - A_{ac}^\alpha A_{db}^\beta e^{i\omega_{ca}\tau} \right] \right. \\ & \left. + g_{\alpha\beta}(-\tau) \left[\delta_{ac} \sum_n A_{dn}^\alpha A_{nb}^\beta e^{i\omega_{nd}\tau} - A_{ac}^\alpha A_{db}^\beta e^{i\omega_{bd}\tau} \right] \right\} \rho_{cd}(t), \end{aligned}$$

where the “sec” above the summation symbol indicate summation of the secular terms which satisfy $|\omega_{ab} - \omega_{cd}| \ll \tau_{\text{decay}}$. This is an almost-useful form of the master equation. The final step before arriving at the form of the Bloch-Redfield master equation that is implemented in QuTiP, involves rewriting the bath correlation function $g(\tau)$ in terms of the noise-power spectrum of the environment $S(\omega) = \int_{-\infty}^\infty d\tau e^{i\omega\tau} g(\tau)$:

$$\int_0^\infty d\tau g_{\alpha\beta}(\tau) e^{i\omega\tau} = \frac{1}{2} S_{\alpha\beta}(\omega) + i\lambda_{\alpha\beta}(\omega), \quad (3.24)$$

where $\lambda_{ab}(\omega)$ is an energy shift that is neglected here. The final form of the Bloch-Redfield master equation is

$$\frac{d}{dt}\rho_{ab}(t) = -i\omega_{ab}\rho_{ab}(t) + \sum_{c,d}^{\text{sec}} R_{abcd}\rho_{cd}(t), \quad (3.25)$$

where

$$\begin{aligned} R_{abcd} = -\frac{\hbar^{-2}}{2} \sum_{\alpha,\beta} \left\{ & \delta_{bd} \sum_n A_{an}^\alpha A_{nc}^\beta S_{\alpha\beta}(\omega_{cn}) - A_{ac}^\alpha A_{db}^\beta S_{\alpha\beta}(\omega_{ca}) \right. \\ & \left. + \delta_{ac} \sum_n A_{dn}^\alpha A_{nb}^\beta S_{\alpha\beta}(\omega_{dn}) - A_{ac}^\alpha A_{db}^\beta S_{\alpha\beta}(\omega_{db}) \right\}, \end{aligned}$$

is the Bloch-Redfield tensor.

The Bloch-Redfield master equation in the form Eq. (3.25) is suitable for numerical implementation. The input parameters are the system Hamiltonian H , the system operators through which the environment couples to the system A_α , and the noise-power spectrum $S_{\alpha\beta}(\omega)$ associated with each system-environment interaction term.

To simplify the numerical implementation we assume that A_α are Hermitian and that cross-correlations between different environment operators vanish, so that the final expression for the Bloch-Redfield tensor that is implemented in QuTiP is

$$R_{abcd} = -\frac{\hbar^{-2}}{2} \sum_{\alpha} \left\{ \delta_{bd} \sum_n A_{an}^{\alpha} A_{nc}^{\alpha} S_{\alpha}(\omega_{cn}) - A_{ac}^{\alpha} A_{db}^{\alpha} S_{\alpha}(\omega_{ca}) + \delta_{ac} \sum_n A_{dn}^{\alpha} A_{nb}^{\alpha} S_{\alpha}(\omega_{dn}) - A_{ac}^{\alpha} A_{db}^{\alpha} S_{\alpha}(\omega_{db}) \right\}.$$

Bloch-Redfield master equation in QuTiP

In QuTiP, the Bloch-Redfield tensor Eq. (3.26) can be calculated using the function `qutip.bloch_redfield.bloch_redfield_tensor`. It takes two mandatory arguments: The system Hamiltonian H , a nested list of operator A_α , spectral density functions $S_\alpha(\omega)$ pairs that characterize the coupling between system and bath. The spectral density functions are Python callback functions that takes the (angular) frequency as a single argument.

To illustrate how to calculate the Bloch-Redfield tensor, let's consider a two-level atom

$$H = -\frac{1}{2}\Delta\sigma_x - \frac{1}{2}\epsilon_0\sigma_z \quad (3.26)$$

that couples to an Ohmic bath through the σ_x operator. The corresponding Bloch-Redfield tensor can be calculated in QuTiP using the following code


```
In [1]: delta = 0.2 * 2*np.pi; eps0 = 1.0 * 2*np.pi; gammal = 0.5
In [2]: H = - delta/2.0 * sigmax() - eps0/2.0 * sigmaz()
In [3]: def ohmic_spectrum(w):
...:     if w == 0.0: # dephasing inducing noise
...:         return gammal
...:     else: # relaxation inducing noise
...:         return gammal / 2 * (w / (2 * np.pi)) * (w > 0.0)
...:
In [4]: R, ekets = bloch_redfield_tensor(H, [[sigmax(), ohmic_spectrum]])
In [5]: R
Out [5]:
Quantum object: dims = [[2], [2]], [[2], [2]], shape = (4, 4), type = super,
↳ isherm = False
Qobj data =
[[ 0.          +0.j          0.          +0.j          0.          +0.j
  0.24514517+0.j          ]
 [ 0.          +0.j         -0.16103412-6.4076169j  0.          +0.j
  0.          +0.j          ]
 [ 0.          +0.j          0.          +0.j         -0.16103412+6.4076169j
  0.          +0.j          ]
 [ 0.          +0.j          0.          +0.j          0.          +0.j
 -0.24514517+0.j          ]]
```

Note that it is also possible to add Lindblad dissipation superoperators in the Bloch-Redfield tensor by passing the operators via the `c_ops` keyword argument like you would in the `qutip.mesolve` or `qutip.mcsolve` functions. For convenience, the function `qutip.bloch_redfield.bloch_redfield_tensor` also returns a list of eigenkets `ekets`, since they are calculated in the process of calculating the Bloch-Redfield tensor R ,

and the *ekets* are usually needed again later when transforming operators between the computational basis and the eigenbasis.

The evolution of a wavefunction or density matrix, according to the Bloch-Redfield master equation (3.25), can be calculated using the QuTiP function `qutip.bloch_redfield.bloch_redfield_solve`. It takes five mandatory arguments: the Bloch-Redfield tensor *R*, the list of eigenkets *ekets*, the initial state *psi0* (as a ket or density matrix), a list of times *tlist* for which to evaluate the expectation values, and a list of operators *e_ops* for which to evaluate the expectation values at each time step defined by *tlist*. For example, to evaluate the expectation values of the σ_x , σ_y , and σ_z operators for the example above, we can use the following code:

```
In [6]: import matplotlib.pyplot as plt
In [7]: tlist = np.linspace(0, 15.0, 1000)
In [8]: psi0 = rand_ket(2)
In [9]: e_ops = [sigmax(), sigmay(), sigmaz()]
In [10]: expt_list = bloch_redfield_solve(R, ekets, psi0, tlist, e_ops)
In [11]: sphere = Bloch()
In [12]: sphere.add_points([expt_list[0], expt_list[1], expt_list[2]])
In [13]: sphere.vector_color = ['r']
In [14]: sphere.add_vectors(np.array([delta, 0, eps0]) / np.sqrt(delta ** 2 + eps0_
↳** 2))
In [15]: sphere.make_sphere()
In [16]: plt.show()
```



The two steps of calculating the Bloch-Redfield tensor and evolving according to the corresponding master equation can be combined into one by using the function `qutip.bloch_redfield.brmsolve`, which takes same arguments as `qutip.mesolve` and `qutip.mcsolve`, save for the additional nested list of operator-

spectrum pairs that is called `a_ops`.

```
In [17]: output = brmesolve(H, psi0, tlist, a_ops=[[sigma_x()], ohmic_spectrum]], e_
↳ ops=e_ops)
```

where the resulting `output` is an instance of the class `qutip.solver.Result`.

Time-dependent Bloch-Redfield Dynamics

Note: New in QuTiP 4.2.

Warning: It takes ~3-5 seconds (~30 if using Visual Studio) to compile a time-dependent Bloch-Redfield problem. Therefore, if you are doing repeated simulations by varying parameters, then it is best to pass `options = Options(rhs_reuse=True)` to the solver.

If you have not done so already, please read the section: *Solving Problems with Time-dependent Hamiltonians*.

As we have already discussed, the Bloch-Redfield master equation requires transforming into the eigenbasis of the system Hamiltonian. For time-independent systems, this transformation need only be done once. However, for time-dependent systems, one must move to the instantaneous eigenbasis at each time-step in the evolution, thus greatly increasing the computational complexity of the dynamics. In addition, the requirement for computing all the eigenvalues severely limits the scalability of the method. Fortunately, this eigen decomposition occurs at the Hamiltonian level, as opposed to the super-operator level, and thus, with efficient programming, one can tackle many systems that are commonly encountered.

The time-dependent Bloch-Redfield solver in QuTiP relies on the efficient numerical computations afforded by the string-based time-dependent format, and Cython compilation. As such, all the time-dependent terms, and noise power spectra must be expressed in the string format. To begin, let's consider the previous example, but formatted to call the time-dependent solver:

```
In [18]: ohmic = "{gamma1} / 2.0 * (w / (2 * pi)) * (w > 0.0)".
↳ format(gamma1=gamma1)
```

```
In [19]: output = brmesolve(H, psi0, tlist, a_ops=[[sigma_x()], ohmic]], e_ops=e_ops)
```

Although the problem itself is time-independent, the use of a string as the noise power spectrum tells the solver to go into time-dependent mode. The string is nearly identical to the Python function format, except that we replaced `np.pi` with `pi` to avoid calling Python in our Cython code, and we have hard coded the `gamma1` argument into the string as limitations prevent passing arguments into the time-dependent Bloch-Redfield solver.

For actual time-dependent Hamiltonians, the Hamiltonian itself can be passed into the solver like any other string-based Hamiltonian, as thus we will not discuss this topic further. Instead, here the focus is on time-dependent bath coupling terms. To this end, suppose that we have a dissipative harmonic oscillator, where the white-noise dissipation rate decreases exponentially with time $\kappa(t) = \kappa(0) \exp(-t)$. In the Lindblad or monte-carlo solvers, this could be implemented as a time-dependent collapse operator list `c_ops = [[a, 'sqrt(kappa*exp(-t))']]`. In the Bloch-Redfield solver, the bath coupling terms must be Hermitian. As such, in this example, our coupling operator is the position operator `a+a.dag()`. In addition, we do not need the `sqrt` operation that occurs in the `c_ops` definition. The complete example, and comparison to the analytic expression is:

```
In [20]: N = 10 # number of basis states to consider
```

```
In [21]: a = destroy(N)
```


```
In [22]: H = a.dag() * a
```

(continues on next page)

(continued from previous page)

```

In [23]: psi0 = basis(N, 9) # initial state
In [24]: kappa = 0.2 # coupling to oscillator
In [25]: a_ops = [[a+a.dag(), '{kappa}*exp(-t)*(w>=0)'.format(kappa=kappa)]]
In [26]: tlist = np.linspace(0, 10, 100)
In [27]: out = brmesolve(H, psi0, tlist, a_ops, e_ops=[a.dag() * a])
In [28]: actual_answer = 9.0 * np.exp(-kappa * (1.0 - np.exp(-tlist)))
In [29]: plt.figure()
Out [29]: <Figure size 640x480 with 0 Axes>
In [30]: plt.plot(tlist, out.expect[0])
Out [30]: [<matplotlib.lines.Line2D at 0x1a273ac2e8>]
In [31]: plt.plot(tlist, actual_answer)
Out [31]: [<matplotlib.lines.Line2D at 0x1a273dd128>]
In [32]: plt.show()
    
```



In many cases, the bath-coupling operators can take the form $A = f(t)a + f(t)^*a^\dagger$. In this case, the above format for inputting the `a_ops` is not sufficient. Instead, one must construct a nested-list of tuples to specify this time-dependence. For example consider a white-noise bath that is coupled to an operator of the form $\exp(1j*t) * a + \exp(-1j*t) * a.dag()$. In this example, the `a_ops` list would be:


```

In [33]: a_ops = [ [ (a, a.dag()), ('{0} * (w >= 0)'.format(kappa), 'exp(1j*t)',
    ↪ 'exp(-1j*t)') ] ]
    
```

where the first tuple element `(a, a.dag())` tells the solver which operators make up the full Hermitian coupling operator. The second tuple `('{0} * (w >= 0)'.format(kappa), 'exp(1j*t)', 'exp(-1j*t)')`, gives the noise power spectrum, and time-dependence of each operator. Note that the noise spectrum must always come first in this second tuple. A full example is:

```

In [34]: N = 10
In [35]: w0 = 1.0 * 2 * np.pi
In [36]: g = 0.05 * w0
In [37]: kappa = 0.15
In [38]: times = np.linspace(0, 25, 1000)
In [39]: a = destroy(N)
In [40]: H = w0 * a.dag() * a + g * (a + a.dag())
In [41]: psi0 = ket2dm((basis(N, 4) + basis(N, 2) + basis(N, 0)).unit())
In [42]: a_ops = [[ (a, a.dag()), ('{0} * (w >= 0)'.format(kappa), 'exp(1j*t)',
↪ 'exp(-1j*t)') ]]
In [43]: e_ops = [a.dag() * a, a + a.dag()]
In [44]: res_brme = brmesolve(H, psi0, times, a_ops, e_ops)
In [45]: plt.figure()
Out[45]: <Figure size 640x480 with 0 Axes>
In [46]: plt.plot(times, res_brme.expect[0], label=r'$a^{+}a$')
Out[46]: [<matplotlib.lines.Line2D at 0x1a26409320>]
In [47]: plt.plot(times, res_brme.expect[1], label=r'$a+a^{+}$')
Out[47]: [<matplotlib.lines.Line2D at 0x1a26417048>]
In [48]: plt.legend()
Out[48]: <matplotlib.legend.Legend at 0x1a27374358>
In [49]: plt.show()
    
```



Further examples on time-dependent Bloch-Redfield simulations can be found in the online tutorials.

3.5.8 Floquet Formalism

Introduction

Many time-dependent problems of interest are periodic. The dynamics of such systems can be solved for directly by numerical integration of the Schrödinger or Master equation, using the time-dependent Hamiltonian. But they can also be transformed into time-independent problems using the Floquet formalism. Time-independent problems can be solve much more efficiently, so such a transformation is often very desirable.

In the standard derivations of the Lindblad and Bloch-Redfield master equations the Hamiltonian describing the system under consideration is assumed to be time independent. Thus, strictly speaking, the standard forms of these master equation formalisms should not blindly be applied to system with time-dependent Hamiltonians. However, in many relevant cases, in particular for weak driving, the standard master equations still turns out to be useful for many time-dependent problems. But a more rigorous approach would be to rederive the master equation taking the time-dependent nature of the Hamiltonian into account from the start. The Floquet-Markov Master equation is one such a formalism, with important applications for strongly driven systems (see e.g., [Gri98]).

Here we give an overview of how the Floquet and Floquet-Markov formalisms can be used for solving time-dependent problems in QuTiP. To introduce the terminology and naming conventions used in QuTiP we first give a brief summary of quantum Floquet theory.

Floquet theory for unitary evolution

The Schrödinger equation with a time-dependent Hamiltonian $H(t)$ is

$$H(t)\Psi(t) = i\hbar\frac{\partial}{\partial t}\Psi(t), \quad (3.27)$$

where $\Psi(t)$ is the wave function solution. Here we are interested in problems with periodic time-dependence, i.e., the Hamiltonian satisfies $H(t) = H(t + T)$ where T is the period. According to the Floquet theorem, there exist solutions to (3.27) on the form

$$\Psi_\alpha(t) = \exp(-i\epsilon_\alpha t/\hbar)\Phi_\alpha(t), \quad (3.28)$$

where $\Psi_\alpha(t)$ are the *Floquet states* (i.e., the set of wave function solutions to the Schrödinger equation), $\Phi_\alpha(t) = \Phi_\alpha(t + T)$ are the periodic *Floquet modes*, and ϵ_α are the *quasienergy levels*. The quasienergy levels are constants in time, but only uniquely defined up to multiples of $2\pi/T$ (i.e., unique value in the interval $[0, 2\pi/T]$).

If we know the Floquet modes (for $t \in [0, T]$) and the quasienergies for a particular $H(t)$, we can easily decompose any initial wavefunction $\Psi(t = 0)$ in the Floquet states and immediately obtain the solution for arbitrary t

$$\Psi(t) = \sum_\alpha c_\alpha \Psi_\alpha(t) = \sum_\alpha c_\alpha \exp(-i\epsilon_\alpha t/\hbar)\Phi_\alpha(t), \quad (3.29)$$

where the coefficients c_α are determined by the initial wavefunction $\Psi(0) = \sum_\alpha c_\alpha \Psi_\alpha(0)$.

This formalism is useful for finding $\Psi(t)$ for a given $H(t)$ only if we can obtain the Floquet modes $\Phi_\alpha(t)$ and quasienergies ϵ_α more easily than directly solving (3.27). By substituting (3.28) into the Schrödinger equation (3.27) we obtain an eigenvalue equation for the Floquet modes and quasienergies

$$\mathcal{H}(t)\Phi_\alpha(t) = \epsilon_\alpha\Phi_\alpha(t), \quad (3.30)$$

where $\mathcal{H}(t) = H(t) - i\hbar\partial_t$. This eigenvalue problem could be solved analytically or numerically, but in QuTiP we use an alternative approach for numerically finding the Floquet states and quasienergies [see e.g. Creffield et al., Phys. Rev. B 67, 165301 (2003)]. Consider the propagator for the time-dependent Schrödinger equation (3.27), which by definition satisfies

$$U(T + t, t)\Psi(t) = \Psi(T + t).$$

Inserting the Floquet states from (3.28) into this expression results in

$$U(T+t, t) \exp(-i\epsilon_\alpha t/\hbar) \Phi_\alpha(t) = \exp(-i\epsilon_\alpha(T+t)/\hbar) \Phi_\alpha(T+t),$$

or, since $\Phi_\alpha(T+t) = \Phi_\alpha(t)$,

$$U(T+t, t) \Phi_\alpha(t) = \exp(-i\epsilon_\alpha T/\hbar) \Phi_\alpha(t) = \eta_\alpha \Phi_\alpha(t),$$

which shows that the Floquet modes are eigenstates of the one-period propagator. We can therefore find the Floquet modes and quasienergies $\epsilon_\alpha = -\hbar \arg(\eta_\alpha)/T$ by numerically calculating $U(T+t, t)$ and diagonalizing it. In particular this method is useful to find $\Phi_\alpha(0)$ by calculating and diagonalize $U(T, 0)$.

The Floquet modes at arbitrary time t can then be found by propagating $\Phi_\alpha(0)$ to $\Phi_\alpha(t)$ using the wave function propagator $U(t, 0)\Psi_\alpha(0) = \Psi_\alpha(t)$, which for the Floquet modes yields

$$U(t, 0)\Phi_\alpha(0) = \exp(-i\epsilon_\alpha t/\hbar)\Phi_\alpha(t),$$

so that $\Phi_\alpha(t) = \exp(i\epsilon_\alpha t/\hbar)U(t, 0)\Phi_\alpha(0)$. Since $\Phi_\alpha(t)$ is periodic we only need to evaluate it for $t \in [0, T]$, and from $\Phi_\alpha(t \in [0, T])$ we can directly evaluate $\Phi_\alpha(t)$, $\Psi_\alpha(t)$ and $\Psi(t)$ for arbitrary large t .

Floquet formalism in QuTiP

QuTiP provides a family of functions to calculate the Floquet modes and quasi energies, Floquet state decomposition, etc., given a time-dependent Hamiltonian on the *callback format*, *list-string format* and *list-callback format* (see, e.g., `qutip.mesolve` for details).

Consider for example the case of a strongly driven two-level atom, described by the Hamiltonian

$$H(t) = -\frac{1}{2}\Delta\sigma_x - \frac{1}{2}\epsilon_0\sigma_z + \frac{1}{2}A\sin(\omega t)\sigma_z. \quad (3.31)$$

In QuTiP we can define this Hamiltonian as follows:


```
In [1]: delta = 0.2 * 2*np.pi; eps0 = 1.0 * 2*np.pi; A = 2.5 * 2*np.pi; omega = 1.
      ↪ 0 * 2*np.pi
In [2]: H0 = - delta/2.0 * sigmax() - eps0/2.0 * sigmaz()
In [3]: H1 = A/2.0 * sigmaz()
In [4]: args = {'w': omega}
In [5]: H = [H0, [H1, 'sin(w * t)']]
```

The $t = 0$ Floquet modes corresponding to the Hamiltonian (3.31) can then be calculated using the `qutip.floquet.floquet_modes` function, which returns lists containing the Floquet modes and the quasienergies

```
In [6]: T = 2*pi / omega
In [7]: f_modes_0, f_energies = floquet_modes(H, T, args)
In [8]: f_energies
Out [8]: array([-2.83131212,  2.83131212])
In [9]: f_modes_0
Out [9]:
[Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[ 0.72964231+0.j          ]
 [-0.39993746+0.554682j]],
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.39993746+0.554682j]
 [0.72964231+0.j      ]]]]
```

For some problems interesting observations can be drawn from the quasienergy levels alone. Consider for example the quasienergies for the driven two-level system introduced above as a function of the driving amplitude, calculated and plotted in the following example. For certain driving amplitudes the quasienergy levels cross. Since the quasienergies can be associated with the time-scale of the long-term dynamics due that the driving, degenerate quasienergies indicates a “freezing” of the dynamics (sometimes known as coherent destruction of tunneling).

```
In [10]: delta = 0.2 * 2*np.pi; eps0 = 0.0 * 2*np.pi
In [11]: omega = 1.0 * 2*np.pi; A_vec = np.linspace(0, 10, 100) * omega;
In [12]: T = (2*pi)/omega
In [13]: tlist = np.linspace(0.0, 10 * T, 101)
In [14]: psi0 = basis(2,0)
In [15]: q_energies = np.zeros((len(A_vec), 2))
In [16]: H0 = delta/2.0 * sigmaz() - eps0/2.0 * sigmax()
In [17]: args = {'w': omega}
In [18]: for idx, A in enumerate(A_vec):
.....:     H1 = A/2.0 * sigmax()
.....:     H = [H0, [H1, lambda t, args: sin(args['w']*t)]]
.....:     f_modes, f_energies = floquet_modes(H, T, args, True)
.....:     q_energies[idx,:] = f_energies
.....:
In [19]: figure()
Out [19]: <Figure size 640x480 with 0 Axes>
In [20]: plot(A_vec/omega, q_energies[:,0] / delta, 'b', A_vec/omega, q_energies[:,
↪1] / delta, 'r')
Out [20]:
[<matplotlib.lines.Line2D at 0x1a2656b0f0>,
<matplotlib.lines.Line2D at 0x1a2656bdd8>]
In [21]: xlabel(r'$A/\omega$')
Out [21]: Text(0.5,0,'$A/\omega$')
In [22]: ylabel(r'Quasienergy / $\Delta$')
Out [22]: Text(0,0.5,'Quasienergy / $\Delta$')
In [23]: title(r'Floquet quasienergies')
Out [23]: Text(0.5,1,'Floquet quasienergies')
In [24]: show()
```



Given the Floquet modes at $t = 0$, we obtain the Floquet mode at some later time t using the function `qutip.floquet.floquet_mode_t`:

```
In [25]: f_modes_t = floquet_modes_t(f_modes_0, f_energies, 2.5, H, T, args)
```

```
In [26]: f_modes_t
```

```
Out [26]:
```

```
[Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[-0.89630512-0.23191946j]
 [ 0.37793106-0.00431336j]],
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[-0.37793106-0.00431336j]
 [-0.89630512+0.23191946j]]]
```

The purpose of calculating the Floquet modes is to find the wavefunction solution to the original problem (3.31) given some initial state $|\psi_0\rangle$. To do that, we first need to decompose the initial state in the Floquet states, using the function `qutip.floquet.floquet_state_decomposition`

```
In [27]: psi0 = rand_ket(2)
```

```
In [28]: f_coeff = floquet_state_decomposition(f_modes_0, f_energies, psi0)
```

```
In [29]: f_coeff
```

```
Out [29]:
```

```
[(-0.04212222693457046+0.16111352613182564j),
 (-0.7148489229323456+0.679160634222794j)]
```

and given this decomposition of the initial state in the Floquet states we can easily evaluate the wavefunction that is the solution to (3.31) at an arbitrary time t using the function `qutip.floquet.floquet_wavefunction_t`

```
In [30]: t = 10 * np.random.rand()
```

```
In [31]: psi_t = floquet_wavefunction_t(f_modes_0, f_energies, f_coeff, t, H, T, ↵
↵args)
```

(continues on next page)

(continued from previous page)

```
In [32]: psi_t
Out[32]:
Quantum object: dims = [[2], [1]], shape = (2, 1), type = ket
Qobj data =
[[0.11713293+0.84859646j]
 [0.46372377+0.22610657j]]
```

The following example illustrates how to use the functions introduced above to calculate and plot the time-evolution of (3.31).

```
from qutip import *
from scipy import *

delta = 0.2 * 2*pi; eps0 = 1.0 * 2*pi
A      = 0.5 * 2*pi; omega = 1.0 * 2*pi
T      = (2*pi)/omega
tlist  = linspace(0.0, 10 * T, 101)
psi0   = basis(2,0)

H0 = - delta/2.0 * sigmax() - eps0/2.0 * sigmaz()
H1 = A/2.0 * sigmaz()
args = {'w': omega}
H = [H0, [H1, lambda t, args: sin(args['w'] * t)]]


# find the floquet modes for the time-dependent hamiltonian
f_modes_0, f_energies = floquet_modes(H, T, args)

# decompose the initial state in the floquet modes
f_coeff = floquet_state_decomposition(f_modes_0, f_energies, psi0)

# calculate the wavefunctions using the from the floquet modes
p_ex = zeros(len(tlist))
for n, t in enumerate(tlist):
    psi_t = floquet_wavefunction_t(f_modes_0, f_energies, f_coeff, t, H, T, args)
    p_ex[n] = expect(num(2), psi_t)

# For reference: calculate the same thing with mesolve
p_ex_ref = mesolve(H, psi0, tlist, [], [num(2)], args).expect[0]

# plot the results
from pylab import *
plot(tlist, real(p_ex),      'ro', tlist, 1-real(p_ex),      'bo')
plot(tlist, real(p_ex_ref), 'r',  tlist, 1-real(p_ex_ref), 'b')
xlabel('Time')
ylabel('Occupation probability')
legend(("Floquet $P_1$", "Floquet $P_0$", "Lindblad $P_1$", "Lindblad $P_0$"))
show()
```



Pre-computing the Floquet modes for one period

When evaluating the Floquet states or the wavefunction at many points in time it is useful to pre-compute the Floquet modes for the first period of the driving with the required resolution. In QuTiP the function `qutip.floquet.floquet_modes_table` calculates a table of Floquet modes which later can be used together with the function `qutip.floquet.floquet_modes_t_lookup` to efficiently lookup the Floquet mode at an arbitrary time. The following example illustrates how the example from the previous section can be solved more efficiently using these functions for pre-computing the Floquet modes.

```

from qutip import *
from scipy import *

delta = 0.0 * 2*pi; eps0 = 1.0 * 2*pi
A = 0.25 * 2*pi; omega = 1.0 * 2*pi
T = (2*pi)/omega
tlist = linspace(0.0, 10 * T, 101)
psi0 = basis(2,0)

H0 = - delta/2.0 * sigmax() - eps0/2.0 * sigmaz()
H1 = A/2.0 * sigmax()
args = {'w': omega}
H = [H0, [H1, lambda t, args: sin(args['w'] * t)]]

# find the floquet modes for the time-dependent hamiltonian
f_modes_0, f_energies = floquet_modes(H, T, args)

# decompose the initial state in the floquet modes
f_coeff = floquet_state_decomposition(f_modes_0, f_energies, psi0)

# calculate the wavefunctions using the from the floquet modes
f_modes_table_t = floquet_modes_table(f_modes_0, f_energies, tlist, H, T, args)
p_ex = zeros(len(tlist))
for n, t in enumerate(tlist):
    f_modes_t = floquet_modes_t_lookup(f_modes_table_t, t, T)
    psi_t = floquet_wavefunction(f_modes_t, f_energies, f_coeff, t)
    p_ex[n] = expect(num(2), psi_t)


# For reference: calculate the same thing with mesolve
p_ex_ref = mesolve(H, psi0, tlist, [], [num(2)], args).expect[0]
    
```

(continues on next page)

(continued from previous page)

```

# plot the results
from pylab import *
plot(tlist, real(p_ex), 'ro', tlist, 1-real(p_ex), 'bo')
plot(tlist, real(p_ex_ref), 'r', tlist, 1-real(p_ex_ref), 'b')
xlabel('Time')
ylabel('Occupation probability')
legend(("Floquet $P_1$", "Floquet $P_0$", "Lindblad $P_1$", "Lindblad $P_0$"))
show()
    
```



Note that the parameters and the Hamiltonian used in this example is not the same as in the previous section, and hence the different appearance of the resulting figure.

For convenience, all the steps described above for calculating the evolution of a quantum system using the Floquet formalisms are encapsulated in the function `qutip.floquet.fsesolve`. Using this function, we could have achieved the same results as in the examples above using:

```

output = fsesolve(H, psi0, times, [num(2)], args)
p_ex = output.expect[0]
    
```

Floquet theory for dissipative evolution

A driven system that is interacting with its environment is not necessarily well described by the standard Lindblad master equation, since its dissipation process could be time-dependent due to the driving. In such cases a rigorous approach would be to take the driving into account when deriving the master equation. This can be done in many different ways, but one way common approach is to derive the master equation in the Floquet basis. That approach results in the so-called Floquet-Markov master equation, see Grifoni et al., Physics Reports 304, 299 (1998) for details.

The Floquet-Markov master equation in QuTiP

The QuTiP function `qutip.floquet.fmmesolve` implements the Floquet-Markov master equation. It calculates the dynamics of a system given its initial state, a time-dependent hamiltonian, a list of operators through which the system couples to its environment and a list of corresponding spectral-density functions that describes the environment. In contrast to the `qutip.mesolve` and `qutip.mcsolve`, and the `qutip.floquet.fmmesolve` does characterize the environment with dissipation rates, but extract the strength of the coupling to the environment from the noise spectral-density functions and the instantaneous Hamiltonian parameters (similar to the Bloch-Redfield master equation solver `qutip.bloch_redfield.brmsolve`).

Note: Currently the `qutip.floquet.fmmesolve` can only accept a single environment coupling operator and spectral-density function.

The noise spectral-density function of the environment is implemented as a Python callback function that is passed to the solver. For example:

```
>>> gamma1 = 0.1
>>> def noise_spectrum(omega):
>>>     return 0.5 * gamma1 * omega/(2*pi)
```

The other parameters are similar to the `qutip.mesolve` and `qutip.mcsolve`, and the same format for the return value is used `qutip.solver.Result`. The following example extends the example studied above, and uses `qutip.floquet.fmmesolve` to introduce dissipation into the calculation

```
from qutip import *
from scipy import *

delta = 0.0 * 2*pi; eps0 = 1.0 * 2*pi
A      = 0.25 * 2*pi; omega = 1.0 * 2*pi
T      = (2*pi)/omega
tlist  = linspace(0.0, 20 * T, 101)
psi0   = basis(2,0)

H0 = - delta/2.0 * sigmax() - eps0/2.0 * sigmaz()
H1 = A/2.0 * sigmax()
args = {'w': omega}
H = [H0, [H1, lambda t, args: sin(args['w'] * t)]]

# noise power spectrum
gamma1 = 0.1
def noise_spectrum(omega):
    return 0.5 * gamma1 * omega/(2*pi)

# find the floquet modes for the time-dependent hamiltonian
f_modes_0, f_energies = floquet_modes(H, T, args)

# precalculate mode table
f_modes_table_t = floquet_modes_table(f_modes_0, f_energies,
                                     linspace(0, T, 500 + 1), H, T, args)

# solve the floquet-markov master equation
output = fmmesolve(H, psi0, tlist, [sigmax()], [], [noise_spectrum], T, args)

# calculate expectation values in the computational basis
p_ex = zeros(shape(tlist), dtype=complex)
for idx, t in enumerate(tlist):
    f_modes_t = floquet_modes_t_lookup(f_modes_table_t, t, T)
    p_ex[idx] = expect(num(2), output.states[idx].transform(f_modes_t, True))

# For reference: calculate the same thing with mesolve
```

(continues on next page)


(continued from previous page)

```

output = mesolve(H, psi0, tlist, [sqrt(gamma1) * sigmax()], [num(2)], args)
p_ex_ref = output.expect[0]

# plot the results
from pylab import *
plot(tlist, real(p_ex), 'r--', tlist, 1-real(p_ex), 'b--')
plot(tlist, real(p_ex_ref), 'r', tlist, 1-real(p_ex_ref), 'b')
xlabel('Time')
ylabel('Occupation probability')
legend(("Floquet $P_1$", "Floquet $P_0$", "Lindblad $P_1$", "Lindblad $P_0$"))
show()

```



Alternatively, we can let the `qutip.floquet.fmmesolve` function transform the density matrix at each time step back to the computational basis, and calculating the expectation values for us, but using:

```

output = fmmesolve(H, psi0, tlist, [sigmax()], [num(2)], [noise_spectrum], T, args)
p_ex = output.expect[0]

```

3.5.9 Permutational Invariance

Permutational Invariant Quantum Solver (PIQS)

The *Permutational Invariant Quantum Solver (PIQS)* is a QuTiP module that allows to study the dynamics of an open quantum system consisting of an ensemble of identical qubits that can dissipate through local and collective baths according to a Lindblad master equation.

The Liouvillian of an ensemble of N qubits, or two-level systems (TLSs), $\mathcal{D}_{TLS}(\rho)$, can be built using only polynomial – instead of exponential – resources. This has many applications for the study of realistic quantum optics models of many TLSs and in general as a tool in cavity QED.

Consider a system evolving according to the equation

$$\begin{aligned}
 \dot{\rho} = \mathcal{D}_{TLS}(\rho) = & -\frac{i}{\hbar}[H, \rho] + \frac{\gamma_{CE}}{2}\mathcal{L}_{J_-}[\rho] + \frac{\gamma_{CD}}{2}\mathcal{L}_{J_z}[\rho] + \frac{\gamma_{CP}}{2}\mathcal{L}_{J_+}[\rho] \\
 & + \sum_{n=1}^N \left(\frac{\gamma_E}{2}\mathcal{L}_{J_{-,n}}[\rho] + \frac{\gamma_D}{2}\mathcal{L}_{J_{z,n}}[\rho] + \frac{\gamma_P}{2}\mathcal{L}_{J_{+,n}}[\rho] \right)
 \end{aligned}$$

where $J_{\alpha,n} = \frac{1}{2}\sigma_{\alpha,n}$ are SU(2) Pauli spin operators, with $\alpha = x, y, z$ and $J_{\pm,n} = \sigma_{\pm,n}$. The collective spin operators are $J_{\alpha} = \sum_n J_{\alpha,n}$. The Lindblad super-operators are $\mathcal{L}_A = 2A\rho A^\dagger - A^\dagger A\rho - \rho A^\dagger A$.

The inclusion of local processes in the dynamics lead to using a Liouvillian space of dimension 4^N . By exploiting the permutational invariance of identical particles [2-8], the Liouvillian $\mathcal{D}_{\text{TLS}}(\rho)$ can be built as a block-diagonal matrix in the basis of Dicke states $|j, m\rangle$.

The system under study is defined by creating an object of the `Dicke` class, e.g. simply named `system`, whose first attribute is

- `system.N`, the number of TLSs of the system N .

The rates for collective and local processes are simply defined as

- `collective_emission` defines γ_{CE} , collective (superradiant) emission
- `collective_dephasing` defines γ_{CD} , collective dephasing
- `collective_pumping` defines γ_{CP} , collective pumping.
- `emission` defines γ_{E} , incoherent emission (losses)
- `dephasing` defines γ_{D} , local dephasing
- `pumping` defines γ_{P} , incoherent pumping.

Then the `system.lindbladian()` creates the total TLS Lindbladian superoperator matrix. Similarly, `system.hamiltonian` defines the TLS hamiltonian of the system H_{TLS} .

The system's Liouvillian can be built using `system.liouvillian()`. The properties of a `Piqs` object can be visualized by simply calling `system`. We give two basic examples on the use of *PIQS*. In the first example the incoherent emission of N driven TLSs is considered.

```
from piqs import Dicke
from qutip import steadystate
N = 10
system = Dicke(N, emission = 1, pumping = 2)
L = system.liouvillian()
steady = steadystate(L)
```

For more example of use, see the “Permutational Invariant Lindblad Dynamics” section in the tutorials section of the website, <http://qutip.org/tutorials.html>.

Table 1: Useful PIQS functions.

Operators	Command	Description
Collective spin algebra J_x, J_y, J_z	<code>jspin(N)</code>	The collective spin algebra J_x, J_y, J_z for N TLSs
Collective spin J_x	<code>jspin(N, "x")</code>	The collective spin operator J_x . Requires N number of TLSs
Collective spin J_y	<code>jspin(N, "y")</code>	The collective spin operator J_y . Requires N number of TLSs
Collective spin J_z	<code>jspin(N, "z")</code>	The collective spin operator J_z . Requires N number of TLSs
Collective spin J_+	<code>jspin(N, "+")</code>	The collective spin operator J_+ .
Collective spin J_-	<code>jspin(N, "-")</code>	The collective spin operator J_- .
Collective spin J_z in uncoupled basis	<code>jspin(N, "z", basis='uncoupled')</code>	The collective spin operator J_z in the uncoupled basis of dimension 2^N .
Dicke state $ j, m\rangle$ density matrix	<code>dicke(N, j, m)</code>	The density matrix for the Dicke state given by $ j, m\rangle$
Excited-state density matrix in Dicke basis	<code>excited(N)</code>	The excited state in the Dicke basis
Excited-state density matrix in uncoupled basis	<code>excited(N, basis="uncoupled")</code>	The excited state in the uncoupled basis
Ground-state density matrix in Dicke basis	<code>ground(N)</code>	The ground state in the Dicke basis
GHZ-state density matrix in the Dicke basis	<code>ghz(N)</code>	The GHZ-state density matrix in the Dicke (default) basis for N number of TLS
Collapse operators of the ensemble	<code>Dicke.c_ops()</code>	The collapse operators for the ensemble can be called by the <code>c_ops</code> method of the Dicke class.

Note that the mathematical object representing the density matrix of the full system that is manipulated (or obtained from *steadystate*) in the Dicke-basis formalism used here is a *representative of the density matrix*. This *representative object* is of linear size N^2 , whereas the full density matrix is defined over a 2^N Hilbert space. In order to calculate nonlinear functions of such density matrix, such as the Von Neumann entropy or the purity, it is necessary to take into account the degeneracy of each block of such block-diagonal density matrix. Note that as long as one calculates expected values of operators, being $\text{Tr}[A*\rho]$ a *linear* function of ρ , the *representative density matrix* give straightforwardly the correct result. When a *nonlinear* function of the density matrix needs to be calculated, one needs to weigh each degenerate block correctly; this is taken care by the *dicke_function_trace* in *qutip.piqs*, and the user can use it to define general nonlinear functions that can be described as the trace of a Taylor expandable function. Two nonlinear functions that use *dicke_function_trace* and are already implemented are *purity_dicke*, to calculate the purity of a density matrix in the Dicke basis, and *entropy_vn_dicke*, which can be used to calculate the Von Neumann entropy.

More functions relative to the *qutip.piqs* module can be found at [API documentation](#). Attributes to the *qutip.piqs.Dicke* and *qutip.piqs.Pim* class can also be found there.

3.5.10 Setting Options for the Dynamics Solvers

Occasionally it is necessary to change the built in parameters of the dynamics solvers used by for example the *qutip.mesolve* and *qutip.mcsolve* functions. The options for all dynamics solvers may be changed by using the Options class *qutip.solver.Options*.

```
In [1]: options = Options()
```

the properties and default values of this class can be view via the *print* function:

```
In [2]: print(options)
Options:
-----
```

(continues on next page)

(continued from previous page)

```

atol:          1e-08
rtol:          1e-06
method:        adams
order:         12
nsteps:        1000
first_step:    0
min_step:      0
max_step:      0
tidy:          True
num_cpus:      2
norm_tol:      0.001
norm_steps:    5
rhs_filename:  None
rhs_reuse:     False
seeds:         0
rhs_with_state: False
average_expect: True
average_states: False
ntraj:         500
store_states:  False
store_final_state: False
    
```

These properties are detailed in the following table. Assuming `options = Options()`:

As an example, let us consider changing the number of processors used, turn the GUI off, and strengthen the absolute tolerance. There are two equivalent ways to do this using the `Options` class. First way,

```

In [3]: options = Options()

In [4]: options.num_cpus = 3

In [5]: options.atol = 1e-10
    
```

or one can use an inline method,

```

In [6]: options = Options(num_cpus=4, atol=1e-10)
    
```

Note that the order in which you input the options does not matter. Using either method, the resulting `options` variable is now:

```

In [7]: print(options)
Options:
-----
atol:          1e-10
rtol:          1e-06
method:        adams
order:         12
nsteps:        1000
first_step:    0
min_step:      0
max_step:      0
tidy:          True
num_cpus:      4
norm_tol:      0.001
norm_steps:    5
rhs_filename:  None
rhs_reuse:     False
seeds:         0
rhs_with_state: False
average_expect: True
average_states: False
    
```

(continues on next page)

(continued from previous page)

```
ntraj:          500
store_states:   False
store_final_state: False
```

To use these new settings we can use the keyword argument `options` in either the func:`qutip.mesolve` and `qutip.mcsolve` function. We can modify the last example as:

```
>>> mesolve(H0, psi0, tlist, c_op_list, [sigmaz()], options=options)
>>> mesolve(hamiltonian_t, psi0, tlist, c_op_list, [sigmaz()], H_args,
↳options=options)
```

or:

```
>>> mcsolve(H0, psi0, tlist, ntraj, c_op_list, [sigmaz()], options=options)
>>> mcsolve(hamiltonian_t, psi0, tlist, ntraj, c_op_list, [sigmaz()], H_args,
↳options=options)
```

3.6 Solving for Steady-State Solutions

Important: Updated in QuTiP 3.2.

3.6.1 Introduction

For time-independent open quantum systems with decay rates larger than the corresponding excitation rates, the system will tend toward a steady state as $t \rightarrow \infty$ that satisfies the equation

$$\frac{d\hat{\rho}_{ss}}{dt} = \mathcal{L}\hat{\rho}_{ss} = 0.$$

Although the requirement for time-independence seems quite restrictive, one can often employ a transformation to the interaction picture that yields a time-independent Hamiltonian. For many these systems, solving for the asymptotic density matrix $\hat{\rho}_{ss}$ can be achieved using direct or iterative solution methods faster than using master equation or Monte Carlo simulations. Although the steady state equation has a simple mathematical form, the properties of the Liouvillian operator are such that the solutions to this equation are anything but straightforward to find.

3.6.2 Steady State solvers in QuTiP

In QuTiP, the steady-state solution for a system Hamiltonian or Liouvillian is given by `qutip.steadystate.steadystate`. This function implements a number of different methods for finding the steady state, each with their own pros and cons, where the method used can be chosen using the `method` keyword argument.

Method	Keyword	Description
Direct (default)	'direct'	Direct solution solving $Ax = b$ via sparse LU decomposition.
Eigenvalue	'eigen'	Iteratively find the zero eigenvalue of \mathcal{L} .
Inverse-Power	'power'	Solve using the inverse-power method.
GMRES	'iterative-gmres'	Solve using the GMRES method and optional preconditioner.
LGMRES	'iterative-lgmres'	Solve using the LGMRES method and optional preconditioner.
BICGSTAB	'iterative-bicgstab'	Solve using the BICGSTAB method and optional preconditioner.
SVD	'svd'	Steady-state solution via the dense SVD of the Liouvillian.

The function `qutip.steadystate.steadystate` can take either a Hamiltonian and a list of collapse operators as input, generating internally the corresponding Liouvillian super operator in Lindblad form, or alternatively, a Liouvillian passed by the user. When possible, we recommend passing the Hamiltonian and collapse operators to `qutip.steadystate.steadystate`, and letting the function automatically build the Liouvillian (in Lindblad form) for the system.

As of QuTiP 3.2, the `direct` and `power` methods can take advantage of the Intel Pardiso LU solver in the Intel Math Kernel library that comes with the Anaconda (2.5+) and Intel Python distributions. This gives a substantial increase in performance compared with the standard SuperLU method used by SciPy. To verify that QuTiP can find the necessary libraries, one can check for `INTEL MKL Ext: True` in the QuTiP about box (`qutip.about`).

3.6.3 Using the Steadystate Solver

Solving for the steady state solution to the Lindblad master equation for a general system with `qutip.steadystate.steadystate` can be accomplished using:

```
>>> rho_ss = steadystate(H, c_ops)
```

where `H` is a quantum object representing the system Hamiltonian, and `c_ops` is a list of quantum objects for the system collapse operators. The output, labeled as `rho_ss`, is the steady-state solution for the systems. If no other keywords are passed to the solver, the default 'direct' method is used, generating a solution that is exact to machine precision at the expense of a large memory requirement. The large amount of memory need for the direct LU decomposition method stems from the large bandwidth of the system Liouvillian and the correspondingly large fill-in (extra nonzero elements) generated in the LU factors. This fill-in can be reduced by using bandwidth minimization algorithms such as those discussed in *Additional Solver Arguments*. However, in most cases, the default fill-in reducing algorithm is nearly optimal. Additional parameters may be used by calling the steady-state solver as:

```
rho_ss = steadystate(H, c_ops, method='power', use_rcm=True)
```

where `method='power'` indicates that we are using the inverse-power solution method, and `use_rcm=True` turns on a bandwidth minimization routine.

Although it is not obvious, the 'direct', `eigen`, and 'power' methods all use an LU decomposition internally and thus suffer from a large memory overhead. In contrast, iterative methods such as the 'iterative-gmres', 'iterative-lgmres', and 'iterative-bicgstab' methods do not factor the matrix and thus take less memory than these previous methods and allowing, in principle, for extremely large system sizes. The downside is that these methods can take much longer than the direct method as the condition number of the Liouvillian matrix is large, indicating that these iterative methods require a large number of iterations for convergence. To overcome this, one can use a preconditioner M that solves for an approximate inverse for the (modified) Liouvillian, thus better conditioning the problem, leading to faster convergence. The use of a preconditioner can actually make these iterative methods faster than the other solution methods. The problem with preconditioning is that it is only well defined for Hermitian matrices. Since the Liouvillian is non-Hermitian, the ability to find a good preconditioner is not guaranteed. And moreover, if a preconditioner is found, it is not guaranteed to have a good condition number. QuTiP can make use of an incomplete LU preconditioner when using the iterative 'gmres', 'lgmres', and 'bicgstab' solvers by setting `use_precond=True`. The preconditioner optionally makes use of a combination of symmetric and anti-symmetric matrix permutations that attempt to improve the preconditioning process. These features are discussed in the *Additional Solver Arguments* section. Even with these state-of-the-art permutations, the generation of a successful preconditioner for non-symmetric matrices is currently a trial-and-error process due to the lack of mathematical work done in this area. It is always recommended to begin with the direct solver with no additional arguments before selecting a different method.

Finding the steady-state solution is not limited to the Lindblad form of the master equation. Any time-independent Liouvillian constructed from a Hamiltonian and collapse operators can be used as an input:

```
>>> rho_ss = steadystate(L)
```

where `L` is the Liouvillian. All of the additional arguments can also be used in this case.

3.6.4 Additional Solver Arguments

The following additional solver arguments are available for the steady-state solver:

Keyword	Options (default listed first)	Description
method	'direct', 'eigen', 'power', 'iterative-gmres', 'iterative-lgmres', 'svd'	Method used for solving for the steady-state density matrix.
sparse	True, False	Use sparse version of direct solver.
weight	None	Allows the user to define the weighting factor used in the 'direct', 'GMRES', and 'LGMRES' solvers.
perm_spec	'COLAMD', 'NATURAL'	Column ordering used in the sparse LU decomposition.
use_rcm	False, True	Use a Reverse Cuthill-Mckee reordering to minimize the bandwidth of the modified Liouvillian used in the LU decomposition. If use_rcm=True then the column ordering is set to 'Natural' automatically unless explicitly set.
use_precond	False, True	Attempt to generate a preconditioner when using the 'iterative-gmres' and 'iterative-lgmres' methods.
M	None, sparse_matrix, Linear-Operator	A user defined preconditioner, if any.
use_wbm	False, True	Use a Weighted Bipartite Matching algorithm to attempt to make the modified Liouvillian more diagonally dominate, and thus for favorable for preconditioning. Set to True automatically when using an iterative method, unless explicitly set.
tol	1e-9	Tolerance used in finding the solution for all methods expect 'direct' and 'svd'.
maxiter	10000	Maximum number of iterations to perform for all methods expect 'direct' and 'svd'.
fill_factor	10	Upper-bound on the allowed fill-in for the approximate inverse preconditioner. This value may need to be set much higher than this in some cases.
drop_tol	1e-3	Sets the threshold for the relative magnitude of preconditioner elements that should be dropped. A lower number yields a more accurate approximate inverse at the expense of fill-in and increased runtime.
diag_pivot_thresh	None	Sets the threshold between $[0, 1]$ for which diagonal elements are considered acceptable pivot points when using a preconditioner.
ILU_MILU	'smilu_2'	Selects the incomplete LU decomposition method algorithm used.

Further information can be found in the `qutip.steadystate.steadystate` docstrings.

3.6.5 Example: Harmonic Oscillator in Thermal Bath

A simple example of a system that reaches a steady state is a harmonic oscillator coupled to a thermal environment. Below we consider a harmonic oscillator, initially in the $|10\rangle$ number state, and weakly coupled to a thermal environment characterized by an average particle expectation value of $\langle n \rangle = 2$. We calculate the evolution via master equation and Monte Carlo methods, and see that they converge to the steady-state solution. Here we choose to perform only a few Monte Carlo trajectories so we can distinguish this evolution from the master-equation solution.

```
import numpy as np
import pylab as plt
from qutip import *
# Define paramters
```

(continues on next page)

(continued from previous page)

```


N = 20 # number of basis states to consider
a = destroy(N)
H = a.dag() * a
psi0 = basis(N, 10) # initial state
kappa = 0.1 # coupling to oscillator

# collapse operators
c_op_list = []
n_th_a = 2 # temperature with average of 2 excitations
rate = kappa * (1 + n_th_a)
if rate > 0.0:
    c_op_list.append(np.sqrt(rate) * a) # decay operators
rate = kappa * n_th_a
if rate > 0.0:
    c_op_list.append(np.sqrt(rate) * a.dag()) # excitation operators

# find steady-state solution
final_state = steadystate(H, c_op_list)
# find expectation value for particle number in steady state
fexpt = expect(a.dag() * a, final_state)

tlist = np.linspace(0, 50, 100)
# monte-carlo
mcddata = mcsolve(H, psi0, tlist, c_op_list, [a.dag() * a], ntraj=100)
# master eq.
medata = mesolve(H, psi0, tlist, c_op_list, [a.dag() * a])

plt.plot(tlist, mcddata.expect[0], tlist, medata.expect[0], lw=2)
# plot steady-state expt. value as horizontal line (should be = 2)
plt.axhline(y=fexpt, color='r', lw=1.5)
plt.ylim([0, 10])
plt.xlabel('Time', fontsize=14)
plt.ylabel('Number of excitations', fontsize=14)
plt.legend(('Monte-Carlo', 'Master Equation', 'Steady State'))
plt.title('Decay of Fock state  $|\left|10\right\rangle$  in a thermal environment with  $\langle n \rangle = 2$ ')
plt.show()
    
```



3.7 An Overview of the Eseries Class

3.7.1 Exponential-series representation of time-dependent quantum objects

The `eseries` object in QuTiP is a representation of an exponential-series expansion of time-dependent quantum objects (a concept borrowed from the quantum optics toolbox).

An exponential series is parameterized by its amplitude coefficients c_i and rates r_i , so that the series takes the form $E(t) = \sum_i c_i e^{r_i t}$. The coefficients are typically quantum objects (type `Qobj`: states, operators, etc.), so that the value of the `eseries` also is a quantum object, and the rates can be either real or complex numbers (describing decay rates and oscillation frequencies, respectively). Note that all amplitude coefficients in an exponential series must be of the same dimensions and composition.

In QuTiP, an exponential series object is constructed by creating an instance of the class `qutip.eseries`:

```
In [1]: es1 = eseries(sigmax(), 1j)
```

where the first argument is the amplitude coefficient (here, the sigma-X operator), and the second argument is the rate. The `eseries` in this example represents the time-dependent operator $\sigma_x e^{it}$.

To add more terms to an `qutip.eseries` object we simply add objects using the `+` operator:

```
In [2]: omega=1.0
In [3]: es2 = (eseries(0.5 * sigmax(), 1j * omega) +
...:         eseries(0.5 * sigmax(), -1j * omega))
...:
```

The `qutip.eseries` in this example represents the operator $0.5\sigma_x e^{i\omega t} + 0.5\sigma_x e^{-i\omega t}$, which is the exponential series representation of $\sigma_x \cos(\omega t)$. Alternatively, we can also specify a list of amplitudes and rates when the `qutip.eseries` is created:

```
In [4]: es2 = eseries([0.5 * sigmax(), 0.5 * sigmax()], [1j * omega, -1j * omega])
```

We can inspect the structure of an `qutip.eseries` object by printing it to the standard output console:

```
In [5]: es2
Out [5]:
ESERIES object: 2 terms
Hilbert space dimensions: [[2], [2]]
Exponent #0 = -1j
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.  0.5]
 [0.5 0. ]]
Exponent #1 = 1j
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.  0.5]
 [0.5 0. ]]
```

and we can evaluate it at time t by using the `qutip.eseries.esval` function:

```
In [6]: esval(es2, 0.0)      # equivalent to es2.value(0.0)
Out [6]:
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[0.  1.]
 [1.  0.]]
```

or for a list of times `[0.0, 1.0 * pi, 2.0 * pi]`:

```
In [7]: times = [0.0, 1.0 * pi, 2.0 * pi]
In [8]: esval(es2, times)    # equivalent to es2.value(times)
Out [8]:
array([Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
↪ True
Qobj data =
[[0.  1.]
 [1.  0.]],
      Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
↪ True
Qobj data =
[[ 0. -1.]
 [-1.  0.]],
      Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
↪ True
Qobj data =
[[0.  1.]
 [1.  0.]]], dtype=object)
```

To calculate the expectation value of an time-dependent operator represented by an `qutip.eseries`, we use the `qutip.expect` function. For example, consider the operator $\sigma_x \cos(\omega t) + \sigma_z \sin(\omega t)$, and say we would like to know the expectation value of this operator for a spin in its excited state (`rho = fock_dm(2, 1)` produce this state):

```
In [9]: es3 = (eseries([0.5*sigmaz(), 0.5*sigmaz()], [1j, -1j]) +
...:          eseries([-0.5j*sigmax(), 0.5j*sigmax()], [1j, -1j]))
...:
```

(continues on next page)

(continued from previous page)

```
In [10]: rho = fock_dm(2, 1)
In [11]: es3_expect = expect(rho, es3)
In [12]: es3_expect
Out[12]:
ESERIES object: 2 terms
Hilbert space dimensions: [[1, 1]]
Exponent #0 = (-0-1j)
(-0.5+0j)
Exponent #1 = 1j
(-0.5+0j)
In [13]: es3_expect.value([0.0, pi/2])
Out[13]: array([-1.000000e+00, -6.123234e-17])
```

Note the expectation value of the `qutip.eseries` object, `expect(rho, es3)`, itself is an `qutip.eseries`, but with amplitude coefficients that are C-numbers instead of quantum operators. To evaluate the C-number `qutip.eseries` at the times `times` we use `esval(es3_expect, times)`, or, equivalently, `es3_expect.value(times)`.

3.7.2 Applications of exponential series

The exponential series formalism can be useful for the time-evolution of quantum systems. One approach to calculating the time evolution of a quantum system is to diagonalize its Hamiltonian (or Liouvillian, for dissipative systems) and to express the propagator (e.g., $\exp(-iHt)\rho\exp(iHt)$) as an exponential series.

The QuTiP function `qutip.essolve.ode2es` and `qutip.essolve` use this method to evolve quantum systems in time. The exponential series approach is particularly suitable for cases when the same system is to be evolved for many different initial states, since the diagonalization only needs to be performed once (as opposed to e.g. the ode solver that would need to be ran independently for each initial state).

As an example, consider a spin-1/2 with a Hamiltonian pointing in the σ_z direction, and that is subject to noise causing relaxation. For a spin originally in the up state, we can create an `qutip.eseries` object describing its dynamics by using the `qutip.es2ode` function:

```
In [14]: psi0 = basis(2,1)
In [15]: H = sigmaz()
In [16]: L = liouvillian(H, [sqrt(1.0) * destroy(2)])
In [17]: es = ode2es(L, psi0)
```

The `qutip.essolve.ode2es` function diagonalizes the Liouvillian L and creates an exponential series with the correct eigenfrequencies and amplitudes for the initial state ψ_0 (`psi0`).

We can examine the resulting `qutip.eseries` object by printing a text representation:

```
In [18]: es
Out[18]:
ESERIES object: 2 terms
Hilbert space dimensions: [[2], [2]]
Exponent #0 = (-1+0j)
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[-1.  0.]
 [ 0.  1.]]
Exponent #1 = 0j
```

(continues on next page)

(continued from previous page)

```
Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm = True
Qobj data =
[[1. 0.]
 [0. 0.]]
```

or by evaluating it at arbitrary points in time (here at 0.0 and 1.0):

```
In [19]: es.value([0.0, 1.0])
Out [19]:
array([Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm =
↳True
Qobj data =
[[0. 0.]
 [0. 1.]],
      Quantum object: dims = [[2], [2]], shape = (2, 2), type = oper, isherm =
↳True
Qobj data =
[[0.63212056 0.
 [0.          0.36787944]]], dtype=object)
```


and the expectation value of the exponential series can be calculated using the `qutip.expect` function:

```
In [20]: es_expect = expect(sigmaz(), es)
```

The result `es_expect` is now an exponential series with c-numbers as amplitudes, which easily can be evaluated at arbitrary times:

```
In [21]: es_expect.value([0.0, 1.0, 2.0, 3.0])
Out [21]: array([-1.          ,  0.26424112,  0.72932943,  0.90042586])
```

```
In [22]: times = linspace(0.0, 10.0, 100)
In [23]: sz_expect = es_expect.value(times)
In [24]: from pylab import *
In [25]: plot(times, sz_expect, lw=2);
In [26]: xlabel("Time", fontsize=16)
.....: ylabel("Expectation value of sigma-z", fontsize=16);
.....:
In [27]: title("The expectation value of the  $\sigma_z$  operator", fontsize=16);
```



3.8 Two-time correlation functions

With the QuTiP time-evolution functions (for example `qutip.mesolve` and `qutip.mcsolve`), a state vector or density matrix can be evolved from an initial state at t_0 to an arbitrary time t , $\rho(t) = V(t, t_0) \{\rho(t_0)\}$, where $V(t, t_0)$ is the propagator defined by the equation of motion. The resulting density matrix can then be used to evaluate the expectation values of arbitrary combinations of *same-time* operators.

To calculate *two-time* correlation functions on the form $\langle A(t + \tau)B(t) \rangle$, we can use the quantum regression theorem (see, e.g., [Gar03]) to write

$$\langle A(t + \tau)B(t) \rangle = \text{Tr} [AV(t + \tau, t) \{B\rho(t)\}] = \text{Tr} [AV(t + \tau, t) \{BV(t, 0) \{\rho(0)\}\}]$$

We therefore first calculate $\rho(t) = V(t, 0) \{\rho(0)\}$ using one of the QuTiP evolution solvers with $\rho(0)$ as initial state, and then again use the same solver to calculate $V(t + \tau, t) \{B\rho(t)\}$ using $B\rho(t)$ as initial state.

Note that if the initial state is the steady state, then $\rho(t) = V(t, 0) \{\rho_{ss}\} = \rho_{ss}$ and

$$\langle A(t + \tau)B(t) \rangle = \text{Tr} [AV(t + \tau, t) \{B\rho_{ss}\}] = \text{Tr} [AV(\tau, 0) \{B\rho_{ss}\}] = \langle A(\tau)B(0) \rangle,$$

which is independent of t , so that we only have one time coordinate τ .

QuTiP provides a family of functions that assists in the process of calculating two-time correlation functions. The available functions and their usage is shown in the table below. Each of these functions can use one of the following evolution solvers: Master-equation, Exponential series and the Monte-Carlo. The choice of solver is defined by the optional argument `solver`.


QuTiP function	Correlation function
<code>qutip.correlation.correlation</code> or <code>qutip.correlation.correlation_2op_2t</code>	$\langle A(t + \tau)B(t) \rangle$ or $\langle A(t)B(t + \tau) \rangle$.
<code>qutip.correlation.correlation_ss</code> or <code>qutip.correlation.correlation_2op_1t</code>	$\langle A(\tau)B(0) \rangle$ or $\langle A(0)B(\tau) \rangle$.
<code>qutip.correlation.correlation_4op_1t</code>	$\langle A(0)B(\tau)C(\tau)D(0) \rangle$.
<code>qutip.correlation.correlation_4op_2t</code>	$\langle A(t)B(t + \tau)C(t + \tau)D(t) \rangle$.

The most common use-case is to calculate correlation functions of the kind $\langle A(\tau)B(0) \rangle$, in which case we use the correlation function solvers that start from the steady state, e.g., the `qutip.correlation.correlation_2op_1t` function. These correlation function solvers return a vector or matrix (in general complex) with the correlations as a function of the delays times.

3.8.1 Steadystate correlation function

The following code demonstrates how to calculate the $\langle x(t)x(0) \rangle$ correlation for a leaky cavity with three different relaxation rates.

```
In [1]: times = np.linspace(0,10.0,200)
In [2]: a = destroy(10)
In [3]: x = a.dag() + a
In [4]: H = a.dag() * a
In [5]: corr1 = correlation_2op_1t(H, None, times, [np.sqrt(0.5) * a], x, x)
In [6]: corr2 = correlation_2op_1t(H, None, times, [np.sqrt(1.0) * a], x, x)
In [7]: corr3 = correlation_2op_1t(H, None, times, [np.sqrt(2.0) * a], x, x)
In [8]: figure()
Out [8]: <Figure size 640x480 with 0 Axes>
In [9]: plot(times, np.real(corr1), times, np.real(corr2), times, np.real(corr3))
Out [9]:
[<matplotlib.lines.Line2D at 0x1a26366c88>,
 <matplotlib.lines.Line2D at 0x1a263669e8>,
 <matplotlib.lines.Line2D at 0x1a26553978>]
In [10]: legend(['0.5', '1.0', '2.0'])
Out [10]: <matplotlib.legend.Legend at 0x1a26f66630>
In [11]: xlabel(r'Time $t$')
Out [11]: Text(0.5,0,'Time $t$')
In [12]: ylabel(r'Correlation $\langle x(t)x(0) \rangle$')
Out [12]: Text(0,0.5,'Correlation $\langle x(t)x(0) \rangle$')
In [13]: show()
```



3.8.2 Emission spectrum

Given a correlation function $\langle A(\tau)B(0) \rangle$ we can define the corresponding power spectrum as

$$S(\omega) = \int_{-\infty}^{\infty} \langle A(\tau)B(0) \rangle e^{-i\omega\tau} d\tau.$$

In QuTiP, we can calculate $S(\omega)$ using either `qutip.correlation.spectrum_ss`, which first calculates the correlation function using the `qutip.essolve.essolve` solver and then performs the Fourier transform semi-analytically, or we can use the function `qutip.correlation.spectrum_correlation_fft` to numerically calculate the Fourier transform of a given correlation data using FFT.

The following example demonstrates how these two functions can be used to obtain the emission power spectrum.

```
import numpy as np
import pylab as plt
from qutip import *

N = 4 # number of cavity fock states
wc = wa = 1.0 * 2 * np.pi # cavity and atom frequency
g = 0.1 * 2 * np.pi # coupling strength
kappa = 0.75 # cavity dissipation rate
gamma = 0.25 # atom dissipation rate

# Jaynes-Cummings Hamiltonian
a = tensor(destroy(N), qeye(2))
sm = tensor(qeye(N), destroy(2))
H = wc * a.dag() * a + wa * sm.dag() * sm + g * (a.dag() * sm + a * sm.dag())

# collapse operators
n_th = 0.25
c_ops = [np.sqrt(kappa * (1 + n_th)) * a, np.sqrt(kappa * n_th) * a.dag(), np.
    ↳ sqrt(gamma) * sm]

# calculate the correlation function using the mesolve solver, and then fft to
# obtain the spectrum. Here we need to make sure to evaluate the correlation
```

(continues on next page)

(continued from previous page)


```

# function for a sufficient long time and sufficiently high sampling rate so
# that the discrete Fourier transform (FFT) captures all the features in the
# resulting spectrum.
tlist = np.linspace(0, 100, 5000)
corr = correlation_2op_1t(H, None, tlist, c_ops, a.dag(), a)
wlist1, spec1 = spectrum_correlation_fft(tlist, corr)

# calculate the power spectrum using spectrum, which internally uses essolve
# to solve for the dynamics (by default)
wlist2 = np.linspace(0.25, 1.75, 200) * 2 * np.pi
spec2 = spectrum(H, wlist2, c_ops, a.dag(), a)

# plot the spectra
fig, ax = plt.subplots(1, 1)
ax.plot(wlist1 / (2 * np.pi), spec1, 'b', lw=2, label='eseries method')
ax.plot(wlist2 / (2 * np.pi), spec2, 'r--', lw=2, label='me+fft method')
ax.legend()
ax.set_xlabel('Frequency')
ax.set_ylabel('Power spectrum')
ax.set_title('Vacuum Rabi splitting')
ax.set_xlim(wlist2[0]/(2*np.pi), wlist2[-1]/(2*np.pi))
plt.show()

```




3.8.3 Non-steadystate correlation function

More generally, we can also calculate correlation functions of the kind $\langle A(t_1 + t_2)B(t_1) \rangle$, i.e., the correlation function of a system that is not in its steadystate. In QuTiP, we can evaluate such correlation functions using the function `qutip.correlation.correlation_2op_2t`. The default behavior of this function is to return a matrix with the correlations as a function of the two time coordinates (t_1 and t_2).

```
import numpy as np
import pylab as plt
from qutip import *

times = np.linspace(0, 10.0, 200)
a = destroy(10)
x = a.dag() + a
H = a.dag() * a
alpha = 2.5
rho0 = coherent_dm(10, alpha)
corr = correlation_2op_2t(H, rho0, times, times, [np.sqrt(0.25) * a], x, x)

plt.pcolor(np.real(corr))
plt.xlabel(r'Time $t_2$')
plt.ylabel(r'Time $t_1$')
plt.title(r'Correlation $\langle x(t)x(0) \rangle$')
plt.show()
```



However, in some cases we might be interested in the correlation functions on the form $\langle A(t_1 + t_2)B(t_1) \rangle$, but only as a function of time coordinate t_2 . In this case we can also use the `qutip.correlation.correlation_2op_2t` function, if we pass the density matrix at time t_1 as second argument, and `None` as third argument. The `qutip.correlation.correlation_2op_2t` function then returns a vector with the correlation values corresponding to the times in `taulist` (the fourth argument).

Example: first-order optical coherence function

This example demonstrates how to calculate a correlation function on the form $\langle A(\tau)B(0) \rangle$ for a non-steady initial state. Consider an oscillator that is interacting with a thermal environment. If the oscillator initially is in a coherent state, it will gradually decay to a thermal (incoherent) state. The amount of coherence can be quantified using the first-order optical coherence function $g^{(1)}(\tau) = \frac{\langle a^\dagger(\tau)a(0) \rangle}{\sqrt{\langle a^\dagger(\tau)a(\tau) \rangle \langle a^\dagger(0)a(0) \rangle}}$. For a coherent state $|g^{(1)}(\tau)| = 1$, and for a completely incoherent (thermal) state $g^{(1)}(\tau) = 0$. The following code calculates and plots $g^{(1)}(\tau)$ as a function of τ .

```
import numpy as np
import pylab as plt
from qutip import *

N = 15
taus = np.linspace(0,10.0,200)
a = destroy(N)
H = 2 * np.pi * a.dag() * a


# collapse operator
G1 = 0.75
n_th = 2.00 # bath temperature in terms of excitation number
c_ops = [np.sqrt(G1 * (1 + n_th)) * a, np.sqrt(G1 * n_th) * a.dag()]

# start with a coherent state
rho0 = coherent_dm(N, 2.0)

# first calculate the occupation number as a function of time
n = mesolve(H, rho0, taus, c_ops, [a.dag() * a]).expect[0]

# calculate the correlation function G1 and normalize with n to obtain g1
G1 = correlation_2op_2t(H, rho0, None, taus, c_ops, a.dag(), a)
g1 = G1 / np.sqrt(n[0] * n)

plt.plot(taus, np.real(g1), 'b', lw=2)
plt.plot(taus, n, 'r', lw=2)
plt.title('Decay of a coherent state to an incoherent (thermal) state')
plt.xlabel(r'$\tau$')
plt.legend((r'First-order coherence function $g^{(1)}(\tau)$',
           r'occupation number $n(\tau)$'))
plt.show()
```



For convenience, the steps for calculating the first-order coherence function have been collected in the function `qutip.correlation.coherence_function_g1`.

Example: second-order optical coherence function

The second-order optical coherence function, with time-delay τ , is defined as

$$g^{(2)}(\tau) = \frac{\langle a^\dagger(0)a^\dagger(\tau)a(\tau)a(0) \rangle}{\langle a^\dagger(0)a(0) \rangle^2}$$

For a coherent state $g^{(2)}(\tau) = 1$, for a thermal state $g^{(2)}(\tau = 0) = 2$ and it decreases as a function of time (bunched photons, they tend to appear together), and for a Fock state with n photons $g^{(2)}(\tau = 0) = n(n-1)/n^2 < 1$ and it increases with time (anti-bunched photons, more likely to arrive separated in time).

To calculate this type of correlation function with QuTiP, we can use `qutip.correlation.correlation_4op_1t`, which computes a correlation function on the form $\langle A(0)B(\tau)C(\tau)D(0) \rangle$ (four operators, one delay-time vector).

The following code calculates and plots $g^{(2)}(\tau)$ as a function of τ for a coherent, thermal and fock state.

```
import numpy as np
import pylab as plt
from qutip import *

N = 25
taus = np.linspace(0, 25.0, 200)
a = destroy(N)
H = 2 * np.pi * a.dag() * a

kappa = 0.25
n_th = 2.0 # bath temperature in terms of excitation number
c_ops = [np.sqrt(kappa * (1 + n_th)) * a, np.sqrt(kappa * n_th) * a.dag()]

states = [{'state': coherent_dm(N, np.sqrt(2)), 'label': "coherent state"},
          {'state': thermal_dm(N, 2), 'label': "thermal state"},
```

(continues on next page)

(continued from previous page)

```

        {'state': fock_dm(N, 2), 'label': "Fock state"}}

fig, ax = plt.subplots(1, 1)

for state in states:
    rho0 = state['state']


    # first calculate the occupation number as a function of time
    n = mesolve(H, rho0, taus, c_ops, [a.dag() * a]).expect[0]

    # calculate the correlation function G2 and normalize with n(0)n(t) to
    # obtain g2
    G2 = correlation_3op_1t(H, rho0, taus, c_ops, a.dag(), a.dag()*a, a)
    g2 = G2 / (n[0] * n)

    ax.plot(taus, np.real(g2), label=state['label'], lw=2)

ax.legend(loc=0)
ax.set_xlabel(r'\tau$')
ax.set_ylabel(r'$g^{(2)}(\tau)$')
plt.show()

```



For convenience, the steps for calculating the second-order coherence function have been collected in the function `qutip.correlation.coherence_function_g2`.

3.9 Quantum Optimal Control

3.9.1 Introduction

In quantum control we look to prepare some specific state, effect some state-to-state transfer, or effect some transformation (or gate) on a quantum system. For a given quantum system there will always be factors that effect the dynamics that are outside of our control. As examples, the interactions between elements of the system or a magnetic field required to trap the system. However, there may be methods of affecting the dynamics in a controlled way, such as the time varying amplitude of the electric component of an interacting laser field. And so this leads to some questions; given a specific quantum system with known time-independent dynamics generator (referred to as the *drift* dynamics generators) and set of externally controllable fields for which the interaction can be described by *control* dynamics generators:

1. what states or transformations can we achieve (if any)?
2. what is the shape of the control pulse required to achieve this?

These questions are addressed as *controllability* and *quantum optimal control* [dAless08]. The answer to question of *controllability* is determined by the commutability of the dynamics generators and is formalised as the *Lie Algebra Rank Criterion* and is discussed in detail in [dAless08]. The solutions to the second question can be determined through optimal control algorithms, or control pulse optimisation.




Fig. 2: Schematic showing the principle of quantum control.

Quantum Control has many applications including NMR, *quantum metrology*, *control of chemical reactions*, and *quantum information processing*.

To explain the physics behind these algorithms we will first consider only finite-dimensional, closed quantum systems.

3.9.2 Closed Quantum Systems

In closed quantum systems the states can be represented by kets, and the transformations on these states are unitary operators. The dynamics generators are Hamiltonians. The combined Hamiltonian for the system is given by

$$H(t) = H_0 + \sum_{j=1} u_j(t) H_j$$

where H_0 is the drift Hamiltonian and the H_j are the control Hamiltonians. The u_j are time varying amplitude functions for the specific control.

The dynamics of the system are governed by *Schrödinger's equation*.

$$\frac{d}{dt} |\psi\rangle = -iH(t) |\psi\rangle$$

Note we use units where $\hbar = 1$ throughout. The solutions to Schrödinger's equation are of the form:

$$|\psi(t)\rangle = U(t) |\psi_0\rangle$$

where ψ_0 is the state of the system at $t = 0$ and $U(t)$ is a unitary operator on the Hilbert space containing the states. $U(t)$ is a solution to the *Schrödinger operator equation*

$$\frac{d}{dt}U = -iH(t)U, \quad U(0) = \mathbb{1}$$

We can use optimal control algorithms to determine a set of u_j that will drive our system from $|\psi_0\rangle$ to $|\psi_1\rangle$, this is state-to-state transfer, or drive the system from some arbitrary state to a given state $|\psi_1\rangle$, which is state preparation, or effect some unitary transformation U_{target} , called gate synthesis. The latter of these is most important in quantum computation.

3.9.3 The GRAPE algorithm

The **GR**radient **A**scent **P**ulse **E**ngineering was first proposed in [2]. Solutions to Schrödinger's equation for a time-dependent Hamiltonian are not generally possible to obtain analytically. Therefore, a piecewise constant approximation to the pulse amplitudes is made. Time allowed for the system to evolve T is split into M timeslots (typically these are of equal duration), during which the control amplitude is assumed to remain constant. The combined Hamiltonian can then be approximated as:

$$H(t) \approx H(t_k) = H_0 + \sum_{j=1}^N u_{jk} H_j$$

where k is a timeslot index, j is the control index, and N is the number of controls. Hence t_k is the evolution time at the start of the timeslot, and u_{jk} is the amplitude of control j throughout timeslot k . The time evolution operator, or propagator, within the timeslot can then be calculated as:

$$X_k := e^{-iH(t_k)\Delta t_k}$$

where Δt_k is the duration of the timeslot. The evolution up to (and including) any timeslot k (including the full evolution $k = M$) can be calculated as

$$X(t_k) := X_k X_{k-1} \cdots X_1 X_0$$

If the objective is state-to-state transfer then $X_0 = |\psi_0\rangle$ and the target $X_{targ} = |\psi_1\rangle$, for gate synthesis $X_0 = U(0) = \mathbb{1}$ and the target $X_{targ} = U_{targ}$.

A *figure of merit* or *fidelity* is some measure of how close the evolution is to the target, based on the control amplitudes in the timeslots. The typical figure of merit for unitary systems is the normalised overlap of the evolution and the target.

$$f_{PSU} = \frac{1}{d} |\text{tr}\{X_{targ}^\dagger X(T)\}|$$

where d is the system dimension. In this figure of merit the absolute value is taken to ignore any differences in global phase, and $0 \leq f \leq 1$. Typically the fidelity error (or *infidelity*) is more useful, in this case defined as $\varepsilon = 1 - f_{PSU}$. There are many other possible objectives, and hence figures of merit.

As there are now $N \times M$ variables (the u_{jk}) and one parameter to minimise ε , then the problem becomes a finite multi-variable optimisation problem, for which there are many established methods, often referred to as 'hill-climbing' methods. The simplest of these to understand is that of steepest ascent (or descent). The gradient of the fidelity with respect to all the variables is calculated (or approximated) and a step is made in the variable space in the direction of steepest ascent (or descent). This method is a first order gradient method. In two dimensions this describes a method of climbing a hill by heading in the direction where the ground rises fastest. This analogy also clearly illustrates one of the main challenges in multi-variable optimisation, which is that all methods have a tendency to get stuck in local maxima. It is hard to determine whether one has found a global maximum or not - a local peak is likely not to be the highest mountain in the region. In quantum optimal control we can typically define an infidelity that has a lower bound of zero. We can then look to minimise the infidelity (from here on we will

only consider optimising for infidelity minima). This means that we can terminate any pulse optimisation when the infidelity reaches zero (to a sufficient precision). This is however only possible for fully controllable systems; otherwise it is hard (if not impossible) to know that the minimum possible infidelity has been achieved. In the hill walking analogy the step size is roughly fixed to a stride, however, in computations the step size must be chosen. Clearly there is a trade-off here between the number of steps (or iterations) required to reach the minima and the possibility that we might step over a minima. In practice it is difficult to determine an efficient and effective step size.

The second order differentials of the infidelity with respect to the variables can be used to approximate the local landscape to a parabola. This way a step (or jump) can be made to where the minima would be if it were parabolic. This typically vastly reduces the number of iterations, and removes the need to guess a step size. The method where all the second differentials are calculated explicitly is called the *Newton-Raphson* method. However, calculating the second-order differentials (the Hessian matrix) can be computationally expensive, and so there are a class of methods known as *quasi-Newton* that approximate the Hessian based on successive iterations. The most popular of these (in quantum optimal control) is the Broyden–Fletcher–Goldfarb–Shanno algorithm (BFGS). The default method in the QuTiP Qtrl GRAPE implementation is the L-BFGS-B method in Scipy, which is a wrapper to the implementation described in [Byrd95]. This limited memory and bounded method does not need to store the entire Hessian, which reduces the computer memory required, and allows bounds to be set for variable values, which considering these are field amplitudes is often physical.

The pulse optimisation is typically far more efficient if the gradients can be calculated exactly, rather than approximated. For simple fidelity measures such as f_{PSU} this is possible. Firstly the propagator gradient for each timeslot with respect to the control amplitudes is calculated. For closed systems, with unitary dynamics, a method using the eigendecomposition is used, which is efficient as it is also used in the propagator calculation (to exponentiate the combined Hamiltonian). More generally (for example open systems and symplectic dynamics) the Frechet derivative (or augmented matrix) method is used, which is described in [Flo12]. For other optimisation goals it may not be possible to calculate analytic gradients. In these cases it is necessary to approximate the gradients, but this can be very expensive, and can lead to other algorithms out-performing GRAPE.

3.9.4 The CRAB Algorithm

It has been shown [Lloyd14], the dimension of a quantum optimal control problem is a polynomial function of the dimension of the manifold of the time-polynomial reachable states, when allowing for a finite control precision and evolution time. You can think of this as the information content of the pulse (as being the only effective input) being very limited e.g. the pulse is compressible to a few bytes without losing the target.

This is where the **Chopped R**andom **B**asis (CRAB) algorithm [Doria11], [Caneva11] comes into play: Since the pulse complexity is usually very low, it is sufficient to transform the optimal control problem to a few parameter search by introducing a physically motivated function basis that builds up the pulse. Compared to the number of time slices needed to accurately simulate quantum dynamics (often equals basis dimension for Gradient based algorithms), this number is lower by orders of magnitude, allowing CRAB to efficiently optimize smooth pulses with realistic experimental constraints. It is important to point out, that CRAB does not make any suggestion on the basis function to be used. The basis must be chosen carefully considered, taking into account a priori knowledge of the system (such as symmetries, magnitudes of scales,...) and solution (e.g. sign, smoothness, bang-bang behavior, singularities, maximum excursion or rate of change,...). By doing so, this algorithm allows for native integration of experimental constraints such as maximum frequencies allowed, maximum amplitude, smooth ramping up and down of the pulse and many more. Moreover initial guesses, if they are available, can (however not have to) be included to speed up convergence.

As mentioned in the GRAPE paragraph, for CRAB local minima arising from algorithmic design can occur, too. However, for CRAB a ‘dressed’ version has recently been introduced [Rach15] that allows to escape local minima.

For some control objectives and/or dynamical quantum descriptions, it is either not possible to derive the gradient for the cost functional with respect to each time slice or it is computationally expensive to do so. The same can apply for the necessary (reverse) propagation of the co-state. All this trouble does not occur within CRAB as those elements are not in use here. CRAB, instead, takes the time evolution as a black-box where the pulse goes as an input and the cost (e.g. infidelity) value will be returned as an output. This concept, on top, allows for direct integration in a closed loop experimental environment where both the preliminarily open loop optimization, as well as the final adoption, and integration to the lab (to account for modeling errors, experimental systematic noise, ...) can be done all in one, using this algorithm.

3.9.5 Optimal Quantum Control in QuTiP

There are two separate implementations of optimal control inside QuTiP. The first is an implementation of first order GRAPE, and is not further described here, but there are the example notebooks. The second is referred to as Qtrl (when a distinction needs to be made) as this was its name before it was integrated into QuTiP. Qtrl uses the Scipy optimize functions to perform the multi-variable optimisation, typically the L-BFGS-B method for GRAPE and Nelder-Mead for CRAB. The GRAPE implementation in Qtrl was initially based on the open-source package DYNAMO, which is a MATLAB implementation, and is described in [DYNAMO]. It has since been restructured and extended for flexibility and compatibility within QuTiP.

The rest of this section describes the Qtrl implementation and how to use it.

Object Model The Qtrl code is organised in a hierarchical object model in order to try and maximise configurability whilst maintaining some clarity. It is not necessary to understand the model in order to use the pulse optimisation functions, but it is the most flexible method of using Qtrl. If you just want to use a simple single function call interface, then jump to *Using the pulseoptim functions*




Fig. 3: Qtrl code object model.

The object's properties and methods are described in detail in the documentation, so that will not be repeated here.

OptimConfig The OptimConfig object is used simply to hold configuration parameters used by all the objects. Typically this is the subclass types for the other objects and parameters for the users specific requirements. The `loadparams` module can be used read parameter values from a configuration file.

Optimizer This acts as a wrapper to the `Scipy.optimize` functions that perform the work of the pulse optimisation algorithms. Using the main classes the user can specify which of the optimisation methods are to be used. There are subclasses specifically for the BFGS and L-BFGS-B methods. There is another subclass for using the CRAB algorithm.

Dynamics This is mainly a container for the lists that hold the dynamics generators, propagators, and time evolution operators in each timeslot. The combining of dynamics generators is also complete by this object. Different subclasses support a range of types of quantum systems, including closed systems with unitary dynamics, systems with quadratic Hamiltonians that have Gaussian states and symplectic transforms, and a general subclass that can be used for open system dynamics with Lindbladian operators.

PulseGen There are many subclasses of pulse generators that generate different types of pulses as the initial amplitudes for the optimisation. Often the goal cannot be achieved from all starting conditions, and then typically some kind of random pulse is used and repeated optimisations are performed until the desired infidelity is reached or the minimum infidelity found is reported. There is a specific subclass that is used by the CRAB algorithm to generate the pulses based on the basis coefficients that are being optimised.

TerminationConditions This is simply a convenient place to hold all the properties that will determine when the single optimisation run terminates. Limits can be set for number of iterations, time, and of course the target infidelity.

Stats Performance data are optionally collected during the optimisation. This object is shared to a single location to store, calculate and report run statistics.

FidelityComputer The subclass of the fidelity computer determines the type of fidelity measure. These are closely linked to the type of dynamics in use. These are also the most commonly user customised subclasses.

PropagatorComputer This object computes propagators from one timeslot to the next and also the propagator gradient. The options are using the spectral decomposition or Frechet derivative, as discussed above.

TimeslotComputer Here the time evolution is computed by calling the methods of the other computer objects.

OptimResult The result of a pulse optimisation run is returned as an object with properties for the outcome in terms of the infidelity, reason for termination, performance statistics, final evolution, and more.

3.9.6 Using the pulseoptim functions

The simplest method for optimising a control pulse is to call one of the functions in the `pulseoptim` module. This automates the creation and configuration of the necessary objects, generation of initial pulses, running the optimisation and returning the result. There are functions specifically for unitary dynamics, and also specifically for the CRAB algorithm (GRAPE is the default). The `optimise_pulse` function can in fact be used for unitary dynamics and / or the CRAB algorithm, the more specific functions simply have parameter names that are more familiar in that application.

A semi-automated method is to use the `create_optimizer_objects` function to generate and configure all the objects, then manually set the initial pulse and call the optimisation. This would be more efficient when repeating runs with different starting conditions.

3.10 Plotting on the Bloch Sphere

Important: Updated in QuTiP version 3.0.

3.10.1 Introduction

When studying the dynamics of a two-level system, it is often convenient to visualize the state of the system by plotting the state-vector or density matrix on the Bloch sphere. In QuTiP, we have created two different classes to allow for easy creation and manipulation of data sets, both vectors and data points, on the Bloch sphere. The `qutip.Bloch` class, uses Matplotlib to render the Bloch sphere, whereas `qutip.Bloch3d` uses the Mayavi rendering engine to generate a more faithful 3D reconstruction of the Bloch sphere.

3.10.2 The Bloch and Bloch3d Classes

In QuTiP, creating a Bloch sphere is accomplished by calling either:


```
In [1]: b = Bloch()
```

which will load an instance of the `qutip.Bloch` class, or using:


```
>>> b3d = Bloch3d()
```

that loads the `qutip.Bloch3d` version. Before getting into the details of these objects, we can simply plot the blank Bloch sphere associated with these instances via:

```
In [2]: b.show()
```



or



In addition to the `show()` command, the Bloch class has the following functions:


As an example, we can add a single data point:

```
In [3]: pnt = [1/np.sqrt(3), 1/np.sqrt(3), 1/np.sqrt(3)]
```

```
In [4]: b.add_points(pnt)
```


```
In [5]: b.show()
```

```
<Figure size 500x500 with 1 Axes>
```



and then a single vector:

```
In [6]: vec = [0,1,0]
In [7]: b.add_vectors(vec)
In [8]: b.show()
<Figure size 500x500 with 1 Axes>
```




and then add another vector corresponding to the $|\text{up}\rangle$ state:

```
In [9]: up = basis(2,0)
In [10]: b.add_states(up)
```

(continues on next page)


(continued from previous page)

```
In [11]: b.show()
<Figure size 500x500 with 1 Axes>
```




Notice that when we add more than a single vector (or data point), a different color will automatically be applied to the later data set (mod 4). In total, the code for constructing our Bloch sphere with one vector, one state, and a single data point is:

```
In [12]: b = Bloch()
In [13]: pnt = [1./np.sqrt(3), 1./np.sqrt(3), 1./np.sqrt(3)]
In [14]: b.add_points(pnt)
In [15]: vec = [0,1,0]
In [16]: b.add_vectors(vec)
In [17]: up = basis(2,0)
In [18]: b.add_states(up)
In [19]: b.show()
```




where we have removed the extra `show()` commands. Replacing `b=Bloch()` with `b=Bloch3d()` in the above code generates the following 3D Bloch sphere.




We can also plot multiple points, vectors, and states at the same time by passing list or arrays instead of individual elements. Before giving an example, we can use the `clear()` command to remove the current data from our Bloch sphere instead of creating a new instance:

```
In [20]: b.clear()
In [21]: b.show()
<Figure size 500x500 with 1 Axes>
```




Now on the same Bloch sphere, we can plot the three states associated with the x, y, and z directions:

```
In [22]: x = (basis(2,0)+(1+0j)*basis(2,1)).unit()
In [23]: y = (basis(2,0)+(0+1j)*basis(2,1)).unit()
In [24]: z = (basis(2,0)+(0+0j)*basis(2,1)).unit()
In [25]: b.add_states([x,y,z])
In [26]: b.show()
<Figure size 500x500 with 1 Axes>
```




a similar method works for adding vectors:

```
In [27]: b.clear()
In [28]: vec = [[1,0,0],[0,1,0],[0,0,1]]
In [29]: b.add_vectors(vec)
In [30]: b.show()
<Figure size 500x500 with 1 Axes>
```




Adding multiple points to the Bloch sphere works slightly differently than adding multiple states or vectors. For example, lets add a set of 20 points around the equator (after calling `clear()`):

```
In [31]: xp = [np.cos(th) for th in np.linspace(0, 2*pi, 20)]
In [32]: yp = [np.sin(th) for th in np.linspace(0, 2*pi, 20)]
In [33]: zp = np.zeros(20)
In [34]: pnts = [xp, yp, zp]
In [35]: b.add_points(pnts)
In [36]: b.show()
<Figure size 500x500 with 1 Axes>
```



Notice that, in contrast to states or vectors, each point remains the same color as the initial point. This is because adding multiple data points using the `add_points` function is interpreted, by default, to correspond to a single data point (single qubit state) plotted at different times. This is very useful when visualizing the dynamics of a qubit. An example of this is given in the example . If we want to plot additional qubit states we can call additional `add_points` functions:


```
In [37]: xz = np.zeros(20)
In [38]: yz = [np.sin(th) for th in np.linspace(0, pi, 20)]
In [39]: zz = [np.cos(th) for th in np.linspace(0, pi, 20)]
In [40]: b.add_points([xz, yz, zz])
In [41]: b.show()
<Figure size 500x500 with 1 Axes>
```



The color and shape of the data points is varied automatically by the Bloch class. Notice how the color and point markers change for each set of data. Again, we have had to call `add_points` twice because adding more than one set of multiple data points is *not* supported by the `add_points` function.


What if we want to vary the color of our points. We can tell the `qutip.Bloch` class to vary the color of each point according to the colors listed in the `b.point_color` list (see [Configuring the Bloch sphere](#) below). Again after `clear()`:

```
In [42]: xp = [np.cos(th) for th in np.linspace(0, 2*pi, 20)]
In [43]: yp = [sin(th) for th in np.linspace(0, 2*pi, 20)]
In [44]: zp = np.zeros(20)
In [45]: pnts = [xp, yp, zp]
In [46]: b.add_points(pnts, 'm') # <-- add a 'm' string to signify 'multi' colored_
    ↪points
In [47]: b.show()
<Figure size 500x500 with 1 Axes>
```




Now, the data points cycle through a variety of predefined colors. Now let's add another set of points, but this time we want the set to be a single color, representing say a qubit going from the $|up\rangle$ state to the $|down\rangle$ state in the y - z plane:

```
In [48]: xz = np.zeros(20)
In [49]: yz = [np.sin(th) for th in np.linspace(0, pi, 20)]
In [50]: zz = [np.cos(th) for th in np.linspace(0, pi, 20)]
In [51]: b.add_points([xz, yz, zz]) # no 'm'
In [52]: b.show()
<Figure size 500x500 with 1 Axes>
```



Again, the same plot can be generated using the `qutip.Bloch3d` class by replacing `Bloch` with `Bloch3d`:



A more slick way of using this ‘multi’ color feature is also given in the example, where we set the color of the markers as a function of time.

Differences Between Bloch and Bloch3d

While in general the `Bloch` and `Bloch3d` classes are interchangeable, there are some important differences to consider when choosing between them.

- The `Bloch` class uses Matplotlib to generate figures. As such, the data plotted on the sphere is in reality just a 2D object. In contrast the `Bloch3d` class uses the 3D rendering engine from VTK via mayavi to generate the sphere and the included data. In this sense the `Bloch3d` class is much more advanced, as objects are rendered in 3D leading to a higher quality figure.
- Only the `Bloch` class can be embedded in a Matplotlib figure window. Thus if you want to combine a Bloch sphere with another figure generated in QuTiP, you can not use `Bloch3d`. Of course you can always post-process your figures using other software to get the desired result.
- Due to limitations in the rendering engine, the `Bloch3d` class does not support LaTeX for text. Again, you can get around this by post-processing.
- The user customizable attributes for the `Bloch` and `Bloch3d` classes are not identical. Therefore, if you change the properties of one of the classes, these changes will cause an exception if the class is switched.

3.10.3 Configuring the Bloch sphere

Bloch Class Options

At the end of the last section we saw that the colors and marker shapes of the data plotted on the Bloch sphere are automatically varied according to the number of points and vectors added. But what if you want a different choice of color, or you want your sphere to be purple with different axes labels? Well then you are in luck as the `Bloch` class has 22 attributes which one can control. Assuming `b=Bloch()`:

Attribute	Function	Default Setting
b.axes	Matplotlib axes instance for animations. Set by <code>axes</code> keyword arg.	None
b.fig	User supplied Matplotlib Figure instance. Set by <code>fig</code> keyword arg.	None
b.font_color	Color of fonts	'black'
b.font_size	Size of fonts	20
b.frame_alpha	Transparency of wireframe	0.1
b.frame_color	Color of wireframe	'gray'
b.frame_width	Width of wireframe	1
b.point_color	List of colors for Bloch point markers to cycle through	['b','r','g','#CC6600']
b.point_marker	List of point marker shapes to cycle through	['o','s','d','^']
b.point_size	List of point marker sizes (not all markers look the same size when plotted)	[55,62,65,75]
b.sphere_alpha	Transparency of Bloch sphere	0.2
b.sphere_color	Color of Bloch sphere	'#FFDDDD'
b.size	Sets size of figure window	[7,7] (700x700 pixels)
b.vector_color	List of colors for Bloch vectors to cycle through	['g','#CC6600','b','r']
b.vector_width	Width of Bloch vectors	4
b.view	Azimuthal and Elevation viewing angles	[-60,30]
b.xlabel	Labels for x-axis	[' x ',''] +x and -x (labels use LaTeX)
b.xlpos	Position of x-axis labels	[1.1,-1.1]
b.ylabel	Labels for y-axis	[' y ',''] +y and -y (labels use LaTeX)
b.ylpos	Position of y-axis labels	[1.2,-1.2]
b.zlabel	Labels for z-axis	[' z ',''] +z and -z (labels use LaTeX)
b.zlpos	Position of z-axis labels	[1.2,-1.2]

Bloch3d Class Options

The Bloch3d sphere is also customizable. Note however that the attributes for the Bloch3d class are not in one-to-one correspondence to those of the Bloch class due to the different underlying rendering engines. Assuming `b=Bloch3d()`:

Attribute	Function	Default Setting
b.fig	User supplied Mayavi Figure instance. Set by <code>fig</code> keyword arg.	None
b.font_color	Color of fonts	'black'
b.font_scale	Scale of fonts	0.08
b.frame	Draw wireframe for sphere?	True
b.frame_alpha	Transparency of wireframe	0.05
b.frame_color	Color of wireframe	'gray'
b.frame_num	Number of wireframe elements to draw	8
b.frame_radius	Radius of wireframe lines	0.005
b.point_color	List of colors for Bloch point markers to cycle through	['r', 'g', 'b', 'y']
b.point_mode	Type of point markers to draw	sphere
b.point_size	Size of points	0.075
b.sphere_alpha	Transparency of Bloch sphere	0.1
b.sphere_color	Color of Bloch sphere	'#808080'
b.size	Sets size of figure window	[500,500] (500x500 pixels)
b.vector_color	List of colors for Bloch vectors to cycle through	['r', 'g', 'b', 'y']
b.vector_width	Width of Bloch vectors	3
b.view	Azimuthal and Elevation viewing angles	[45,65]
b.xlabel	Labels for x-axis	[' x>', ''] +x and -x
b.xlpos	Position of x-axis labels	[1.07,-1.07]
b.ylabel	Labels for y-axis	['\$y\$', ''] +y and -y
b.ylpos	Position of y-axis labels	[1.07,-1.07]
b.zlabel	Labels for z-axis	[' 0>', ' 1>'] +z and -z
b.zlpos	Position of z-axis labels	[1.07,-1.07]

These properties can also be accessed via the print command:

```
In [53]: b = Bloch()

In [54]: print(b)
Bloch data:
-----
Number of points: 0
Number of vectors: 0

Bloch sphere properties:
-----
font_color:      black
font_size:       20
frame_alpha:     0.2
frame_color:     gray
frame_width:     1
point_color:     ['b', 'r', 'g', '#CC6600']
point_marker:    ['o', 's', 'd', '^']
point_size:      [25, 32, 35, 45]
sphere_alpha:    0.2
sphere_color:    #FFDDDD
figsize:         [5, 5]
vector_color:    ['g', '#CC6600', 'b', 'r']
vector_width:    3
vector_style:    -|>
vector_mutation: 20
view:           [-60, 30]
xlabel:         ['$x$', '']
xlpos:          [1.2, -1.2]
ylabel:         ['$y$', '']
```

(continues on next page)

(continued from previous page)

```

ylpos:          [1.2, -1.2]
zlabel:         ['$\\left|0\\right>$', '$\\left|1\\right>$']
zlpos:          [1.2, -1.2]
    
```

3.10.4 Animating with the Bloch sphere

The Bloch class was designed from the outset to generate animations. To animate a set of vectors or data points the basic idea is: plot the data at time t_1 , save the sphere, clear the sphere, plot data at t_2, \dots . The Bloch sphere will automatically number the output file based on how many times the object has been saved (this is stored in `b.savenum`). The easiest way to animate data on the Bloch sphere is to use the `save()` method and generate a series of images to convert into an animation. However, as of Matplotlib version 1.1, creating animations is built-in. We will demonstrate both methods by looking at the decay of a qubit on the Bloch sphere.

Example: Qubit Decay

The code for calculating the expectation values for the Pauli spin operators of a qubit decay is given below. This code is common to both animation examples.

```

from qutip import *
from scipy import *
def qubit_integrate(w, theta, gamma1, gamma2, psi0, tlist):
    # operators and the hamiltonian
    sx = sigmax(); sy = sigmay(); sz = sigmaz(); sm = sigmam()
    H = w * (cos(theta) * sz + sin(theta) * sx)
    # collapse operators
    c_op_list = []
    n_th = 0.5 # temperature
    rate = gamma1 * (n_th + 1)
    if rate > 0.0: c_op_list.append(sqrt(rate) * sm)
    rate = gamma1 * n_th
    if rate > 0.0: c_op_list.append(sqrt(rate) * sm.dag())
    rate = gamma2
    if rate > 0.0: c_op_list.append(sqrt(rate) * sz)

    # evolve and calculate expectation values
    output = mesolve(H, psi0, tlist, c_op_list, [sx, sy, sz])
    return output.expect[0], output.expect[1], output.expect[2]

## calculate the dynamics
w      = 1.0 * 2 * pi # qubit angular frequency
theta  = 0.2 * pi    # qubit angle from sigma_z axis (toward sigma_x axis)
gamma1 = 0.5         # qubit relaxation rate
gamma2 = 0.2         # qubit dephasing rate
# initial state
a = 1.0
psi0 = (a * basis(2,0) + (1-a) * basis(2,1)) / (sqrt(a**2 + (1-a)**2))
tlist = linspace(0,4,250)
#expectation values for plotting
sx, sy, sz = qubit_integrate(w, theta, gamma1, gamma2, psi0, tlist)
    
```

Generating Images for Animation

An example of generating images for generating an animation outside of Python is given below:

```
import numpy as np
b = Bloch()
b.vector_color = ['r']
b.view = [-40,30]
for i in range(len(sx)):
    b.clear()
    b.add_vectors([np.sin(theta),0,np.cos(theta)])
    b.add_points([sx[:i+1],sy[:i+1],sz[:i+1]])
    b.save(dirc='temp') #saving images to temp directory in current working_
↪directory
```

Generating an animation using ffmpeg (for example) is fairly simple:

```
ffmpeg -r 20 -b 1800 -i bloch_%01d.png bloch.mp4
```

Directly Generating an Animation

Important: Generating animations directly from Matplotlib requires installing either mencoder or ffmpeg. While either choice works on linux, it is best to choose ffmpeg when running on the Mac. If using macports just do:
sudo port install ffmpeg.

The code to directly generate an mp4 movie of the Qubit decay is as follows:

```
from pylab import *
import matplotlib.animation as animation
from mpl_toolkits.mplot3d import Axes3D

fig = figure()
ax = Axes3D(fig,azim=-40,elev=30)
sphere = Bloch(axes=ax)

def animate(i):
    sphere.clear()
    sphere.add_vectors([np.sin(theta),0,np.cos(theta)])
    sphere.add_points([sx[:i+1],sy[:i+1],sz[:i+1]])
    sphere.make_sphere()
    return ax

def init():
    sphere.vector_color = ['r']
    return ax

ani = animation.FuncAnimation(fig, animate, np.arange(len(sx)),
                             init_func=init, blit=True, repeat=False)
ani.save('bloch_sphere.mp4', fps=20)
```

The resulting movie may be viewed here: [bloch_decay.mp4](#)

3.11 Visualization of quantum states and processes

Visualization is often an important complement to a simulation of a quantum mechanical system. The first method of visualization that come to mind might be to plot the expectation values of a few selected operators. But on top of that, it can often be instructive to visualize for example the state vectors or density matrices that describe the state of the system, or how the state is transformed as a function of time (see process tomography below). In this section we demonstrate how QuTiP and matplotlib can be used to perform a few types of visualizations that often can provide additional understanding of quantum system.

3.11.1 Fock-basis probability distribution

In quantum mechanics probability distributions plays an important role, and as in statistics, the expectation values computed from a probability distribution does not reveal the full story. For example, consider an quantum harmonic oscillator mode with Hamiltonian $H = \hbar\omega a^\dagger a$, which is in a state described by its density matrix ρ , and which on average is occupied by two photons, $\text{Tr}[\rho a^\dagger a] = 2$. Given this information we cannot say whether the oscillator is in a Fock state, a thermal state, a coherent state, etc. By visualizing the photon distribution in the Fock state basis important clues about the underlying state can be obtained.


One convenient way to visualize a probability distribution is to use histograms. Consider the following histogram visualization of the number-basis probability distribution, which can be obtained from the diagonal of the density matrix, for a few possible oscillator states with on average occupation of two photons.

First we generate the density matrices for the coherent, thermal and fock states.

```
In [1]: N = 20
In [2]: rho_coherent = coherent_dm(N, np.sqrt(2))
In [3]: rho_thermal = thermal_dm(N, 2)
In [4]: rho_fock = fock_dm(N, 2)
```

Next, we plot histograms of the diagonals of the density matrices:


```
In [5]: fig, axes = plt.subplots(1, 3, figsize=(12,3))
In [6]: bar0 = axes[0].bar(np.arange(0, N)-.5, rho_coherent.diag())
In [7]: lbl0 = axes[0].set_title("Coherent state")
In [8]: lim0 = axes[0].set_xlim([-0.5, N])
In [9]: bar1 = axes[1].bar(np.arange(0, N)-.5, rho_thermal.diag())
In [10]: lbl1 = axes[1].set_title("Thermal state")
In [11]: lim1 = axes[1].set_xlim([-0.5, N])
In [12]: bar2 = axes[2].bar(np.arange(0, N)-.5, rho_fock.diag())
In [13]: lbl2 = axes[2].set_title("Fock state")
In [14]: lim2 = axes[2].set_xlim([-0.5, N])
In [15]: plt.show()
```



All these states correspond to an average of two photons, but by visualizing the photon distribution in Fock basis the differences between these states are easily appreciated.

One frequently need to visualize the Fock-distribution in the way described above, so QuTiP provides a convenience function for doing this, see `qutip.visualization.plot_fock_distribution`, and the following example:

```
In [16]: fig, axes = plt.subplots(1, 3, figsize=(12,3))
In [17]: plot_fock_distribution(rho_coherent, fig=fig, ax=axes[0], title="Coherent_
↪state");
In [18]: plot_fock_distribution(rho_thermal, fig=fig, ax=axes[1], title="Thermal_
↪state");
In [19]: plot_fock_distribution(rho_fock, fig=fig, ax=axes[2], title="Fock state");
In [20]: fig.tight_layout()
In [21]: plt.show()
```




3.11.2 Quasi-probability distributions

The probability distribution in the number (Fock) basis only describes the occupation probabilities for a discrete set of states. A more complete phase-space probability-distribution-like function for harmonic modes are the Wigner and Husimi Q-functions, which are full descriptions of the quantum state (equivalent to the density matrix). These are called quasi-distribution functions because unlike real probability distribution functions they can for example be negative. In addition to being more complete descriptions of a state (compared to only the occupation probabilities plotted above), these distributions are also great for demonstrating if a quantum state is quantum mechanical, since for example a negative Wigner function is a definite indicator that a state is distinctly nonclassical.

Wigner function

In QuTiP, the Wigner function for a harmonic mode can be calculated with the function `qutip.wigner.wigner`. It takes a ket or a density matrix as input, together with arrays that define the ranges of the phase-space coordinates (in the x-y plane). In the following example the Wigner functions are calculated and plotted for the same three states as in the previous section.

```
In [22]: xvec = np.linspace(-5,5,200)
In [23]: W_coherent = wigner(rho_coherent, xvec, xvec)
In [24]: W_thermal = wigner(rho_thermal, xvec, xvec)
In [25]: W_fock = wigner(rho_fock, xvec, xvec)
In [26]: # plot the results
In [27]: fig, axes = plt.subplots(1, 3, figsize=(12,3))
In [28]: cont0 = axes[0].contourf(xvec, xvec, W_coherent, 100)
In [29]: lbl0 = axes[0].set_title("Coherent state")
In [30]: cont1 = axes[1].contourf(xvec, xvec, W_thermal, 100)
In [31]: lbl1 = axes[1].set_title("Thermal state")
In [32]: cont2 = axes[2].contourf(xvec, xvec, W_fock, 100)
In [33]: lbl2 = axes[2].set_title("Fock state")
In [34]: plt.show()
```



Custom Color Maps

The main objective when plotting a Wigner function is to demonstrate that the underlying state is nonclassical, as indicated by negative values in the Wigner function. Therefore, making these negative values stand out in a figure is helpful for both analysis and publication purposes. Unfortunately, all of the color schemes used in Matplotlib (or any other plotting software) are linear colormaps where small negative values tend to be near the same color as the zero values, and are thus hidden. To fix this dilemma, QuTiP includes a nonlinear colormap function `qutip.matplotlib_utilities.wigner_cmap` that colors all negative values differently than positive or zero values. Below is a demonstration of how to use this function in your Wigner figures:


```
In [35]: import matplotlib as mpl
In [36]: from matplotlib import cm
In [37]: psi = (basis(10, 0) + basis(10, 3) + basis(10, 9)).unit()
```

(continues on next page)

(continued from previous page)

```

In [38]: xvec = np.linspace(-5, 5, 500)
In [39]: W = wigner(psi, xvec, xvec)
In [40]: wmap = wigner_cmap(W) # Generate Wigner colormap
In [41]: nrm = mpl.colors.Normalize(-W.max(), W.max())
In [42]: fig, axes = plt.subplots(1, 2, figsize=(10, 4))
In [43]: plt1 = axes[0].contourf(xvec, xvec, W, 100, cmap=cm.RdBu, norm=nrm)
In [44]: axes[0].set_title("Standard Colormap");
In [45]: cb1 = fig.colorbar(plt1, ax=axes[0])
In [46]: plt2 = axes[1].contourf(xvec, xvec, W, 100, cmap=wmap) # Apply Wigner_
↪ colormap
In [47]: axes[1].set_title("Wigner Colormap");
In [48]: cb2 = fig.colorbar(plt2, ax=axes[1])
In [49]: fig.tight_layout()
In [50]: plt.show()
    
```



Husimi Q-function

The Husimi Q function is, like the Wigner function, a quasiprobability distribution for harmonic modes. It is defined as

$$Q(\alpha) = \frac{1}{\pi} \langle \alpha | \rho | \alpha \rangle$$

where $|\alpha\rangle$ is a coherent state and $\alpha = x + iy$. In QuTiP, the Husimi Q function can be computed given a state ket or density matrix using the function `qutip.wigner.qfunc`, as demonstrated below.

```


In [51]: Q_coherent = qfunc(rho_coherent, xvec, xvec)
In [52]: Q_thermal = qfunc(rho_thermal, xvec, xvec)
In [53]: Q_fock = qfunc(rho_fock, xvec, xvec)
    
```

(continues on next page)

(continued from previous page)

```

In [54]: fig, axes = plt.subplots(1, 3, figsize=(12,3))
In [55]: cont0 = axes[0].contourf(xvec, xvec, Q_coherent, 100)
In [56]: lbl0 = axes[0].set_title("Coherent state")
In [57]: cont1 = axes[1].contourf(xvec, xvec, Q_thermal, 100)
In [58]: lbl1 = axes[1].set_title("Thermal state")
In [59]: cont0 = axes[2].contourf(xvec, xvec, Q_fock, 100)
In [60]: lbl2 = axes[2].set_title("Fock state")
In [61]: plt.show()
    
```



3.11.3 Visualizing operators

Sometimes, it may also be useful to directly visualize the underlying matrix representation of an operator. The density matrix, for example, is an operator whose elements can give insights about the state it represents, but one might also be interesting in plotting the matrix of an Hamiltonian to inspect the structure and relative importance of various elements.

QuTiP offers a few functions for quickly visualizing matrix data in the form of histograms, `qutip.visualization.matrix_histogram` and `qutip.visualization.matrix_histogram_complex`, and as Hinton diagram of weighted squares, `qutip.visualization.hinton`. These functions takes a `qutip.Qobj.Qobj` as first argument, and optional arguments to, for example, set the axis labels and figure title (see the function's documentation for details).

For example, to illustrate the use of `qutip.visualization.matrix_histogram`, let's visualize of the Jaynes-Cummings Hamiltonian:

```

In [62]: N = 5
In [63]: a = tensor(destroy(N), qeye(2))
In [64]: b = tensor(qeye(N), destroy(2))
In [65]: sx = tensor(qeye(N), sigmax())
In [66]: H = a.dag() * a + sx - 0.5 * (a * b.dag() + a.dag() * b)
In [67]: # visualize H
In [68]: lbls_list = [[str(d) for d in range(N)], ["u", "d"]]
In [69]: xlabel = []
    
```

(continues on next page)


(continued from previous page)

```
In [70]: for inds in tomography._index_permutations([len(lbls) for lbls in lbls_
↳ list]):
    ....:     xlabel.append("".join([lbls_list[k][inds[k]]
    ....:                             for k in range(len(lbls_list))]))
    ....:

In [71]: fig, ax = matrix_histogram(H, xlabel, xlabel, limits=[-4,4])

In [72]: ax.view_init(azim=-55, elev=45)

In [73]: plt.show()
```




Similarly, we can use the function `qutip.visualization.hinton`, which is used below to visualize the corresponding steadystate density matrix:

```
In [74]: rho_ss = steadystate(H, [np.sqrt(0.1) * a, np.sqrt(0.4) * b.dag()])

In [75]: hinton(rho_ss)
Out [75]:
(<Figure size 800x600 with 2 Axes>,
 <matplotlib.axes._subplots.AxesSubplot at 0x1a25d06c88>)

In [76]: plt.show()
```



3.11.4 Quantum process tomography

Quantum process tomography (QPT) is a useful technique for characterizing experimental implementations of quantum gates involving a small number of qubits. It can also be a useful theoretical tool that can give insight in how a process transforms states, and it can be used for example to study how noise or other imperfections deteriorate a gate. Whereas a fidelity or distance measure can give a single number that indicates how far from ideal a gate is, a quantum process tomography analysis can give detailed information about exactly what kind of errors various imperfections introduce.

The idea is to construct a transformation matrix for a quantum process (for example a quantum gate) that describes how the density matrix of a system is transformed by the process. We can then decompose the transformation in some operator basis that represent well-defined and easily interpreted transformations of the input states.

To see how this works (see e.g. [Moh08] for more details), consider a process that is described by quantum map $\epsilon(\rho_{\text{in}}) = \rho_{\text{out}}$, which can be written

$$\epsilon(\rho_{\text{in}}) = \rho_{\text{out}} = \sum_i^{N^2} A_i \rho_{\text{in}} A_i^\dagger, \quad (3.32)$$

where N is the number of states of the system (that is, ρ is represented by an $[N \times N]$ matrix). Given an orthogonal operator basis of our choice $\{B_i\}_i^{N^2}$, which satisfies $\text{Tr}[B_i^\dagger B_j] = N\delta_{ij}$, we can write the map as

$$\epsilon(\rho_{\text{in}}) = \rho_{\text{out}} = \sum_{mn} \chi_{mn} B_m \rho_{\text{in}} B_n^\dagger. \quad (3.33)$$

where $\chi_{mn} = \sum_{ij} b_{im} b_{jn}^*$ and $A_i = \sum_m b_{im} B_m$. Here, matrix χ is the transformation matrix we are after, since it describes how much $B_m \rho_{\text{in}} B_n^\dagger$ contributes to ρ_{out} .

In a numerical simulation of a quantum process we usually do not have access to the quantum map in the form Eq. (3.32). Instead, what we usually can do is to calculate the propagator U for the density matrix in superoperator form, using for example the QuTiP function `qutip.propagator.propagator`. We can then write

$$\epsilon(\tilde{\rho}_{\text{in}}) = U \tilde{\rho}_{\text{in}} = \tilde{\rho}_{\text{out}}$$

where $\tilde{\rho}$ is the vector representation of the density matrix ρ . If we write Eq. (3.33) in superoperator form as well we obtain

$$\tilde{\rho}_{\text{out}} = \sum_{mn} \chi_{mn} \tilde{B}_m \tilde{B}_n^\dagger \tilde{\rho}_{\text{in}} = U \tilde{\rho}_{\text{in}}.$$

so we can identify

$$U = \sum_{mn} \chi_{mn} \tilde{B}_m \tilde{B}_n^\dagger.$$

Now this is a linear equation systems for the $N^2 \times N^2$ elements in χ . We can solve it by writing χ and the superoperator propagator as $[N^4]$ vectors, and likewise write the superoperator product $\tilde{B}_m \tilde{B}_n^\dagger$ as a $[N^4 \times N^4]$ matrix M :

$$U_I = \sum_J M_{IJ} \chi_J$$

with the solution

$$\chi = M^{-1}U.$$

Note that to obtain χ with this method we have to construct a matrix M with a size that is the square of the size of the superoperator for the system. Obviously, this scales very badly with increasing system size, but this method can still be a very useful for small systems (such as system comprised of a small number of coupled qubits).

Implementation in QuTiP

In QuTiP, the procedure described above is implemented in the function `qutip.tomography.qpt`, which returns the χ matrix given a density matrix propagator. To illustrate how to use this function, let's consider the *i*-SWAP gate for two qubits. In QuTiP the function `qutip.qip.operations.iswap` generates the unitary transformation for the state kets:

```
U_psi = iswap()
```

To be able to use this unitary transformation matrix as input to the function `qutip.tomography.qpt`, we first need to convert it to a transformation matrix for the corresponding density matrix:

```
In [1]: U_rho = spre(U_psi) * spost(U_psi.dag())
```

Next, we construct a list of operators that define the basis $\{B_i\}$ in the form of a list of operators for each composite system. At the same time, we also construct a list of corresponding labels that will be used when plotting the χ matrix.

```
In [1]: op_basis = [[qeye(2), sigmax(), sigmay(), sigmaz()]] * 2
```

```
In [1]: op_label = [["i", "x", "y", "z"]] * 2
```

We are now ready to compute χ using `qutip.tomography.qpt`, and to plot it using `qutip.tomography.qpt_plot_combined`.

```
In [1]: chi = qpt(U_rho, op_basis)
```

```
In [1]: fig = qpt_plot_combined(chi, op_label, r'$i$SWAP')
```

```
@savefig visualization-chi-iswap.png width=5.0in align=center In [1]: plt.show()
```

For a slightly more advanced example, where the density matrix propagator is calculated from the dynamics of a system defined by its Hamiltonian and collapse operators using the function `qutip.propagator.propagator`, see notebook “Time-dependent master equation: Landau-Zener transitions” on the tutorials section on the QuTiP web site.

3.12 Parallel computation

3.12.1 Parallel map and parallel for-loop

Often one is interested in the output of a given function as a single-parameter is varied. For instance, we can calculate the steady-state response of our system as the driving frequency is varied. In cases such as this, where each iteration is independent of the others, we can speedup the calculation by performing the iterations in parallel. In QuTiP, parallel computations may be performed using the `qutip.parallel.parallel_map` function or the `qutip.parallel.parfor` (parallel-for-loop) function.

To use these functions we need to define a function of one or more variables, and the range over which one of these variables are to be evaluated. For example:

```
In [1]: def func1(x): return x, x**2, x**3
In [2]: a, b, c = parfor(func1, range(10))
In [3]: print(a)
[0 1 2 3 4 5 6 7 8 9]
In [4]: print(b)
[ 0  1  4  9 16 25 36 49 64 81]
In [5]: print(c)
[ 0  1  8 27 64 125 216 343 512 729]
```

or

```
In [6]: result = parallel_map(func1, range(10))
In [7]: result_array = np.array(result)
In [8]: print(result_array[:, 0]) # == a
[0 1 2 3 4 5 6 7 8 9]
In [9]: print(result_array[:, 1]) # == b
[ 0  1  4  9 16 25 36 49 64 81]
In [10]: print(result_array[:, 2]) # == c
[ 0  1  8 27 64 125 216 343 512 729]
```

Note that the return values are arranged differently for the `qutip.parallel.parallel_map` and the `qutip.parallel.parfor` functions, as illustrated below. In particular, the return value of `qutip.parallel.parallel_map` is not enforced to be NumPy arrays, which can avoid unnecessary copying if all that is needed is to iterate over the resulting list:

```
In [11]: result = parfor(func1, range(5))
In [12]: print(result)
[array([0, 1, 2, 3, 4]), array([ 0,  1,  4,  9, 16]), array([ 0,  1,  8, 27, 64])]
In [13]: result = parallel_map(func1, range(5))
In [14]: print(result)
[(0, 0, 0), (1, 1, 1), (2, 4, 8), (3, 9, 27), (4, 16, 64)]
```

The `qutip.parallel.parallel_map` and `qutip.parallel.parfor` functions are not limited to just numbers, but also works for a variety of outputs:

```
In [15]: def func2(x): return x, Qobj(x), 'a' * x
```

(continues on next page)

(continued from previous page)

```
In [16]: a, b, c = parfor(func2, range(5))

In [17]: print(a)
[0 1 2 3 4]

In [18]: print(b)
[Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[0.]]
Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[1.]]
Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[2.]]
Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[3.]]
Quantum object: dims = [[1], [1]], shape = (1, 1), type = bra
Qobj data =
[[4.]]]

In [19]: print(c)
[' 'a' 'aa' 'aaa' 'aaaa']
```

Note: New in QuTiP 3.

One can also define functions with **multiple** input arguments and even keyword arguments. Here the `qutip.parallel.parallel_map` and `qutip.parallel.parfor` functions behaves differently: While `qutip.parallel.parallel_map` only iterate over the values *arguments*, the `qutip.parallel.parfor` function simultaneously iterates over all arguments:

```
In [20]: def sum_diff(x, y, z=0): return x + y, x - y, z

In [21]: parfor(sum_diff, [1, 2, 3], [4, 5, 6], z=5.0)
Out [21]: [array([5, 7, 9]), array([-3, -3, -3]), array([5., 5., 5.])]

In [22]: parallel_map(sum_diff, [1, 2, 3], task_args=(np.array([4, 5, 6]),), task_
↳kwargs=dict(z=5.0))
Out [22]:
[(array([5, 6, 7]), array([-3, -4, -5]), 5.0),
 (array([6, 7, 8]), array([-2, -3, -4]), 5.0),
 (array([7, 8, 9]), array([-1, -2, -3]), 5.0)]
```

Note that the keyword arguments can be anything you like, but the keyword values are **not** iterated over. The keyword argument `num_cpus` is reserved as it sets the number of CPU's used by `parfor`. By default, this value is set to the total number of physical processors on your system. You can change this number to a lower value, however setting it higher than the number of CPU's will cause a drop in performance. In `qutip.parallel.parallel_map`, keyword arguments to the task function are specified using `task_kwargs` argument, so there is no special reserved keyword arguments.

The `qutip.parallel.parallel_map` function also supports progressbar, using the keyword argument `progress_bar` which can be set to `True` or to an instance of `qutip.ui.progressbar.BaseProgressBar`. There is a function called `qutip.parallel.serial_map` that works as a non-parallel drop-in replacement for `qutip.parallel.parallel_map`, which allows easy switching between serial and parallel computation.

```
In [23]: import time
```

(continues on next page)

(continued from previous page)

```
In [24]: def func(x): time.sleep(1)

In [25]: result = parallel_map(func, range(50), progress_bar=True)
10.0%. Run time: 3.01s. Est. time left: 00:00:00:27
20.0%. Run time: 5.02s. Est. time left: 00:00:00:20
30.0%. Run time: 8.02s. Est. time left: 00:00:00:18
40.0%. Run time: 10.02s. Est. time left: 00:00:00:15
50.0%. Run time: 13.02s. Est. time left: 00:00:00:13
60.0%. Run time: 15.02s. Est. time left: 00:00:00:10
70.0%. Run time: 18.02s. Est. time left: 00:00:00:07
80.0%. Run time: 20.03s. Est. time left: 00:00:00:05
90.0%. Run time: 23.03s. Est. time left: 00:00:00:02
100.0%. Run time: 25.03s. Est. time left: 00:00:00:00
Total run time: 25.04s
```

Parallel processing is useful for repeated tasks such as generating plots corresponding to the dynamical evolution of your system, or simultaneously simulating different parameter configurations.

3.12.2 IPython-based parallel_map

Note: New in QuTiP 3.

When QuTiP is used with IPython interpreter, there is an alternative parallel for-loop implementation in the QuTiP module `qutip.ipynbtools`, see `qutip.ipynbtools.parallel_map`. The advantage of this `parallel_map` implementation is based on IPython's powerful framework for parallelization, so the compute processes are not confined to run on the same host as the main process.

3.13 Saving QuTiP Objects and Data Sets

With time-consuming calculations it is often necessary to store the results to files on disk, so it can be post-processed and archived. In QuTiP there are two facilities for storing data: Quantum objects can be stored to files and later read back as python pickles, and numerical data (vectors and matrices) can be exported as plain text files in for example CSV (comma-separated values), TSV (tab-separated values), etc. The former method is preferred when further calculations will be performed with the data, and the latter when the calculations are completed and data is to be imported into a post-processing tool (e.g. for generating figures).

3.13.1 Storing and loading QuTiP objects

To store and load arbitrary QuTiP related objects (`qutip.Qobj`, `qutip.solver.Result`, etc.) there are two functions: `qutip.fileio.qsave` and `qutip.fileio.qload`. The function `qutip.fileio.qsave` takes an arbitrary object as first parameter and an optional filename as second parameter (default filename is `qutip_data.qu`). The filename extension is always `.qu`. The function `qutip.fileio.qload` takes a mandatory filename as first argument and loads and returns the objects in the file.

To illustrate how these functions can be used, consider a simple calculation of the steadystate of the harmonic oscillator:

```
In [1]: a = destroy(10); H = a.dag() * a ; c_ops = [np.sqrt(0.5) * a, np.sqrt(0.
→25) * a.dag()]

In [2]: rho_ss = steadystate(H, c_ops)
```

The steadystate density matrix `rho_ss` is an instance of `qutip.Qobj`. It can be stored to a file `steadystate.qu` using

```
In [3]: qsave(rho_ss, 'steadystate')
```

```
In [4]: ls *.qu
density_matrix_vs_time.qu  steadystate.qu
```

and it can later be loaded again, and used in further calculations:

```
In [5]: rho_ss_loaded = qload('steadystate')
Loaded Qobj object:
Quantum object: dims = [[10], [10]], shape = (10, 10), type = oper, isHerm = True
```

```
In [6]: a = destroy(10)
```

```
In [7]: expect(a.dag() * a, rho_ss_loaded)
```

```
Out [7]: 0.9902248289345061
```

The nice thing about the `qutip.fileio.qsave` and `qutip.fileio.qload` functions is that almost any object can be stored and load again later on. We can for example store a list of density matrices as returned by `qutip.mesolve`:

```
In [8]: a = destroy(10); H = a.dag() * a ; c_ops = [np.sqrt(0.5) * a, np.sqrt(0.
→25) * a.dag()]
```

```
In [9]: psi0 = rand_ket(10)
```

```
In [10]: times = np.linspace(0, 10, 10)
```

```
In [11]: dm_list = mesolve(H, psi0, times, c_ops, [])
```

```
In [12]: qsave(dm_list, 'density_matrix_vs_time')
```

And it can then be loaded and used again, for example in an other program:

```
In [13]: dm_list_loaded = qload('density_matrix_vs_time')
```

```
Loaded Result object:
Result object with mesolve data.
```

```
-----
states = True
num_collapse = 0
```

```
In [14]: a = destroy(10)
```

```
In [15]: expect(a.dag() * a, dm_list_loaded.states)
```

```
Out [15]:
array([5.38745597, 4.1480452 , 3.31825788, 2.71971389, 2.27993015,
       1.95406236, 1.71149571, 1.53044208, 1.39506867, 1.2937358 ])
```

3.13.2 Storing and loading datasets

The `qutip.fileio.qsave` and `qutip.fileio.qload` are great, but the file format used is only understood by QuTiP (python) programs. When data must be exported to other programs the preferred method is to store the data in the commonly used plain-text file formats. With the QuTiP functions `qutip.fileio.file_data_store` and `qutip.fileio.file_data_read` we can store and load **numpy** arrays and matrices to files on disk using a delimiter-separated value format (for example comma-separated values CSV). Almost any program can handle this file format.

The `qutip.fileio.file_data_store` takes two mandatory and three optional arguments:

```
>>> file_data_store(filename, data, numtype="complex", numformat="decimal", sep=","
↳")
```

where *filename* is the name of the file, *data* is the data to be written to the file (must be a *numpy* array), *numtype* (optional) is a flag indicating numerical type that can take values *complex* or *real*, *numformat* (optional) specifies the numerical format that can take the values *exp* for the format *1.0e1* and *decimal* for the format *10.0*, and *sep* (optional) is an arbitrary single-character field separator (usually a tab, space, comma, semicolon, etc.).

A common use for the `qutip.fileio.file_data_store` function is to store the expectation values of a set of operators for a sequence of times, e.g., as returned by the `qutip.mesolve` function, which is what the following example does:

```
In [16]: a = destroy(10); H = a.dag() * a ; c_ops = [np.sqrt(0.5) * a, np.sqrt(0.
↳25) * a.dag()]

In [17]: psi0 = rand_ket(10)

In [18]: times = np.linspace(0, 100, 100)

In [19]: medata = mesolve(H, psi0, times, c_ops, [a.dag() * a, a + a.dag(), -1j * a
↳(a - a.dag())])

In [20]:     shape(medata.expect)
Out[20]: (3, 100)

In [21]: shape(times)
Out[21]: (100, )

In [22]: output_data = np.vstack((times, medata.expect)) # join time and expt_
↳data

In [23]: file_data_store('expect.dat', output_data.T) # Note the .T for transpose!

In [24]: ls *.dat
expect.dat

In [25]: !head expect.dat
# Generated by QuTiP: 100x4 complex matrix in decimal format [',' separated_
↳values].
0.0000000000+0.0000000000j,4.7692152000+0.0000000000j,0.9760672525+0.0000000000j,-
↳0.5516182319+0.0000000000j
1.0101010101+0.0000000000j,3.7839989252+0.0000000000j,0.1636502633+0.0000000000j,-
↳0.8236281194+0.0000000000j
2.0202020202+0.0000000000j,3.1020626970+0.0000000000j,-0.5056236634+0.0000000000j,-
↳0.4903913665+0.0000000000j
3.0303030303+0.0000000000j,2.5990356338+0.0000000000j,-0.5877965899+0.0000000000j,
↳0.1420536140+0.0000000000j
4.0404040404+0.0000000000j,2.2206926904+0.0000000000j,-0.1668936701+0.0000000000j,
↳0.4963002733+0.0000000000j
5.0505050505+0.0000000000j,1.9335062188+0.0000000000j,0.2882140151+0.0000000000j,0.
↳3524469362+0.0000000000j
6.0606060606+0.0000000000j,1.7144071061+0.0000000000j,0.3937524572+0.0000000000j,-
↳0.0493728186+0.0000000000j
7.0707070707+0.0000000000j,1.5467379951+0.0000000000j,0.1462746604+0.0000000000j,-
↳0.3140170957+0.0000000000j
8.0808080808+0.0000000000j,1.4181716007+0.0000000000j,-0.1644211095+0.0000000000j,-
↳0.2541566524+0.0000000000j
```

In this case we didn't really need to store both the real and imaginary parts, so instead we could use the `numtype="real"` option:

```
In [26]: file_data_store('expect.dat', output_data.T, numtype="real")

In [27]: !head -n5 expect.dat
# Generated by QuTiP: 100x4 real matrix in decimal format [' ' separated values].
0.0000000000,4.7692152000,0.9760672525,-0.5516182319
1.0101010101,3.7839989252,0.1636502633,-0.8236281194
2.0202020202,3.1020626970,-0.5056236634,-0.4903913665
3.0303030303,2.5990356338,-0.5877965899,0.1420536140
```

and if we prefer scientific notation we can request that using the `numformat="exp"` option

```
In [28]: file_data_store('expect.dat', output_data.T, numtype="real", numformat=
↪ "exp")


In [29]: !head -n 5 expect.dat
# Generated by QuTiP: 100x4 real matrix in exp format [' ' separated values].
0.0000000000e+00,4.7692152000e+00,9.7606725249e-01,-5.5161823191e-01
1.0101010101e+00,3.7839989252e+00,1.6365026329e-01,-8.2362811941e-01
2.0202020202e+00,3.1020626970e+00,-5.0562366340e-01,-4.9039136648e-01
3.0303030303e+00,2.5990356338e+00,-5.8779658987e-01,1.4205361396e-01
```

Loading data previously stored using `qutip.fileio.file_data_store` (or some other software) is a even easier. Regardless of which delimiter was used, if data was stored as complex or real numbers, if it is in decimal or exponential form, the data can be loaded using the `qutip.fileio.file_data_read`, which only takes the filename as mandatory argument.

```
In [30]: input_data = file_data_read('expect.dat')

In [31]: shape(input_data)
Out[31]: (100, 4)

In [32]: plot(input_data[:,0], input_data[:,1]); # plot the data
```



(If a particularly obscure choice of delimiter was used it might be necessary to use the optional second argument, for example `sep="_"` if `_` is the delimiter).

3.14 Generating Random Quantum States & Operators

QuTiP includes a collection of random state, unitary and channel generators for simulations, Monte Carlo evaluation, theorem evaluation, and code testing. Each of these objects can be sampled from one of several different distributions including the default distributions used by QuTiP versions prior to 3.2.0.

For example, a random Hermitian operator can be sampled by calling `rand_herm` function:

```
In [1]: rand_herm(5)
Out [1]:
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[ 0.          +0.j          0.07995792+0.80641666j  0.          +0.j
  0.25521238-0.75912407j  0.68969259-0.16747612j]
 [ 0.07995792-0.80641666j -0.8358753 +0.j          0.53943014+0.84111559j
 -0.17388007-0.13712726j -0.05999113+0.64580743j]
 [ 0.          +0.j          0.53943014-0.84111559j  0.          +0.j
 -0.07356208+0.05017169j -0.44777514-0.51546556j]
 [ 0.25521238+0.75912407j -0.17388007+0.13712726j -0.07356208-0.05017169j
  0.68490072+0.j          -0.7504527 +0.75501795j]
 [ 0.68969259+0.16747612j -0.05999113-0.64580743j -0.44777514+0.51546556j
 -0.7504527 -0.75501795j -0.17425908+0.j          ]]
```

Random Variable Type	Sampling Functions	Dimensions
State vector (ket)	<code>rand_ket</code> , <code>rand_ket_haar</code>	$N \times 1$
Hermitian operator (oper)	<code>rand_herm</code>	$N \times N$
Density operator (oper)	<code>rand_dm</code> , <code>rand_dm_hs</code> , <code>rand_dm_ginibre</code>	$N \times N$
Unitary operator (oper)	<code>rand_unitary</code> , <code>rand_unitary_haar</code>	$N \times N$
CPTP channel (super)	<code>rand_super</code> , <code>rand_super_bcsz</code>	$(N \times N) \times (N \times N)$

In all cases, these functions can be called with a single parameter N that dimension of the relevant Hilbert space. The optional `dims` keyword argument allows for the dimensions of a random state, unitary or channel to be broken down into subsystems.

```
In [2]: print(rand_super_bcsz(7).dims)
[[[7], [7]], [[7], [7]]]

In [3]: print(rand_super_bcsz(6, dims=[[2, 3], [2, 3]], [[2, 3], [2, 3]]).dims)
[[[2, 3], [2, 3]], [[2, 3], [2, 3]]]
```

Several of the distributions supported by QuTiP support additional parameters as well, namely `density` and `rank`. In particular, the `rand_herm` and `rand_dm` functions return quantum objects such that a fraction of the elements are identically equal to zero. The ratio of nonzero elements is passed as the `density` keyword argument. By contrast, the `rand_dm_ginibre` and `rand_super_bcsz` take as an argument the rank of the generated object, such that passing `rank=1` returns a random pure state or unitary channel, respectively. Passing `rank=None` specifies that the generated object should be full-rank for the given dimension.

For example,

```
In [4]: rand_dm(5, density=0.5)
Out [4]:
```

(continues on next page)

(continued from previous page)

```
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[ 0.32439809+0.j          -0.02701102+0.01791281j   0.09293875-0.03357982j
  -0.15850266+0.03368069j -0.01737019+0.03597206j]
 [-0.02701102-0.01791281j  0.06634585+0.j          0.02971456-0.0140788j
  -0.05241431-0.03428314j -0.04537076+0.02691136j]
 [ 0.09293875+0.03357982j  0.02971456+0.0140788j   0.16547649+0.j
  -0.07374183-0.08487125j -0.06616211+0.00616371j]
 [-0.15850266-0.03368069j -0.05241431+0.03428314j -0.07374183+0.08487125j
  0.32220674+0.j          0.05575804-0.11362504j]
 [-0.01737019-0.03597206j -0.04537076-0.02691136j -0.06616211-0.00616371j
  0.05575804+0.11362504j  0.12157284+0.j          ]]
```

In [5]: `rand_dm_ginibre(5, rank=2)`

Out [5]:

```
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[ 0.50800097-3.53271846e-18j  0.01852218+9.33795230e-02j
  0.02151895-1.05821180e-01j -0.24721227+6.01009831e-02j
  -0.14922972+4.18427141e-02j]
 [ 0.01852218-9.33795230e-02j  0.08621509+1.73767813e-18j
  -0.0540198 -5.01552419e-02j -0.03085918+2.98018219e-02j
  -0.08794981-1.16930375e-02j]
 [ 0.02151895+1.05821180e-01j -0.0540198 +5.01552419e-02j
  0.06745374-1.36683207e-19j  0.0050578 -6.01002664e-02j
  0.05677196-6.41525628e-02j]
 [-0.24721227-6.01009831e-02j -0.03085918-2.98018219e-02j
  0.0050578 +6.01002664e-02j  0.14788745+1.11236796e-18j
  0.13156486-6.67491266e-03j]
 [-0.14922972-4.18427141e-02j -0.08794981+1.16930375e-02j
  0.05677196+6.41525628e-02j  0.13156486+6.67491266e-03j
  0.19044275+8.19355578e-19j]]]
```

See the API documentation: [Quantum Objects](#) for details.

Warning: When using the `density` keyword argument, setting the density too low may result in not enough diagonal elements to satisfy trace constraints.

3.14.1 Random objects with a given eigen spectrum

Note: New in QuTiP 3.2

It is also possible to generate random Hamiltonian (`rand_herm`) and density matrices (`rand_dm`) with a given eigen spectrum. This is done by passing an array of eigenvalues as the first argument to either function. For example,

In [6]: `eigs = np.arange(5)`

In [7]: `H = rand_herm(eigs, density=0.5)`

In [8]: `H`

Out [8]:

```
Quantum object: dims = [[5], [5]], shape = (5, 5), type = oper, isherm = True
Qobj data =
[[ 1.29919295-1.11022302e-16j -0.5793834 -3.77780607e-01j
  1.29919295-1.11022302e-16j  0.          +0.00000000e+00j]
```

(continues on next page)

(continued from previous page)

```

0.67073491-1.70045254e-01j]
[-0.5793834 +3.77780607e-01j  2.64157488-2.77555756e-17j
-0.5793834 +3.77780607e-01j  0.          +0.00000000e+00j
-0.41354093+3.07124734e-02j]
[ 1.29919295-1.11022302e-16j -0.5793834 -3.77780607e-01j
 1.29919295-1.11022302e-16j  0.          +0.00000000e+00j
 0.67073491-1.70045254e-01j]
[ 0.          +0.00000000e+00j  0.          +0.00000000e+00j
 0.          +0.00000000e+00j  3.          +0.00000000e+00j
 0.          +0.00000000e+00j]
[ 0.67073491+1.70045254e-01j -0.41354093-3.07124734e-02j
 0.67073491+1.70045254e-01j  0.          +0.00000000e+00j
 1.76003921-1.11022302e-16j]]

In [9]: H.eigenenergies()
Out [9]:
array([5.11046157e-17, 1.00000000e+00, 2.00000000e+00, 3.00000000e+00,
       4.00000000e+00])

```

In order to generate a random object with a given spectrum QuTiP applies a series of random complex Jacobi rotations. This technique requires many steps to build the desired quantum object, and is thus suitable only for objects with Hilbert dimensionality $\lesssim 1000$.

3.14.2 Composite random objects

In many cases, one is interested in generating random quantum objects that correspond to composite systems generated using the `qutip.tensor.tensor` function. Specifying the tensor structure of a quantum object is done using the `dims` keyword argument in the same fashion as one would do for a `qutip.Qobj` object:

```

In [10]: rand_dm(4, 0.5, dims=[[2,2], [2,2]])
Out [10]:
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[[0.3549636 +0.j          0.          +0.j          0.07406587+0.06882552j
  0.09203544-0.14044802j]
 [0.          +0.j          0.          +0.j          0.          +0.j
  0.          +0.j          ]
 [0.07406587-0.06882552j 0.          +0.j          0.29465174+0.j
  0.00893283+0.16630249j]
 [0.09203544+0.14044802j 0.          +0.j          0.00893283-0.16630249j
  0.35038466+0.j          ]]

```

3.15 Modifying Internal QuTiP Settings

3.15.1 User Accessible Parameters

In this section we show how to modify a few of the internal parameters used by QuTiP. The settings that can be modified are given in the following table:

Setting	Description	Options
<i>auto_herm</i>	Automatically calculate the hermicity of quantum objects.	True / False
<i>auto_tidyup</i>	Automatically tidyup quantum objects.	True / False
<i>auto_tidyup_atol</i>	Tolerance used by tidyup	any <i>float</i> value > 0
<i>atol</i>	General tolerance	any <i>float</i> value > 0
<i>num_cpus</i>	Number of CPU's used for multi-processing.	<i>int</i> between 1 and # cpu's
<i>debug</i>	Show debug printouts.	True / False
<i>openmp_thresh</i>	NNZ matrix must have for OPENMP.	Int

3.15.2 Example: Changing Settings

The two most important settings are `auto_tidyup` and `auto_tidyup_atol` as they control whether the small elements of a quantum object should be removed, and what number should be considered as the cut-off tolerance. Modifying these, or any other parameters, is quite simple:

```
>>> qutip.settings.auto_tidyup = False
```

These settings will be used for the current QuTiP session only and will need to be modified again when restarting QuTiP. If running QuTiP from a script file, then place the `qutip.settings.xxxx` commands immediately after `from qutip import *` at the top of the script file. If you want to reset the parameters back to their default values then call the reset command:

```
>>> qutip.settings.reset()
```

3.15.3 Persistent Settings

When QuTiP is imported, it looks for a file named `qutiprc` in a folder called `.qutip` user's home directory. If this file is found, it will be loaded and overwrite the QuTiP default settings, which allows for persistent changes in the QuTiP settings to be made. A sample `qutiprc` file is show below. The syntax is a simple key-value format, where the keys and possible values are described in the table above:

```
[qutip]
auto_tidyup=True
auto_herm=True
auto_tidyup_atol=1e-12
num_cpus=4
debug=False
```

Note that the `openmp_thresh` value is automatically generatd by QuTiP. It is also possible to set a specific compiler for QuTiP to use when generating runtime Cython code for time-dependent problems. For example, the following section in the `qutiprc` file will set the compiler to be `clang-3.9`:

```
[compiler]
cc = clang-3.9
cxx = clang-3.9
```

3.16 Quantum Information Processing

3.16.1 Introduction

The Quantum Information Processing (QIP) module aims at providing basic tools for quantum computing simulation both for simple quantum algorithm design and for experimental realization. It offers two different approaches, one with `qutip.qip.QubitCircuit` calculating unitary evolution under quantum gates by matrix product, another called `qutip.qip.device.Processor` using open system solver in QuTiP to simulate noisy quantum device.

3.16.2 Quantum Circuit

The most common model for quantum computing is the quantum circuit model. In QuTiP, we use `qutip.qip.QubitCircuit` to represent a quantum circuit. Each quantum gate is saved as a class object `qutip.qip.operations.Gate` with information such as gate name, target qubits and arguments. To get the matrix representation of each gate, we can call the class method `qutip.qip.QubitCircuit.propagators`. Carrying out the matrices product, one gets the matrix representation of the whole evolution. This process is demonstrated in the following example.

```
>>> from qutip.qip.circuit import QubitCircuit, Gate
>>> from qutip.qip.operations import gate_sequence_product
>>> qc = QubitCircuit(N=2)
>>> swap_gate = Gate(name="SWAP", targets=[0, 1])
>>> qc.add_gate(swap_gate)
>>> qc.add_gate("CNOT", controls=0, targets=1)
>>> qc.add_gate(swap_gate)
>>> print(qc.gates)
[Gate(SWAP, targets=[0, 1], controls=None), Gate(CNOT, targets=[1],
controls=[0]), Gate(SWAP, targets=[0, 1], controls=None)]
>>> U_list = qc.propagators()
>>> print(gate_sequence_product(U_list))
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[1. 0. 0. 0.]
 [0. 0. 0. 1.]
 [0. 0. 1. 0.]
 [0. 1. 0. 0.]
```

The pre-defined gates for the class `qutip.qip.Gate` are shown in the table below:

Gate name	Description
"RX"	Rotation around x axis
"RY"	Rotation around y axis
"RZ"	Rotation around z axis
"SQRTNOT"	Square root of NOT gate
"SNOT"	Hardmard gate
"PHASEGATE"	Add a phase one the state 1
"CRX"	Controlled rotation around x axis
"CRY"	Controlled rotation around y axis
"CRZ"	Controlled rotation around z axis
"CPHASE"	Controlled phase gate
"CNOT"	Controlled NOT gate
"CSIGN"	Same as CPHASE
"BERKELEY"	Berkeley gate
"SWAPalpha"	SWAPalpha gate
"SWAP"	Swap the states of two qubits
"ISWAP"	Swap gate with additional phase for 01 and 10 states
"SQRTSWAP"	Square root of the SWAP gate
"SQRTISWAP"	Square root of the ISWAP gate
"FREDKIN"	Fredkin gate
"TOFFOLI"	Toffoli gate
"GLOBALPHASE"	Global phase

For some of the gates listed above, `qutip.qip.QubitCircuit` also has a primitive `qutip.qip.QubitCircuit.resolve_gates` method that decomposes them into elementary gate sets such as CNOT or SWAP with single-qubit gates. However, this method is not fully optimized. It is very likely that the depth of the circuit can be further reduced by merging quantum gates. Apart from it, there is also a function drawing the circuit with LaTeX code using the `Q-qircuit` package from <http://physics.unm.edu/CQuIC/Qcircuit>.

In addition to these pre-defined gates, QuTiP also allows the user to define their own gate. The following example shows how to define a customized gate.

Note: Available from QuTiP 4.4

```
>>> from qutip.qip.circuit import Gate
>>> from qutip.qip.operations import rx
>>> from qutip import Qobj
>>> import numpy as np
>>> def user_gate1(arg_value):
...     # controlled rotation X
...     mat = np.zeros((4, 4), dtype=np.complex)
...     mat[0, 0] = mat[1, 1] = 1.
...     mat[2:4, 2:4] = rx(arg_value)
...     return Qobj(mat, dims=[[2, 2], [2, 2]])
...
>>> def user_gate2():
...     # S gate
...     mat = np.array([[1., 0],
...                     [0., 1.j]])
...     return Qobj(mat, dims=[[2], [2]])
...
>>>
>>> qc = QubitCircuit(2)
>>> qc.user_gates = {"CTRLRX": user_gate1,
...                 "S"      : user_gate2}
>>>
>>> # qubit 0 controls qubit 1
```

(continues on next page)

(continued from previous page)

```

... qc.add_gate("CTRLRX", targets=[0,1], arg_value=np.pi/2)
>>> # qubit 1 controls qubit 0
... qc.add_gate("CTRLRX", targets=[1,0], arg_value=np.pi/2)
>>> # we also add a gate using a predefined Gate object
... g_T = Gate("S", targets=[1])
>>> qc.add_gate(g_T)
>>> props = qc.propagators()
>>> props[0]
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm =
↪False
Qobj data =
[[1.    +0.j    0.    +0.j    0.    +0.j    0.    +0.j    ]
 [0.    +0.j    1.    +0.j    0.    +0.j    0.    +0.j    ]
 [0.    +0.j    0.    +0.j    0.7071+0.j    0.    -0.7071j]]
 [0.    +0.j    0.    +0.j    0.    -0.7071j 0.7071+0.j    ]]
>>> props[1]
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm =
↪False
Qobj data =
[[1.    +0.j    0.    +0.j    0.    +0.j    0.    +0.j    ]
 [0.    +0.j    0.7071+0.j    0.    +0.j    0.    -0.7071j]]
 [0.    +0.j    0.    +0.j    1.    +0.j    0.    +0.j    ]
 [0.    +0.j    0.    -0.7071j 0.    +0.j    0.7071+0.j    ]]
>>> props[2]
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm =
↪False
Qobj data =
[[1.+0.j 0.+0.j 0.+0.j 0.+0.j]
 [0.+0.j 0.+1.j 0.+0.j 0.+0.j]
 [0.+0.j 0.+0.j 1.+0.j 0.+0.j]
 [0.+0.j 0.+0.j 0.+0.j 0.+1.j]]
    
```

3.16.3 Processor for QIP simulation

Note: Available from QuTiP 4.5

In addition to direct matrix product, QuTiP also offers another approach to QIP simulation. Based on the open system solver, `qutip.qip.device.Processor` in the `qutip.qip` module simulates quantum circuits at the level of driving Hamiltonians. One can consider the processor as a simulator of a quantum device, on which the quantum circuit is to be implemented. Like a real quantum device, the processor is determined by a list of Hamiltonians, i.e. the control pulses driving the evolution. Given the intensity of the control pulses and the corresponding time slices for each pulse, the evolution can be calculated using the solver. A control pulse is characterized by `qutip.qip.pulse.Pulse`, consisting of the control Hamiltonian, the targets qubit, the pulse coefficients and the time sequence. We can either use the coefficients as a step function or with cubic spline. For step function, `tlist` specifies the start and the end of each pulse and thus is one element longer than `coeffs`. One example of defining the control pulse coefficients and the time array is as follows:


```

>>> from qutip.qip.device import Processor
>>> proc = Processor(2)
>>> proc.add_control(sigmaz(), cyclic_permutation=True) # sigmaz for all qubits
>>> proc.pulses[0].coeffs = np.array([[1.0, 1.5, 2.0], [1.8, 1.3, 0.8]])
>>> proc.pulses[0].tlist = np.array([0.1, 0.2, 0.4, 0.5])
    
```

Note: If the coefficients represent a step function, the length of each array is 1 element shorter than `tlist`. If it is supposed to be a continuous function, the length should be the same as `tlist`.

The above example shows the framework and the most essential part of the simulator's API. For now, it looks like just a wrap for the open system solver. However, based on this, we can implement different physical realizations. They differ mainly in how to find the control pulse for a quantum circuit, which gives birth to different sub-classes:

Processor



In general, there are two ways to find the control pulses. The first one, `qutip.qip.device.ModelProcessor`, is more experiment-oriented and based on physical models. A universal set of gates is defined in the processor as well as the pulse implementing them in this particular physical model. This is usually the case where control pulses realizing those gates are well known and can be concatenated to realize the whole quantum circuits. Two realizations have already been implemented: the spin chain and the CQED model for quantum computing. In those models, the driving Hamiltonians are predefined. The other approach, based on the optimal control module in QuTiP (see *Quantum Optimal Control*), is called `qutip.qip.device.OptPulseProcessor`. In this subclass, one only defines the available Hamiltonians in their system. The processor then uses algorithms to find the optimal control pulses that realize the desired unitary evolution.

Despite this difference, the logic behind all processors is the same:

- One defines a processor by a list of available Hamiltonians and, as explained later, hardware-dependent noise. In the model bases processor, the Hamiltonians are predefined and one only need to give the device parameters like frequency and interaction strength.
- The control pulse coefficients and time slices are either specified by the user or calculated by the method `qutip.qip.device.Processor.load_circuit`, which takes a `qutip.qip.QubitCircuit` and find the control pulse for this evolution.
- The processor calculates the evolution using the QuTiP solvers. Collapse operators can be added to simulate decoherence. The method `qutip.qip.device.Processor.run_state` returns a object `qutip.solver.Result`.

It is also possible to calculate the evolution analytically with matrix exponentiation by setting `analytical=True`. A list of the matrices representing the gates is returned just like for `qutip.qip.QubitCircuit.propagators`. However, this does not consider the collapse operators or the noise. As the system size gets larger, this approach will become very inefficient.

SpinChain

`qutip.qip.device.LinearSpinChain` and `qutip.qip.device.CircularSpinChain` are quantum computing models base on the spin chain realization. The control Hamiltonians are σ_x , σ_z and $\sigma_x\sigma_x + \sigma_y\sigma_y$. This processor will first decompose the gate into the universal gate set with ISWAP and SQRISWAP as two-qubit gates, resolve them into quantum gates of adjacent qubits and then calculate the pulse coefficients.

DispersiveQED

Same as above, `qutip.qip.device.DispersiveQED` is a simulator based on Cavity Quantum Electrodynamics. The workflow is similar to the one for the spin chain, except that the component systems are a multi-level cavity and a qubits system. The control Hamiltonians are the single-qubit rotation together with the qubits-cavity interaction $a^\dagger\sigma^- + a\sigma^+$. The device parameters including the cavity frequency, qubits frequency, detuning and interaction strength etc.

OptPulseProcessor

The `qutip.qip.device.OptPulseProcessor` uses the function in `qutip.control.pulseoptim.optimize_pulse_unitary` in the optimal control module to find the control pulses. The Hamiltonian includes a drift part and a control part and only the control part will be optimized. The unitary evolution follows

$$U(\Delta t) = \exp(i \cdot \Delta t [H_d + \sum_j u_j H_j])$$

To let it find the optimal pulses, we need to give the parameters for `qutip.control.pulseoptim.optimize_pulse_unitary` as keyword arguments to `qutip.qip.device.OptPulseProcessor.load_circuit`. Usually the minimal requirements are the evolution time `evo_time` and the number of time slices `num_tslots` for each gate. Other parameters can also be given in the keyword arguments. For available choices, see `qutip.control.pulseoptim.optimize_pulse_unitary`. It is also possible to specify different parameters for different gates, as shown in the following example:

```
>>> from qutip.qip.device import OptPulseProcessor
>>> from qutip.operators import sigmaz, sigmax, sigmay
>>> from qutip.tensor import tensor
>>>
>>> # Same parameter for all the gates
... qc = QubitCircuit(N=1)
>>> qc.add_gate("SNOT", 0)
>>>
>>> num_tslots = 10
>>> evo_time = 10
>>> processor = OptPulseProcessor(N=1, drift=sigmaz())
>>> processor.add_control(sigmax())
>>> # num_tslots and evo_time are two keyword arguments
... tlist, coeffs = processor.load_circuit(
... qc, num_tslots=num_tslots, evo_time=evo_time)
>>>
>>> # Different parameters for different gates
... qc = QubitCircuit(N=2)
>>> qc.add_gate("SNOT", 0)
>>> qc.add_gate("SWAP", targets=[0, 1])
>>> qc.add_gate('CNOT', controls=1, targets=[0])
>>>
>>> processor = OptPulseProcessor(N=2, drift=tensor([sigmaz()]*2))
>>> processor.add_control(sigmax(), cyclic_permutation=True)
>>> processor.add_control(sigmay(), cyclic_permutation=True)
>>> processor.add_control(tensor([sigmay(), sigmay()]))
>>> setting_args = {"SNOT": {"num_tslots": 10, "evo_time": 1},
```

(continues on next page)

(continued from previous page)

```

...         "SWAP": {"num_tslots": 30, "evo_time": 3},
...         "CNOT": {"num_tslots": 30, "evo_time": 3}}
>>> tlist, coeffs = processor.load_circuit(
... qc, setting_args=setting_args, merge_gates=False)

```


3.16.4 Noise Simulation

In the common way of QIP simulation, where evolution is carried out by gate matrix product, the noise is usually simulated with bit flipping and sign flipping errors. The typical approaches are either applying bit/sign flipping gate probabilistically or applying Kraus operators representing different noisy channels (e.g. amplitude damping, dephasing) after each unitary gate evolution. In the case of single qubit, they have the same effect and the parameters in the Kraus operators are exactly the probability of a flipping error happens during the gate operation time.


Since the processor simulates the state evolution at the level of the driving Hamiltonian, there is no way to apply an error operator to the continuous time evolution. Instead, the error is added to the driving Hamiltonian list (coherent control error) or the collapse operators (decoherent error) contributing to the evolution. Mathematically, this is no different from adding error channel probabilistically (it is actually how *qutip.mcsolve* works internally). The collapse operator for single-qubit amplitude damping and dephasing are exactly the destroying operator and the sign-flipping operator. One just needs to choose the correct coefficients for them to simulate the noise, e.g. the relaxation time T_1 and dephasing time T_2 . Because it is based on the open system evolution instead of abstract operators, this simulation is closer to the physical implementation and requires less pre-analysis of the system.


Compared to the approach of Kraus operators, this way of simulating noise is more computationally expensive. If you only want to simulate the decoherence of single-qubit relaxation, there is no need to go through all the calculations. However, this simulator is closer to the real experiment and, therefore, more convenient in some cases, such as when coherent noise or correlated noise exist. For instance, a pulse on one qubit might affect the neighbouring qubits, the evolution is still unitary but the gate fidelity will decrease. It is not always easy or even possible to define a noisy gate matrix. In our simulator, it can be done by defining a `qutip.qip.device.ControlAmpNoise` (Control Amplitude Noise). Here we show two examples (the source code can be found in the gallery):

The first example is a processor with one qubit under rotation around the z-axis and relaxation time $T_2 = 5$. We measure the population of the $|+\rangle$ state and observe the Ramsey signal:



The second example demonstrates a biased Gaussian noise on the pulse amplitude. For visualization purposes, we plot the noisy pulse intensity instead of the state fidelity. The three pulses can, for example, be a zyz -decomposition of an arbitrary single-qubit gate:






As the design of our simulator follows the physical realization, so is the noise simulation. Noise can be added to the processor at different levels:

- The decoherence time T_1 and T_2 can be defined for the processor or for each qubit. When calculating the evolution, the corresponding collapse operators will be added automatically to the solver.
- The noise of the physical parameters (e.g. detuned frequency) can be simulated by changing the parameters in the model, e.g. laser frequency in cavity QED. (This can only be time-independent since QuTiP open system solver only allows varying coefficients, not varying Hamiltonian operators.)
- The noise of the pulse intensity can be simulated by modifying the coefficients of the Hamiltonian operators or even adding new Hamiltonians.

To add noise to a processor, one needs to first define a noise object `qutip.qip.noise.Noise`. The simplest relaxation noise can be defined directly in the processor with relaxation time. Other pre-defined noise can be found as subclasses of `qutip.qip.noise.Noise`. We add noise to the simulator with the method `qutip.qip.device.Processor.add_noise`.


3.16.5 Workflow of the Processor

This section helps you understand the workflow inside the simulator.



The figure above shows how the noise is processed in `processor`. The noise is defined separately in a class object. When called, it takes parameters and the unitary noiseless `qutip.QobjEvo` from the processor, generates the noisy version and sends the noisy `qutip.QobjEvo` together with the collapse operators to the processor.

When calculating the evolution, the processor first creates its own `qutip.QobjEvo` of the noiseless evolution. It will then find all the noise objects saved in the attributes `qutip.qip.device.Processor.noise` and call the corresponding methods to get the `qutip.QobjEvo` and a list of collapse operators representing the noise. (For collapse operators, we don't want to add all the constant collapse into one time-independent operator, so we use a list). The processor then combines its own `qutip.QobjEvo` with those from the noise object and give them to the solver. The figure below shows how the noiseless part and the noisy part are combined.



Chapter 4

Gallery


This is the gallery for QuTiP examples, you can click on the image to see the source code.

4.1 Quantum Information Processing


Note: Click [here](#) to download the full example code

4.1.1 Basic use of Processor

This example contains the basic functions of `qutip.qip.device.Processor`. We define a simulator with control Hamiltonian, pulse amplitude and time slice for each pulse. The two figures illustrate the pulse shape for two different setup: step function or continuous pulse.



•



•

Out:

```
(<Figure size 640x480 with 1 Axes>, <matplotlib.axes._subplots.AxesSubplot object_↵  
↵at 0x1a15c5cef0>)
```

(continues on next page)

(continued from previous page)

```
import copy
import numpy as np
import matplotlib.pyplot as plt
pi = np.pi
from qutip.qip.device import Processor
from qutip.operators import sigmaz
from qutip.states import basis

processor = Processor(N=1)
processor.add_control(sigmaz(), targets=0)

tlist = np.linspace(0., 2*np.pi, 20)
processor = Processor(N=1, spline_kind="step_func")
processor.add_control(sigmaz(), 0)
processor.pulses[0].tlist = tlist
processor.pulses[0].coeff = np.array([np.sin(t) for t in tlist])
processor.plot_pulses()


tlist = np.linspace(0., 2*np.pi, 20)
processor = Processor(N=1, spline_kind="cubic")
processor.add_control(sigmaz())
processor.pulses[0].tlist = tlist
processor.pulses[0].coeff = np.array([np.sin(t) for t in tlist])
processor.plot_pulses()
```

Total running time of the script: (0 minutes 3.107 seconds)

Note: Click [here](#) to download the full example code

4.1.2 T2 Relaxation

Simulating the T2 relaxation of a single qubit with `qutip.qip.device.Processor`. The single qubit is driven by a rotation around z axis. We measure the population of the plus state as a function of time to see the Ramsey signal.



```

import numpy as np
import matplotlib.pyplot as plt
from qutip.qip.device import Processor
from qutip.operators import sigmaz, destroy
from qutip.qip.operations import snot
from qutip.states import basis

a = destroy(2)
Hadamard = snot()
plus_state = (basis(2,1) + basis(2,0)).unit()
tlist = np.arange(0.00, 20.2, 0.2)

T2 = 5
processor = Processor(1, t2=T2)
processor.add_control(sigmaz())
processor.pulses[0].coeff = True
processor.pulses[0].tlist = tlist
result = processor.run_state(
    plus_state, e_ops=[a.dag()*a, Hadamard*a.dag()*a*Hadamard])



fig, ax = plt.subplots()
# detail about length of tlist needs to be fixed
ax.plot(tlist[:-1], result.expect[1][:-1], '.', label="simulation")
ax.plot(tlist[:-1], np.exp(-1./T2*tlist[:-1])*0.5 + 0.5, label="theory")
ax.set_xlabel("t")
ax.set_ylabel("Ramsey signal")
ax.legend()
ax.set_title("Relaxation T2=5")
ax.grid()
fig.tight_layout()
    
```

Total running time of the script: (0 minutes 0.119 seconds)

Note: Click [here](#) to download the full example code

4.1.3 Control Amplitude Noise

This example demonstrates how to add Gaussian noise to the control pulse.



Out:

```
[<matplotlib.lines.Line2D object at 0x1a15c5a0b8>]
```

```
import numpy as np
import matplotlib.pyplot as plt
```

(continues on next page)

(continued from previous page)

```
from qutip.qip.device import Processor
from qutip.qip.noise import RandomNoise
from qutip.operators import sigmaz, sigmay

# add control Hamiltonians
processor = Processor(N=1)
processor.add_control(sigmaz(), targets=0)

# define pulse coefficients and tlist for all pulses
processor.pulses[0].coeff = np.array([0.3, 0.5, 0. ])
processor.set_all_tlist(np.array([0., np.pi/2., 2*np.pi/2, 3*np.pi/2]))

# define noise, loc and scale are keyword arguments for np.random.normal
gaussnoise = RandomNoise(
    dt=0.01, rand_gen=np.random.normal, loc=0.00, scale=0.02)
processor.add_noise(gaussnoise)

# Plot the ideal pulse
processor.plot_pulses(title="Original control amplitude", figsize=(5,3))

# Plot the noisy pulse
qobjevo, _ = processor.get_qobjevo(noisy=True)
noisy_coeff = qobjevo.to_list()[1][1] + qobjevo.to_list()[2][1]
fig2, ax2 = processor.plot_pulses(title="Noisy control amplitude", figsize=(5,3))
ax2.step(qobjevo.tlist, noisy_coeff)
```

Total running time of the script: (0 minutes 0.131 seconds)

Chapter 5

API documentation

This chapter contains automatically generated API documentation, including a complete list of QuTiP's public classes and functions.

5.1 Classes

5.1.1 Qobj

class Qobj (*inpt=None, dims=[[], []], shape=[], type=None, isherm=None, copy=True, fast=False, superrep=None, isunitary=None*)

A class for representing quantum objects, such as quantum operators and states.

The Qobj class is the QuTiP representation of quantum operators and state vectors. This class also implements math operations $+$, $-$, $*$ between Qobj instances (and $/$ by a C-number), as well as a collection of common operator/state operations. The Qobj constructor optionally takes a dimension `list` and/or shape `list` as arguments.

Parameters

inpt [array_like] Data for vector/matrix representation of the quantum object.

dims [list] Dimensions of object used for tensor products.

shape [list] Shape of underlying data structure (matrix shape).

copy [bool] Flag specifying whether Qobj should get a copy of the input data, or use the original.

fast [bool] Flag for fast qobj creation when running ode solvers. This parameter is used internally only.

Attributes

data [array_like] Sparse matrix characterizing the quantum object.

dims [list] List of dimensions keeping track of the tensor structure.

shape [list] Shape of the underlying *data* array.

type [str] Type of quantum object: 'bra', 'ket', 'oper', 'operator-ket', 'operator-bra', or 'super'.

superrep [str] Representation used if *type* is 'super'. One of 'super' (Liouville form) or 'choi' (Choi matrix with $\text{tr} = \text{dimension}$).

isherm [bool] Indicates if quantum object represents Hermitian operator.

isunitary [bool] Indicates if quantum object represents unitary operator.

iscp [bool] Indicates if the quantum object represents a map, and if that map is completely positive (CP).

ishp [bool] Indicates if the quantum object represents a map, and if that map is hermicity preserving (HP).

istp [bool] Indicates if the quantum object represents a map, and if that map is trace preserving (TP).

isctp [bool] Indicates if the quantum object represents a map that is completely positive and trace preserving (CPTP).

isket [bool] Indicates if the quantum object represents a ket.

isbra [bool] Indicates if the quantum object represents a bra.

isoper [bool] Indicates if the quantum object represents an operator.

issuper [bool] Indicates if the quantum object represents a superoperator.

isoperket [bool] Indicates if the quantum object represents an operator in column vector form.

isoperbra [bool] Indicates if the quantum object represents an operator in row vector form.

Methods

copy()	Create copy of Qobj
conj()	Conjugate of quantum object.
cosm()	Cosine of quantum object.
dag()	Adjoint (dagger) of quantum object.
dnorm()	Diamond norm of quantum operator.
dual_chan()	Dual channel of quantum object representing a CP map.
eigenenergies(sparse=False, sort='low', eigvals=0, tol=0, maxiter=100000)	Returns eigenenergies (eigenvalues) of a quantum object.
eigenstates(sparse=False, sort='low', eigvals=0, tol=0, maxiter=100000)	Returns eigenenergies and eigenstates of quantum object.
expm()	Matrix exponential of quantum object.
full(order='C')	Returns dense array of quantum object <i>data</i> attribute.
groundstate(sparse=False, tol=0, max-iter=100000)	Returns eigenvalue and eigenket for the groundstate of a quantum object.
inv()	Return a Qobj corresponding to the matrix inverse of the operator.
matrix_element(bra, ket)	Returns the matrix element of operator between <i>bra</i> and <i>ket</i> vectors.
norm(norm='tr', sparse=False, tol=0, max-iter=100000)	Returns norm of a ket or an operator.
permute(order)	Returns composite qobj with indices reordered.
proj()	Computes the projector for a ket or bra vector.
ptrace(sel)	Returns quantum object for selected dimensions after performing partial trace.
sinm()	Sine of quantum object.
sqrtm()	Matrix square root of quantum object.
tidyup(atol=1e-12)	Removes small elements from quantum object.
tr()	Trace of quantum object.
trans()	Transpose of quantum object.
transform(inpt, inverse=False)	Performs a basis transformation defined by <i>inpt</i> matrix.
trunc_neg(method='clip')	Removes negative eigenvalues and returns a new Qobj that is a valid density operator.
unit(norm='tr', sparse=False, tol=0, max-iter=100000)	Returns normalized quantum object.

check_herm (*self*)

Check if the quantum object is hermitian.

Returns

isherm [bool] Returns the new value of isherm property.

check_isunitary (*self*)

Checks whether qobj is a unitary matrix

conj (*self*)

Conjugate operator of quantum object.

copy (*self*)

Create identical copy

cosm (*self*)

Cosine of a quantum operator.

Operator must be square.

Returns

oper [*qutip.Qobj*] Matrix cosine of operator.

Raises

TypeError Quantum object is not square.

Notes

Uses the `Q.expm()` method.

dag (*self*)

Adjoint operator of quantum object.

diag (*self*)

Diagonal elements of quantum object.

Returns

diags [array] Returns array of `real` values if operators is Hermitian, otherwise `complex` values are returned.

dnorm (*self*, *B=None*)

Calculates the diamond norm, or the diamond distance to another operator.

Parameters

B [*qutip.Qobj* or `None`] If `B` is not `None`, the diamond distance $d(A, B) = \text{dnorm}(A - B)$ between this operator and `B` is returned instead of the diamond norm.

Returns

d [float] Either the diamond norm of this operator, or the diamond distance from this operator to `B`.

dual_chan (*self*)

Dual channel of quantum object representing a completely positive map.

eigenenergies (*self*, *sparse=False*, *sort='low'*, *eigvals=0*, *tol=0*, *maxiter=100000*)

Eigenenergies of a quantum object.

Eigenenergies (eigenvalues) are defined for operators or superoperators only.

Parameters

sparse [bool] Use sparse Eigensolver

sort [str] Sort eigenvalues 'low' to high, or 'high' to low.

eigvals [int] Number of requested eigenvalues. Default is all eigenvalues.

tol [float] Tolerance used by sparse Eigensolver (0=machine precision). The sparse solver may not converge if the tolerance is set too low.

maxiter [int] Maximum number of iterations performed by sparse solver (if used).

Returns

eigvals [array] Array of eigenvalues for operator.

Notes

The sparse eigensolver is much slower than the dense version. Use sparse only if memory requirements demand it.

eigenstates (*self*, *sparse=False*, *sort='low'*, *eigvals=0*, *tol=0*, *maxiter=100000*)

Eigenstates and eigenenergies.

Eigenstates and eigenenergies are defined for operators and superoperators only.

Parameters

sparse [bool] Use sparse Eigensolver

sort [str] Sort eigenvalues (and vectors) 'low' to high, or 'high' to low.

eigvals [int] Number of requested eigenvalues. Default is all eigenvalues.

tol [float] Tolerance used by sparse Eigensolver (0 = machine precision). The sparse solver may not converge if the tolerance is set too low.

maxiter [int] Maximum number of iterations performed by sparse solver (if used).

Returns

eigvals [array] Array of eigenvalues for operator.

eigvecs [array] Array of quantum operators representing the operator eigenkets. Order of eigenkets is determined by order of eigenvalues.

Notes

The sparse eigensolver is much slower than the dense version. Use sparse only if memory requirements demand it.

eliminate_states (*self*, *states_inds*, *normalize=False*)

Creates a new quantum object with states in *state_inds* eliminated.

Parameters

states_inds [list of integer] The states that should be removed.

normalize [True / False] Weather or not the new Qobj instance should be normalized (default is False). For Qobjs that represents density matrices or state vectors normalized should probably be set to True, but for Qobjs that represents operators in for example an Hamiltonian, normalize should be False.

Returns

q [*qutip.Qobj*] A new instance of *qutip.Qobj* that contains only the states corresponding to indices that are **not** in *state_inds*.

Notes

Experimental.

static evaluate (*qobj_list*, *t*, *args*)

Evaluate a time-dependent quantum object in list format. For example,

```
qobj_list = [H0, [H1, func_t]]
```

is evaluated to

$$Qobj(t) = H0 + H1 * func_t(t, args)$$

and

```
qobj_list = [H0, [H1, 'sin(w * t)']]
```

is evaluated to

$$Qobj(t) = H0 + H1 * \sin(\text{args}['w'] * t)$$

Parameters

qobj_list [list] A nested list of Qobj instances and corresponding time-dependent coefficients.

t [float] The time for which to evaluate the time-dependent Qobj instance.

args [dictionary] A dictionary with parameter values required to evaluate the time-dependent Qobj instance.

Returns

output [*qutip.Qobj*] A Qobj instance that represents the value of qobj_list at time t.

expm (*self, method='dense'*)

Matrix exponential of quantum operator.

Input operator must be square.

Parameters

method [str {'dense', 'sparse'}] Use set method to use to calculate the matrix exponentiation. The available choices includes 'dense' and 'sparse'. Since the exponential of a matrix is nearly always dense, method='dense' is set as default.

Returns

oper [*qutip.Qobj*] Exponentiated quantum operator.

Raises

TypeError Quantum operator is not square.

extract_states (*self, states_inds, normalize=False*)

Qobj with states in state_inds only.

Parameters

states_inds [list of integer] The states that should be kept.

normalize [True / False] Whether or not the new Qobj instance should be normalized (default is False). For Qobjs that represents density matrices or state vectors normalized should probably be set to True, but for Qobjs that represents operators in for example an Hamiltonian, normalize should be False.

Returns

q [*qutip.Qobj*] A new instance of *qutip.Qobj* that contains only the states corresponding to the indices in *state_inds*.

Notes

Experimental.

full (*self, order='C', squeeze=False*)

Dense array from quantum object.

Parameters

order [str {'C', 'F'}] Return array in C (default) or Fortran ordering.

squeeze [bool {False, True}] Squeeze output array.

Returns

data [array] Array of complex data from quantum objects *data* attribute.

groundstate (*self*, *sparse=False*, *tol=0*, *maxiter=100000*, *safe=True*)

Ground state Eigenvalue and Eigenvector.

Defined for quantum operators or superoperators only.

Parameters

sparse [bool] Use sparse Eigensolver

tol [float] Tolerance used by sparse Eigensolver (0 = machine precision). The sparse solver may not converge if the tolerance is set too low.

maxiter [int] Maximum number of iterations performed by sparse solver (if used).

safe [bool (default=True)] Check for degenerate ground state

Returns

eigval [float] Eigenvalue for the ground state of quantum operator.

eigvec [*qutip.Qobj*] Eigenket for the ground state of quantum operator.

Notes

The sparse eigensolver is much slower than the dense version. Use sparse only if memory requirements demand it.

inv (*self*, *sparse=False*)

Matrix inverse of a quantum operator

Operator must be square.

Returns

oper [*qutip.Qobj*] Matrix inverse of operator.

Raises

TypeError Quantum object is not square.

matrix_element (*self*, *bra*, *ket*)

Calculates a matrix element.

Gives the matrix element for the quantum object sandwiched between a *bra* and *ket* vector.

Parameters

bra [*qutip.Qobj*] Quantum object of type 'bra' or 'ket'

ket [*qutip.Qobj*] Quantum object of type 'ket'.

Returns

elem [complex] Complex valued matrix element.

norm (*self*, *norm=None*, *sparse=False*, *tol=0*, *maxiter=100000*)

Norm of a quantum object.

Default norm is L2-norm for kets and trace-norm for operators. Other ket and operator norms may be specified using the *norm* and argument.

Parameters

norm [str] Which norm to use for ket/bra vectors: L2 'l2', max norm 'max', or for operators: trace 'tr', Frobius 'fro', one 'one', or max 'max'.

sparse [bool] Use sparse eigenvalue solver for trace norm. Other norms are not affected by this parameter.

tol [float] Tolerance for sparse solver (if used) for trace norm. The sparse solver may not converge if the tolerance is set too low.

maxiter [int] Maximum number of iterations performed by sparse solver (if used) for trace norm.

Returns

norm [float] The requested norm of the operator or state quantum object.

Notes

The sparse eigensolver is much slower than the dense version. Use sparse only if memory requirements demand it.

overlap (*self*, *other*)

Overlap between two state vectors or two operators.

Gives the overlap (inner product) between the current bra or ket Qobj and another bra or ket Qobj. It gives the Hilbert-Schmidt overlap when one of the Qobj is an operator/density matrix.

Parameters

other [*qutip.Qobj*] Quantum object for a state vector of type 'ket', 'bra' or density matrix.

Returns

overlap [complex] Complex valued overlap.

Raises

TypeError Can only calculate overlap between a bra, ket and density matrix quantum objects.

Notes

Since QuTiP mainly deals with ket vectors, the most efficient inner product call is the ket-ket version that computes the product $\langle \text{self} | \text{other} \rangle$ with both vectors expressed as kets.

permute (*self*, *order*)

Permutes a composite quantum object.

Parameters

order [list/array] List specifying new tensor order.

Returns

P [*qutip.Qobj*] Permuted quantum object.

proj (*self*)

Form the projector from a given ket or bra vector.

Parameters

Q [*qutip.Qobj*] Input bra or ket vector

Returns

P [*qutip.Qobj*] Projection operator.

ptrace (*self*, *sel*, *sparse=None*)

Partial trace of the quantum object.

Parameters

sel [int/list] An int or list of components to keep after partial trace.

Returns

oper [*qutip.Qobj*] Quantum object representing partial trace with selected components remaining.

Notes

This function is identical to the `qutip.qobj.pttrace` function that has been deprecated.

purity (*self*)

Calculate purity of a quantum object.

Returns

state_purity [float] Returns the purity of a quantum object. For a pure state, the purity is 1. For a mixed state of dimension d , $1/d \leq \text{purity} < 1$.

sinm (*self*)

Sine of a quantum operator.

Operator must be square.

Returns

oper [*qutip.Qobj*] Matrix sine of operator.

Raises

TypeError Quantum object is not square.

Notes

Uses the `Q.expm()` method.

sqrtn (*self, sparse=False, tol=0, maxiter=100000*)

Sqrt of a quantum operator.

Operator must be square.

Parameters

sparse [bool] Use sparse eigenvalue/vector solver.

tol [float] Tolerance used by sparse solver (0 = machine precision).

maxiter [int] Maximum number of iterations used by sparse solver.

Returns

oper [*qutip.Qobj*] Matrix square root of operator.

Raises

TypeError Quantum object is not square.

Notes

The sparse eigensolver is much slower than the dense version. Use sparse only if memory requirements demand it.

tidyup (*self, atol=1e-12*)

Removes small elements from the quantum object.

Parameters

atol [float] Absolute tolerance used by tidyup. Default is set via qutip global settings parameters.

Returns

oper [*qutip.Qobj*] Quantum object with small elements removed.

tr (*self*)

Trace of a quantum object.

Returns

trace [float] Returns the trace of the quantum object.

trans (*self*)

Transposed operator.

Returns

oper [*qutip.Qobj*] Transpose of input operator.

transform (*self, inpt, inverse=False, sparse=True*)

Basis transform defined by input array.

Input array can be a `matrix` defining the transformation, or a `list` of kets that defines the new basis.

Parameters

inpt [array_like] A `matrix` or `list` of kets defining the transformation.

inverse [bool] Whether to return inverse transformation.

sparse [bool] Use sparse matrices when possible. Can be slower.

Returns

oper [*qutip.Qobj*] Operator in new basis.

Notes

This function is still in development.

trunc_neg (*self, method='clip'*)

Truncates negative eigenvalues and renormalizes.

Returns a new `Qobj` by removing the negative eigenvalues of this instance, then renormalizing to obtain a valid density operator.

Parameters

method [str] Algorithm to use to remove negative eigenvalues. “clip” simply discards negative eigenvalues, then renormalizes. “sgs” uses the SGS algorithm (doi:10/bb76) to find the positive operator that is nearest in the Schatten 2-norm.

Returns

oper [*qutip.Qobj*] A valid density operator.

unit (*self, inplace=False, norm=None, sparse=False, tol=0, maxiter=100000*)

Operator or state normalized to unity.

Uses norm from `Qobj.norm()`.

Parameters

inplace [bool] Do an in-place normalization

norm [str] Requested norm for states / operators.

sparse [bool] Use sparse eigensolver for trace norm. Does not affect other norms.

tol [float] Tolerance used by sparse eigensolver.

maxiter [int] Number of maximum iterations performed by sparse eigensolver.

Returns

`oper` [`qutip.Qobj`] Normalized quantum object if not in-place, else None.

5.1.2 QobjEvo

class QobjEvo (*Q_object=[]*, *args={}*, *copy=True*, *tlist=None*, *state0=None*, *e_ops=[]*)

A class for representing time-dependent quantum objects, such as quantum operators and states.

The QobjEvo class is a representation of time-dependent Qutip quantum objects (Qobj). This class implements math operations :

`+, -` : QobjEvo, Qobj * : Qobj, C-number / : C-number

and some common linear operator/state operations. The QobjEvo are constructed from a nested list of Qobj with their time-dependent coefficients. The time-dependent coefficients are either a function, a string or a numpy array.

For function format, the function signature must be `f(t, args)`. *Examples*

```
def f1_t(t, args): return np.exp(-1j * t * args["w1"])
```

```
def f2_t(t, args): return np.cos(t * args["w2"])
```

```
H = QobjEvo([H0, [H1, f1_t], [H2, f2_t]], args={"w1":1., "w2":2.})
```

For string based coefficients, the string must be a compilable python code resulting in a complex. The following symbols are defined:

sin cos tan asin acos atan pi sinh cosh tanh asinh acosh atanh exp log log10 erf zerf sqrt real imag
conj abs norm arg proj numpy as np, and scipy.special as spe.

Examples

```
H = QobjEvo([H0, [H1, 'exp(-1j*w1*t)'], [H2, 'cos(w2*t)']], args={"w1":1., "w2":2.})
```

For numpy array format, the array must be an 1d of dtype float or complex. A list of times (float64) at which the coefficients must be given (tlist). The coefficients array must have the same len as the tlist. The time of the tlist do not need to be equidistant, but must be sorted. By default, a cubic spline interpolation will be used for the coefficient at time t. If the coefficients are to be treated as step function, use the arguments `args = {"_step_func_coeff": True}` *Examples*

```
tlist = np.logspace(-5,0,100) H = QobjEvo([H0, [H1, np.exp(-1j*tlist)], [H2, np.cos(2.*tlist)]],  
tlist=tlist)
```

`args` is a dict of (name:object). The name must be a valid variables string. Some solvers support arguments that update at each call: `sesolve`, `mesolve`, `mcsolve`:

state can be obtained with: `"state_vec":psi0`, `args["state_vec"] = state` as 1D `np.ndarray`
`"state_mat":psi0`, `args["state_mat"] = state` as 2D `np.ndarray` `"state":psi0`, `args["state"] = state` as Qobj

This Qobj is the initial value.

expectation values: `"expect_op_n":0`, `args["expect_op_n"] = expect(e_ops[int(n)], state)` expect is `<phi|O|psi>` or `tr(state * O)` depending on state dimensions

mcsolve:

collapse can be obtained with: `"collapse":list => args[name] == list of collapse` each collapse will be appended to the list as (time, which c_ops)

Mixing the formats is possible, but not recommended. Mixing tlist will cause problem.

Parameters

QobjEvo(*Q_object=[]*, *args={}*, *tlist=None*)

Q_object [array_like] Data for vector/matrix representation of the quantum object.

args [dictionary that contain the arguments for]

tlist [array_like] List of times at which the numpy-array coefficients are applied. Times must be equidistant and start from 0.

Attributes

cte [Qobj] Constant part of the QobjEvo

ops [list of EvoElement] List of Qobj and the coefficients. [(Qobj, coefficient as a function, original coefficient, type, local arguments), ...]

type : 1: function 2: string 3: np.array 4: Cubic_Spline

args [map] arguments of the coefficients

dynamics_args [list] arguments that change during evolution

tlist [array_like] List of times at which the numpy-array coefficients are applied.

compiled [string] Has the cython version of the QobjEvo been created

compiled_qobjevo [cy_qobj (CQobjCte or CQobjEvoTd)] Cython version of the QobjEvo

coeff_get [callable object] object called to obtain a list of coefficient at t

coeff_files [list] runtime created files to delete with the instance

dummy_cte [bool] is self.cte a empty Qobj

const [bool] Indicates if quantum object is Constant

type [string]

information about the type of coefficient “string”, “func”, “array”, “spline”, “mixed_callable”, “mixed_compilable”

num_obj [int] number of Qobj in the QobjEvo : len(ops) + (1 if not dummy_cte)

use_cython [bool] flag to compile string to cython or python

safePickle [bool] flag to not share pointers between thread

Methods

copy() :	Create copy of Qobj
arguments(new_args):	Update the args of the object
Math:	+/- QobjEvo, Qobj, scalar: Addition is possible between QobjEvo and with Qobj or scalar -: Negation operator * Qobj, scalar: Product is possible with Qobj or scalar / scalar: It is possible to divide by scalar only
conj()	Return the conjugate of quantum object.
dag()	Return the adjoint (dagger) of quantum object.
trans()	Return the transpose of quantum object.
_cdc()	Return self.dag() * self.
permute(order)	Returns composite qobj with indices reordered.
apply(f, *args, **kw_args)	Apply the function f to every Qobj. f(Qobj) -> Qobj Return a modified QobjEvo and let the original one untouched
apply_decorator(decorator, *args, **kw_args, str_mod=None)	inplace_np=False, **kw_args): Apply the decorator to each function of the ops. The *args, **kw_args are passed to the decorator. new_coeff_function = decorator(coeff_function, *args, **kw_args) str_mod : list of 2 elements replace the string : Note, str_mod[0] + original_string + str_mod[1] *example: str_mod = ["exp(", ")"] inplace_np: Change the numpy array instead of applying the decorator to the function reading the array. Some decorators create incorrect array. Transformations f'(t) = f(g(t)) create a mismatch between the array and the associated time list.
tidyup(atol=1e-12)	Removes small elements from quantum object.
compress():	Merge ops which are based on the same quantum object and coeff type.
compile(code=False, matched=False, dense=False, omp=0):	Create the associated cython object for faster usage. code: return the code generated for compilation of the strings. matched: the compiled object use sparse matrix with matching indices. (experimental, no real advantage) dense: the compiled object use dense matrix. omp: (int) number of thread: the compiled object use spmvpy_openmp.
__call__(t, data=False, state=None, args={}):	Return the Qobj at time t. *Faster after compilation
mul_mat(t, mat):	Product of this at t time with the dense matrix mat. *Faster after compilation
mul_vec(t, psi):	Apply the quantum object (if operator, no check) to psi. More generally, return the product of the object at t with psi. *Faster after compilation
expect(t, psi, herm=False):	Calculates the expectation value for the quantum object (if operator, no check) and state psi. Return only the real part if herm. *Faster after compilation
to_list():	Return the time-dependent quantum object as a list

5.1.3 eseries

class eseries (*q=None, s=array([], dtype=float64)*)

Class representation of an exponential-series expansion of time-dependent quantum objects.

Attributes

- ampl** [ndarray] Array of amplitudes for exponential series.
- rates** [ndarray] Array of rates for exponential series.
- dims** [list] Dimensions of exponential series components
- shape** [list] Shape corresponding to exponential series components

Methods

value(tlist)	Evaluate an exponential series at the times listed in <code>tlist</code>
spec(wlist)	Evaluate the spectrum of an exponential series at frequencies in <code>wlist</code> .
tidyup()	Returns a tidier version of the exponential series

spec (*self, wlist*)

Evaluate the spectrum of an exponential series at frequencies in `wlist`.

Parameters

wlist [array_like] Array/list of frequencies.

Returns

val_list [ndarray] Values of exponential series at frequencies in `wlist`.

tidyup (*self, *args*)

Returns a tidier version of exponential series.

value (*self, tlist*)

Evaluates an exponential series at the times listed in `tlist`.

Parameters

tlist [ndarray] Times at which to evaluate exponential series.

Returns

val_list [ndarray] Values of exponential at times in `tlist`.

5.1.4 Bloch sphere

class Bloch (*fig=None, axes=None, view=None, figsize=None, background=False*)

Class for plotting data on the Bloch sphere. Valid data can be either points, vectors, or qobj objects.

Attributes

- axes** [instance {None}] User supplied Matplotlib axes for Bloch sphere animation.
- fig** [instance {None}] User supplied Matplotlib Figure instance for plotting Bloch sphere.
- font_color** [str {'black'}] Color of font used for Bloch sphere labels.
- font_size** [int {20}] Size of font used for Bloch sphere labels.
- frame_alpha** [float {0.1}] Sets transparency of Bloch sphere frame.
- frame_color** [str {'gray'}] Color of sphere wireframe.
- frame_width** [int {1}] Width of wireframe.

point_color [list [{"b"}, "r"}, "g", "#CC6600"]] List of colors for Bloch sphere point markers to cycle through. i.e. By default, points 0 and 4 will both be blue ('b').

point_marker [list [{"o"}, "s", "d", "^"]] List of point marker shapes to cycle through.

point_size [list {[25,32,35,45]}] List of point marker sizes. Note, not all point markers look the same size when plotted!

sphere_alpha [float {0.2}] Transparency of Bloch sphere itself.

sphere_color [str {'#FFDDDD'}] Color of Bloch sphere.

figsize [list {[7,7]}] Figure size of Bloch sphere plot. Best to have both numbers the same; otherwise you will have a Bloch sphere that looks like a football.

vector_color [list [{"g"}, "#CC6600", "b", "r"]] List of vector colors to cycle through.

vector_width [int {5}] Width of displayed vectors.

vector_style [str {'->', 'simple', 'fancy', ''}] Vector arrowhead style (from matplotlib's arrow style).

vector_mutation [int {20}] Width of vectors arrowhead.

view [list {[-60,30]}] Azimuthal and Elevation viewing angles.

xlabel [list [{"x\$"}, ""]] List of strings corresponding to +x and -x axes labels, respectively.

xlpos [list {[1.1,-1.1]}] Positions of +x and -x labels respectively.

ylabel [list [{"y\$"}, ""]] List of strings corresponding to +y and -y axes labels, respectively.

ylpos [list {[1.2,-1.2]}] Positions of +y and -y labels respectively.

zlabel [list {[r'\$left0right>\$', r'\$left1right>\$'}]] List of strings corresponding to +z and -z axes labels, respectively.

zlops [list {[1.2,-1.2]}] Positions of +z and -z labels respectively.

add_annotation (*self*, *state_or_vector*, *text*, ***kwargs*)

Add a text or LaTeX annotation to Bloch sphere, parametrized by a qubit state or a vector.

Parameters

state_or_vector [Qobj/array/list/tuple] Position for the annotation. Qobj of a qubit or a vector of 3 elements.

text [str/unicode] Annotation text. You can use LaTeX, but remember to use raw string e.g. `r'$\angle x \angle$'` or escape backslashes e.g. `"$\angle x \angle$"`.

****kwargs**: Options as for `mplot3d.axes3d.text`, including: `fontsize`, `color`, `horizontalalignment`, `verticalalignment`.

add_points (*self*, *points*, *meth='s'*)

Add a list of data points to bloch sphere.

Parameters

points [array/list] Collection of data points.

meth [str {'s', 'm', 'l'}] Type of points to plot, use 'm' for multicolored, 'l' for points connected with a line.

add_states (*self*, *state*, *kind='vector'*)

Add a state vector Qobj to Bloch sphere.

Parameters

state [qobj] Input state vector.

kind [str {'vector', 'point'}] Type of object to plot.

add_vectors (*self*, *vectors*)

Add a list of vectors to Bloch sphere.

Parameters

vectors [array_like] Array with vectors of unit length or smaller.

clear (*self*)

Resets Bloch sphere data sets to empty.

make_sphere (*self*)

Plots Bloch sphere and data sets.

render (*self*, *fig=None*, *axes=None*)

Render the Bloch sphere and its data sets in on given figure and axes.

save (*self*, *name=None*, *format='png'*, *dirc=None*, *dpin=None*)

Saves Bloch sphere to file of type *format* in directory *dirc*.

Parameters

name [str] Name of saved image. Must include path and format as well. i.e. `'/Users/Paul/Desktop/bloch.png'` This overrides the `'format'` and `'dirc'` arguments.

format [str] Format of output image.

dirc [str] Directory for output images. Defaults to current working directory.

dpin [int] Resolution in dots per inch.

Returns

File containing plot of Bloch sphere.

set_label_convention (*self*, *convention*)

Set x, y and z labels according to one of conventions.

Parameters

convention [string] One of the following:

- "original"
- "xyz"
- "sx sy sz"
- "01"
- "polarization jones"
- "polarization jones letters" see also: http://en.wikipedia.org/wiki/Jones_calculus
- "polarization stokes" see also: http://en.wikipedia.org/wiki/Stokes_parameters

show (*self*)

Display Bloch sphere and corresponding data sets.

vector_mutation = None

Sets the width of the vectors arrowhead

vector_style = None

Style of Bloch vectors, default = `'->'` (or `'simple'`)

vector_width = None

Width of Bloch vectors, default = 5

5.1.5 Cubic Spline

class Cubic_Spline (*a, b, y, alpha=0, beta=0*)

Calculates coefficients for a cubic spline interpolation of a given data set.

This function assumes that the data is sampled uniformly over a given interval.

Parameters

- a** [float] Lower bound of the interval.
- b** [float] Upper bound of the interval.
- y** [ndarray] Function values at interval points.
- alpha** [float] Second-order derivative at a. Default is 0.
- beta** [float] Second-order derivative at b. Default is 0.

Notes

This object can be called like a normal function with a single or array of input points at which to evaluate the interpolating function.

Habermann & Kindermann, “Multidimensional Spline Interpolation: Theory and Applications”, Comput Econ 30, 153 (2007).

Attributes

- a** [float] Lower bound of the interval.
- b** [float] Upper bound of the interval.
- coeffs** [ndarray] Array of coefficients defining cubic spline.

5.1.6 Non-Markovian Solvers

class HEOMSolver

This is superclass for all solvers that use the HEOM method for calculating the dynamics evolution. There are many references for this. A good introduction, and perhaps closest to the notation used here is: DOI:10.1103/PhysRevLett.104.250401 A more canonical reference, with full derivation is: DOI: 10.1103/PhysRevA.41.6676 The method can compute open system dynamics without using any Markovian or rotating wave approximation (RWA) for systems where the bath correlations can be approximated to a sum of complex eponentials. The method builds a matrix of linked differential equations, which are then solved used the same ODE solvers as other qutip solvers (e.g. mesolve)

This class should be treated as abstract. Currently the only subclass implemented is that for the Drude-Lorentz spectral density. This covers the majority of the work that has been done using this model, and there are some performance advantages to assuming this model where it is appropriate.

There are opportunities to develop a more general spectral density code.

Attributes

- H_sys** [Qobj] System Hamiltonian
- coup_op** [Qobj] Operator describing the coupling between system and bath.
- coup_strength** [float] Coupling strength.
- temperature** [float] Bath temperature, in units corresponding to planck
- N_cut** [int] Cutoff parameter for the bath
- N_exp** [int] Number of exponential terms used to approximate the bath correlation functions

planck [float] reduced Planck constant

boltzmann [float] Boltzmann's constant

options [*qutip.solver.Options*] Generic solver options. If set to None the default options will be used

progress_bar: BaseProgressBar Optional instance of BaseProgressBar, or a subclass thereof, for showing the progress of the simulation.

stats [*qutip.solver.Stats*] optional container for holding performance statistics If None is set, then statistics are not collected There may be an overhead in collecting statistics

exp_coeff [list of complex] Coefficients for the exponential series terms

exp_freq [list of complex] Frequencies for the exponential series terms

configure (*self, H_sys, coup_op, coup_strength, temperature, N_cut, N_exp, planck=None, boltzmann=None, renorm=None, bnd_cut_approx=None, options=None, progress_bar=None, stats=None*)

Configure the solver using the passed parameters The parameters are described in the class attributes, unless there is some specific behaviour

Parameters

options [*qutip.solver.Options*] Generic solver options. If set to None the default options will be used

progress_bar: BaseProgressBar Optional instance of BaseProgressBar, or a subclass thereof, for showing the progress of the simulation. If set to None, then the default progress bar will be used Set to False for no progress bar

stats: :class:`qutip.solver.Stats` Optional instance of solver.Stats, or a subclass thereof, for storing performance statistics for the solver If set to True, then the default Stats for this class will be used Set to False for no stats

create_new_stats (*self*)

Creates a new stats object suitable for use with this solver Note: this solver expects the stats object to have sections

config integrate

reset (*self*)

Reset any attributes to default values

class HSolverDL (*H_sys, coup_op, coup_strength, temperature, N_cut, N_exp, cut_freq, planck=1.0, boltzmann=1.0, renorm=True, bnd_cut_approx=True, options=None, progress_bar=None, stats=None*)

HEOM solver based on the Drude-Lorentz model for spectral density. Drude-Lorentz bath the correlation functions can be exactly analytically expressed as an infinite sum of exponentials which depend on the temperature, these are called the Matsubara terms or Matsubara frequencies

For practical computation purposes an approximation must be used based on a small number of Matsubara terms (typically < 4).

Attributes

cut_freq [float] Bath spectral density cutoff frequency.

renorm [bool] Apply renormalisation to coupling terms Can be useful if using SI units for planck and boltzmann

bnd_cut_approx [bool] Use boundary cut off approximation Can be

configure (*self, H_sys, coup_op, coup_strength, temperature, N_cut, N_exp, cut_freq, planck=None, boltzmann=None, renorm=None, bnd_cut_approx=None, options=None, progress_bar=None, stats=None*)

Calls configure from *HEOMSolver* and sets any attributes that are specific to this subclass

reset (*self*)

Reset any attributes to default values

run (*self*, *rho0*, *tlist*)

Function to solve for an open quantum system using the HEOM model.

Parameters

rho0 [*Qobj*] Initial state (density matrix) of the system.

tlist [*list*] Time over which system evolves.

Returns

results [*qutip.solver.Result*] Object storing all results from the simulation.

class MemoryCascade (*H_S*, *L1*, *L2*, *S_matrix=None*, *c_ops_markov=None*, *integrator='propagator'*, *parallel=False*, *options=None*)

Class for running memory cascade simulations of open quantum systems with time-delayed coherent feedback.

Attributes

H_S [*qutip.Qobj*] System Hamiltonian (can also be a Liouvillian)

L1 [*qutip.Qobj* / *list of qutip.Qobj*] System operators coupling into the feedback loop. Can be a single operator or a list of operators.

L2 [*qutip.Qobj* / *list of qutip.Qobj*] System operators coupling out of the feedback loop. Can be a single operator or a list of operators. L2 must have the same length as L1.

S_matrix: ***array*** S matrix describing which operators in L1 are coupled to which operators in L2 by the feedback channel. Defaults to an n by n identity matrix where n is the number of elements in L1/L2.

c_ops_markov [*qutip.Qobj* / *list of qutip.Qobj*] Decay operators describing conventional Markovian decay channels. Can be a single operator or a list of operators.

integrator [*str* { 'propagator', 'mesolve' }] Integrator method to use. Defaults to 'propagator' which tends to be faster for long times (i.e., large Hilbert space).

parallel [*bool*] Run integrator in parallel if True. Only implemented for 'propagator' as the integrator method.

options [*qutip.solver.Options*] Generic solver options.

outfieldcorr (*self*, *rho0*, *blist*, *tlist*, *tau*, *c1=None*, *c2=None*)

Compute output field expectation value $\langle O_n(t_n) \dots O_2(t_2) O_1(t_1) \rangle$ for times t_1, t_2, \dots and $O_i = I, b_{out}, b_{out}^\dagger, b_{loop}, b_{loop}^\dagger$

Parameters

rho0 [*qutip.Qobj*] initial density matrix or state vector (ket).

blist [*array_like*] List of integers specifying the field operators: 0: I (nothing) 1: b_{out} 2: b_{out}^\dagger 3: b_{loop} 4: b_{loop}^\dagger

tlist [*array_like*] list of corresponding times t_1, \dots, t_n at which to evaluate the field operators

tau [*float*] time-delay

c1 [*qutip.Qobj*] system collapse operator that couples to the in-loop field in question (only needs to be specified if self.L1 has more than one element)

c2 [*qutip.Qobj*] system collapse operator that couples to the output field in question (only needs to be specified if self.L2 has more than one element)

Returns

: **complex** expectation value of field correlation function

outfieldpropagator (*self, blist, tlist, tau, c1=None, c2=None, notrace=False*)

Compute propagator for computing output field expectation values $\langle O_n(t_n) \dots O_2(t_2) O_1(t_1) \rangle$ for times t_1, t_2, \dots and $O_i = I, b_out, b_out^\dagger, b_loop, b_loop^\dagger$

Parameters

blist [array_like] List of integers specifying the field operators: 0: I (nothing) 1: b_out 2: b_out^\dagger 3: b_loop 4: b_loop^\dagger

tlist [array_like] list of corresponding times t_1, \dots, t_n at which to evaluate the field operators

tau [float] time-delay

c1 [*qutip.Qobj*] system collapse operator that couples to the in-loop field in question (only needs to be specified if *self.L1* has more than one element)

c2 [*qutip.Qobj*] system collapse operator that couples to the output field in question (only needs to be specified if *self.L2* has more than one element)

notrace [bool {False}] If this optional is set to True, a propagator is returned for a cascade of k systems, where $(k - 1)\tau < t < k\tau$. If set to False (default), a generalized partial trace is performed and a propagator for a single system is returned.

Returns

: *qutip.Qobj* time-propagator for computing field correlation function

propagator (*self, t, tau, notrace=False*)

Compute propagator for time t and time-delay τ

Parameters

t [float] current time

tau [float] time-delay

notrace [bool {False}] If this optional is set to True, a propagator is returned for a cascade of k systems, where $(k - 1)\tau < t < k\tau$. If set to False (default), a generalized partial trace is performed and a propagator for a single system is returned.

Returns

: :class:`qutip.Qobj` time-propagator for reduced system dynamics

rho (*self, rho0, t, tau*)

Compute the reduced system density matrix $\rho(t)$

Parameters

rho0 [*qutip.Qobj*] initial density matrix or state vector (ket)

t [float] current time

tau [float] time-delay

Returns

: *qutip.Qobj* density matrix at time t

class TTMSolverOptions (*dynmaps=None, times=[], learningtimes=[], thres=0.0, options=None*)

Class of options for the Transfer Tensor Method solver.

Attributes

dynmaps [list of *qutip.Qobj*] List of precomputed dynamical maps (superoperators), or a callback function that returns the superoperator at a given time.

times [array_like] List of times t_n at which to calculate $\rho(t_n)$

learningtimes [array_like] List of times t_k to use as learning times if argument *dynmaps* is a callback function.

thres [float] Threshold for halting. Halts if $||T_n - T_{n-1}||$ is below threshold.

options [*qutip.solver.Options*] Generic solver options.

5.1.7 Solver Options and Results

class ExpectOps (*e_ops=[]*, *super_=False*)
Contain and compute expectation values

class Options (*atol=1e-08*, *rtol=1e-06*, *method='adams'*, *order=12*, *nsteps=1000*, *first_step=0*, *max_step=0*, *min_step=0*, *average_expect=True*, *average_states=False*, *tidy=True*, *num_cpus=0*, *norm_tol=0.001*, *norm_t_tol=1e-06*, *norm_steps=5*, *rhs_reuse=False*, *rhs_filename=None*, *ntraj=500*, *gui=False*, *rhs_with_state=False*, *store_final_state=False*, *store_states=False*, *steady_state_average=False*, *seeds=None*, *normalize_output=True*, *use_openmp=None*, *openmp_threads=None*)

Class of options for evolution solvers such as *qutip.mesolve* and *qutip.mcsolve*. Options can be specified either as arguments to the constructor:

```
opts = Options(order=10, ...)
```

or by changing the class attributes after creation:

```
opts = Options()
opts.order = 10
```

Returns options class to be used as options in evolution solvers.

Attributes

atol [float {1e-8}] Absolute tolerance.

rtol [float {1e-6}] Relative tolerance.

method [str {'adams','bdf'}] Integration method.

order [int {12}] Order of integrator (<=12 'adams', <=5 'bdf')

nsteps [int {2500}] Max. number of internal steps/call.

first_step [float {0}] Size of initial step (0 = automatic).

min_step [float {0}] Minimum step size (0 = automatic).

max_step [float {0}] Maximum step size (0 = automatic)

tidy [bool {True,False}] Tidyup Hamiltonian and initial state by removing small terms.

num_cpus [int] Number of cpus used by mcsolver (default = # of cpus).

norm_tol [float] Tolerance used when finding wavefunction norm in mcsolve.

norm_steps [int] Max. number of steps used to find wavefunction norm to within norm_tol in mcsolve.

average_states [bool {False}] Average states values over trajectories in stochastic solvers.

average_expect [bool {True}] Average expectation values over trajectories for stochastic solvers.

mc_corr_eps [float {1e-10}] Arbitrarily small value for eliminating any divide-by-zero errors in correlation calculations when using mcsolve.

ntraj [int {500}] Number of trajectories in stochastic solvers.

openmp_threads [int] Number of OPENMP threads to use. Default is number of cpu cores.

- rhs_reuse** [bool {False, True}] Reuse Hamiltonian data.
- rhs_with_state** [bool {False, True}] Whether or not to include the state in the Hamiltonian function callback signature.
- rhs_filename** [str] Name for compiled Cython file.
- seeds** [ndarray] Array containing random number seeds for mcsolver.
- store_final_state** [bool {False, True}] Whether or not to store the final state of the evolution in the result class.
- store_states** [bool {False, True}] Whether or not to store the state vectors or density matrices in the result class, even if expectation values operators are given. If no expectation are provided, then states are stored by default and this option has no effect.
- use_openmp** [bool {True, False}] Use OPENMP for sparse matrix vector multiplication. Default None means auto check.

class Result

Class for storing simulation results from any of the dynamics solvers.

Attributes

- solver** [str] Which solver was used [e.g., 'mesolve', 'mcsolve', 'brmesolve', ...]
- times** [list/array] Times at which simulation data was collected.
- expect** [list/array] Expectation values (if requested) for simulation.
- states** [array] State of the simulation (density matrix or ket) evaluated at `times`.
- num_expect** [int] Number of expectation value operators in simulation.
- num_collapse** [int] Number of collapse operators in simulation.
- ntraj** [int/list] Number of trajectories (for stochastic solvers). A list indicates that averaging of expectation values was done over a subset of total number of trajectories.
- col_times** [list] Times at which state collapse occurred. Only for Monte Carlo solver.
- col_which** [list] Which collapse operator was responsible for each collapse in `col_times`. Only for Monte Carlo solver.

class SolverConfiguration

class Stats (*section_names=None*)

Statistical information on the solver performance Statistics can be grouped into sections. If no section names are given in the the constructor, then all statistics will be added to one section 'main'

Parameters

- section_names** [list] list of keys that will be used as keys for the sections These keys will also be used as names for the sections The text in the output can be overridden by setting the header property of the section If no names are given then one section called 'main' is created

Attributes

- sections** [OrderedDict of _StatsSection] These are the sections that are created automatically on instantiation or added using `add_section`
- header** [string] Some text that will be used as the heading in the report By default there is None
- total_time** [float] Time in seconds for the solver to complete processing Can be None, meaning that total timing percentages will be reported

Methods

<code>add_section(self, name)</code>	Add another section with the given name
<code>add_count(self, key, value[, section])</code>	Add value to count.
<code>add_timing(self, key, value[, section])</code>	Add value to timing.
<code>add_message(self, key, value[, section, sep])</code>	Add value to message.

report: Output the statistics report to console or file.

add_count (*self, key, value, section=None*)

Add value to count. If key does not already exist in section then it is created with this value. If key already exists it is increased by the give value value is expected to be an integer

Parameters

key [string] key for the section.counts dictionary reusing a key will result in numerical addition of value

value [int] Initial value of the count, or added to an existing count

section: string or `class` [_StatsSection] Section which to add the count to. If None given, the default (first) section will be used

add_message (*self, key, value, section=None, sep=';'*)

Add value to message. If key does not already exist in section then it is created with this value. If key already exists the value is added to the message The value will be converted to a string

Parameters

key [string] key for the section.messages dictionary reusing a key will result in concatenation of value

value [int] Initial value of the message, or added to an existing message

sep [string] Message will be prefixed with this string when concatenating

section: string or `class` [_StatsSection] Section which to add the message to. If None given, the default (first) section will be used

add_section (*self, name*)

Add another section with the given name

Parameters

name [string] will be used as key for sections dict will also be the header for the section

Returns

section [class] The new section

add_timing (*self, key, value, section=None*)

Add value to timing. If key does not already exist in section then it is created with this value. If key already exists it is increased by the give value value is expected to be a float, and given in seconds.

Parameters

key [string] key for the section.timings dictionary reusing a key will result in numerical addition of value

value [int] Initial value of the timing, or added to an existing timing

section: string or `class` [_StatsSection] Section which to add the timing to. If None given, the default (first) section will be used

clear (*self*)

Clear counts, timings and messages from all sections

report (*self*, *output*=<*io.TextIOWrapper* *name*='<stdout>' *mode*='w' *encoding*='UTF-8'>)

Report the counts, timings and messages from the sections. Sections are reported in the order that the names were supplied in the constructor. The counts, timings and messages are reported in the order that they are added to the sections. The output can be written to anything that supports a write method, e.g. a file or the console (default). The output is intended to be in markdown format.

Parameters

output [*stream*] file or console stream - anything that supports write - where the output will be written

set_total_time (*self*, *value*, *section*=None)

Sets the total time for the complete solve or for a specific section. *value* is expected to be a float, and given in seconds.

Parameters

value [*float*] Time in seconds to complete the solver section

section [*string* or *class*] Section which to set the total_time for. If None given, the total_time for complete solve is set.

```
class StochasticSolverOptions (me, H=None, c_ops=[], sc_ops=[], state0=None,
                                e_ops=[], m_ops=None, store_all_expect=False,
                                store_measurement=False, dW_factors=None,
                                solver=None, method='homodyne', normalize=None,
                                times=None, nsubsteps=1, ntraj=1, tol=None,
                                generate_noise=None, noise=None, progress_bar=None,
                                map_func=None, map_kwargs=None, args={},
                                options=None, noiseDepth=20)
```

Class of options for stochastic solvers such as `qutip.stochastic.ssesolve`, `qutip.stochastic.smesolve`, etc.

The stochastic solvers `qutip.stochastic.general_stochastic`, `qutip.stochastic.ssesolve`, `qutip.stochastic.smesolve`, `qutip.stochastic.photocurrent_sesolve` and `qutip.stochastic.photocurrent_mesolve` all take the same keyword arguments as the constructor of these classes, and internally they use these arguments to construct an instance of this class, so it is rarely needed to explicitly create an instance of this class.

Attributes

H [`qutip.Qobj`, time-dependent Qobj as a list*] System Hamiltonian.

state0 [`qutip.Qobj`] Initial state vector (ket) or density matrix.

times [*list* / *array*] List of times for *t*. Must be uniformly spaced.

c_ops [list of `qutip.Qobj`, `qutip.QobjEvo` or [Qobj, coeff*]] List of deterministic collapse operators.

sc_ops [list of `qutip.Qobj`, `qutip.QobjEvo` or [Qobj, coeff*]] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the d1 and d2 functions are defined.

e_ops [list of `qutip.Qobj`] Single operator or list of operators for which to evaluate expectation values.

m_ops [list of `qutip.Qobj`] List of operators representing the measurement operators. The expected format is a nested list with one measurement operator for each stochastic increment, for each stochastic collapse operator.

args [dict] Dictionary of parameters for time dependent systems.

tol [float] Tolerance of the solver for implicit methods.

ntraj [int] Number of trajectories.

nsubsteps [int] Number of sub steps between each time-step given in *times*.

dW_factors [array] Array of length `len(sc_ops)`, containing scaling factors for each measurement operator in `m_ops`.

solver [string] Name of the solver method to use for solving the stochastic equations. Valid values are: order 1/2 algorithms: 'euler-maruyama', 'pc-euler', 'pc-euler-imp' order 1 algorithms: 'milstein', 'platen', 'milstein-imp', 'rouchon' order 3/2 algorithms: 'taylor1.5', 'taylor1.5-imp', 'explicit1.5' order 2 algorithms: 'taylor2.0' call help of `qutip.stochastic.stochastic_solvers` for a description of the solvers. Implicit methods can adjust tolerance via the kw 'tol' default is {'tol':1e-6}

method [string ('homodyne', 'heterodyne')] The name of the type of measurement process that give rise to the stochastic equation to solve.

store_all_expect [bool (default False)] Whether or not to store the `e_ops` expect values for all paths.

store_measurement [bool (default False)] Whether or not to store the measurement results in the `qutip.solver.Result` instance returned by the solver.

noise [int, array[int, 1d], array[double, 4d]] int : seed of the noise array[int, 1d], length = ntraj, seeds for each trajectories array[double, 4d] (ntraj, len(times), nsubsteps, len(sc_ops)*[1|2])
vector for the noise, the len of the last dimensions is doubled for solvers of order 1.5. The correspond to results.noise

noiseDepth [int] Number of terms kept of the truncated series used to create the noise used by taylor2.0 solver.

normalize [bool] (default True for (photo)ssesolve, False for (photo)smesolve) Whether or not to normalize the wave function during the evolution. Normalizing density matrices introduce numerical errors.

options [`qutip.solver.Options`] Generic solver options. Only options.average_states and options.store_states are used.

map_func: function A map function or managing the calls to single-trajectory solvers.

map_kwargs: dictionary Optional keyword arguments to the map_func function function.

progress_bar [`qutip.ui.BaseProgressBar`] Optional progress bar class instance.

*

time-dependent Qobj can be used for H, c_ops and sc_ops.

The format for time-dependent system hamiltonian is:

$$H = [Qobj0, [Qobj1, coeff1], [Qobj2, coeff2], \dots] = Qobj0 + Qobj1 * coeff1(t) + Qobj2 * coeff2(t)$$

coeff function can be: function: `coeff(t, args) -> complex str: "sin(1j*w*t)"`
`np.array[complex, 1d]` of length equal to the times array

The argument args for the function coeff is the args keyword argument of the stochastic solver.

Likewisem in str cases, the parameters ('w' in this case) are taken from the args keywords argument.

While mixing coeff type does not results in errors, it is not recommended.

For the collapse operators (c_ops, sc_ops):

Each operators can only be composed of 1 Qobj.

`c_ops = [c_op1, c_op2, ...]`

where, `c_opN = Qobj` or `[Qobj,coeff]`

The coeff format is the same as for the Hamiltonian.

5.1.8 Permutational Invariance

class Dicke (*N*, *hamiltonian=None*, *emission=0.0*, *dephasing=0.0*, *pumping=0.0*, *collective_emission=0.0*, *collective_dephasing=0.0*, *collective_pumping=0.0*)

The Dicke class which builds the Lindbladian and Liouvillian matrix.

Parameters

N: int The number of two-level systems.

hamiltonian [*qutip.Qobj*] A Hamiltonian in the Dicke basis.

The matrix dimensions are (nds, nds), with nds being the number of Dicke states. The Hamiltonian can be built with the operators given by the *jspin* functions.

emission: float Incoherent emission coefficient (also nonradiative emission). default: 0.0

dephasing: float Local dephasing coefficient. default: 0.0

pumping: float Incoherent pumping coefficient. default: 0.0

collective_emission: float Collective (superradiant) emission coefficient. default: 0.0

collective_pumping: float Collective pumping coefficient. default: 0.0

collective_dephasing: float Collective dephasing coefficient. default: 0.0

Attributes

N: int The number of two-level systems.

hamiltonian [*qutip.Qobj*] A Hamiltonian in the Dicke basis.

The matrix dimensions are (nds, nds), with nds being the number of Dicke states. The Hamiltonian can be built with the operators given by the *jspin* function in the “dicke” basis.

emission: float Incoherent emission coefficient (also nonradiative emission). default: 0.0

dephasing: float Local dephasing coefficient. default: 0.0

pumping: float Incoherent pumping coefficient. default: 0.0

collective_emission: float Collective (superradiant) emission coefficient. default: 0.0

collective_dephasing: float Collective dephasing coefficient. default: 0.0

collective_pumping: float Collective pumping coefficient. default: 0.0

nds: int The number of Dicke states.

dshape: tuple The shape of the Hilbert space in the Dicke or uncoupled basis. default: (nds, nds).

c_ops (*self*)

Build collapse operators in the full Hilbert space 2^N .

Returns

c_ops_list: list The list with the collapse operators in the 2^N Hilbert space.

coefficient_matrix (*self*)

Build coefficient matrix for ODE for a diagonal problem.

Returns

M: ndarray The matrix *M* of the coefficients for the ODE $dp/dt = Mp$. *p* is the vector of the diagonal matrix elements of the density matrix *rho* in the Dicke basis.

lindbladian (*self*)

Build the Lindbladian superoperator of the dissipative dynamics.

Returns

lindbladian [*qutip.Qobj*] The Lindbladian matrix as a *qutip.Qobj*.

liouvillian (*self*)

Build the total Liouvillian using the Dicke basis.

Returns

liouv [*qutip.Qobj*] The Liouvillian matrix for the system.

pisolve (*self, initial_state, tlist, options=None*)

Solve for diagonal Hamiltonians and initial states faster.

Parameters

initial_state [*qutip.Qobj*] An initial state specified as a density matrix of *qutip.Qobj* type.

tlist: ndarray A 1D numpy array of list of timesteps to integrate

options [*qutip.solver.Options*] The options for the solver.

Returns

result: list A dictionary of the type *qutip.solver.Result* which holds the results of the evolution.

class Pim (*N, emission=0.0, dephasing=0, pumping=0, collective_emission=0, collective_pumping=0, collective_dephasing=0*)

The Permutation Invariant Matrix class.

Initialize the class with the parameters for generating a Permutation Invariant matrix which evolves a given diagonal initial state *p* as:

$$dp/dt = Mp$$

Parameters

N: int The number of two-level systems.

emission: float Incoherent emission coefficient (also nonradiative emission). default: 0.0

dephasing: float Local dephasing coefficient. default: 0.0

pumping: float Incoherent pumping coefficient. default: 0.0

collective_emission: float Collective (superradiant) emission coefficient. default: 0.0

collective_pumping: float Collective pumping coefficient. default: 0.0

collective_dephasing: float Collective dephasing coefficient. default: 0.0

Attributes

N: int The number of two-level systems.

emission: float Incoherent emission coefficient (also nonradiative emission). default: 0.0

dephasing: float Local dephasing coefficient. default: 0.0

pumping: float Incoherent pumping coefficient. default: 0.0

collective_emission: float Collective (superradiant) emission coefficient. default: 0.0

collective_dephasing: float Collective dephasing coefficient. default: 0.0

collective_pumping: float Collective pumping coefficient. default: 0.0

M: dict A nested dictionary of the structure {row: {col: val}} which holds non zero elements of the matrix M

calculate_j_m (*self*, *dicke_row*, *dicke_col*)

Get the value of j and m for the particular Dicke space element.

Parameters

dicke_row, dicke_col: int The row and column from the Dicke space matrix

Returns

j, m: float The j and m values.

calculate_k (*self*, *dicke_row*, *dicke_col*)

Get k value from the current row and column element in the Dicke space.

Parameters

dicke_row, dicke_col: int The row and column from the Dicke space matrix.

Returns

k: int The row index for the matrix M for given Dicke space element.

coefficient_matrix (*self*)

Generate the matrix M governing the dynamics for diagonal cases.

If the initial density matrix and the Hamiltonian is diagonal, the evolution of the system is given by the simple ODE: $dp/dt = Mp$.

isdicke (*self*, *dicke_row*, *dicke_col*)

Check if an element in a matrix is a valid element in the Dicke space. Dicke row: j value index. Dicke column: m value index. The function returns True if the element exists in the Dicke space and False otherwise.

Parameters

dicke_row, dicke_col [int] Index of the element in Dicke space which needs to be checked

solve (*self*, *rho0*, *tlist*, *options=None*)

Solve the ODE for the evolution of diagonal states and Hamiltonians.

tau1 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j, m, m).

tau2 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j, m+1, m+1).

tau3 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j+1, m+1, m+1).

tau4 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j-1, m+1, m+1).

tau5 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j+1, m, m).

tau6 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j-1, m, m).

tau7 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j+1, m-1, m-1).

tau8 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j, m-1, m-1).

tau9 (*self*, *j*, *m*)

Calculate coefficient matrix element relative to (j-1, m-1, m-1).

tau_valid (*self, dicke_row, dicke_col*)

Find the Tau functions which are valid for this value of (*dicke_row, dicke_col*) given the number of TLS. This calculates the valid tau values and returns a dictionary specifying the tau function name and the value.

Parameters

dicke_row, dicke_col [int] Index of the element in Dicke space which needs to be checked.

Returns

taus: dict A dictionary of key, val as {tau: value} consisting of the valid taus for this row and column of the Dicke space element.

5.1.9 One-Dimensional Lattice

class Lattice1d (*num_cell=10, boundary='periodic', cell_num_site=1, cell_site_dof=[1], Hamiltonian_of_cell=None, inter_hop=None*)

A class for representing a 1d crystal.

The Lattice1d class can be defined with any specific unit cells and a specified number of unit cells in the crystal. It can return dispersion relationship, position operators, Hamiltonian in the position representation etc.

Parameters

num_cell [int] The number of cells in the crystal.

boundary [str] Specification of the type of boundary the crystal is defined with.

cell_num_site [int] The number of sites in the unit cell.

cell_site_dof [list of int/ int] The tensor structure of the degrees of freedom at each site of a unit cell.

Hamiltonian_of_cell [qutip.Qobj] The Hamiltonian of the unit cell.

inter_hop [qutip.Qobj / list of Qobj] The coupling between the unit cell at *i* and at (*i*+unit vector)

Attributes

num_cell [int] The number of unit cells in the crystal.

cell_num_site [int] The number of sites in a unit cell.

length_for_site [int] The length of the dimension per site of a unit cell.

cell_tensor_config [list of int] The tensor structure of the cell in the form [cell_num_site, cell_site_dof:][0]

lattice_tensor_config [list of int] The tensor structure of the crystal in the form [num_cell, cell_num_site, cell_site_dof:][0]

length_of_unit_cell [int] The length of the dimension for a unit cell.

period_bnd_cond_x [int] 1 indicates “periodic” and 0 indicates “hardwall” boundary condition

inter_vec_list [list of list] The list of list of coefficients of inter unitcell vectors’ components along Cartesian unit vectors.

lattice_vectors_list [list of list] The list of list of coefficients of lattice basis vectors’ components along Cartesian unit vectors.

H_intra [qutip.Qobj] The Qobj storing the Hamiltonian of the unit cell.

H_inter_list [list of Qobj/ qutip.Qobj] The list of coupling terms between unit cells of the lattice.

is_real [bool] Indicates if the Hamiltonian is real or not.

Methods

Hamiltonian()	Hamiltonian of the crystal.
basis()	basis with the particle localized at a certain cell, site with specified degree of freedom.
distribute_operator()	Distributes an input operator over all the cells.
x()	Position operator for the crystal.
k()	Crystal momentum operator for the crystal.
operator_at_cells()	Distributes an input operator over user specified cells .
operator_between_cells()	A function that returns an operator matrix that applies an operator between a two specified cells.
plot_dispersion()	Plots dispersion relation of the crystal.
get_dispersion()	Returns the dispersion relation of the crystal.
bloch_wave_functions()	Returns the eigenstates of the Hamiltonian (which are Bloch wavefunctions) for a translationally symmetric periodic lattice.
array_of_unks()	Returns eigenvectors of the bulk Hamiltonian, i.e. the cell periodic part of the Bloch wavefunctions in a numpy.ndarray for translationally symmetric lattices with periodic boundary condition.
bulk_Hamiltonians()	Returns the bulk Hamiltonian for the lattice at the good quantum numbers of lattice momentum, k in a numpy ndarray of Qobj's.

Hamiltonian (self)

Returns the lattice Hamiltonian for the instance of Lattice1d.

Returns

Qobj(Hamil) [qutip.Qobj] oper type Quantum object representing the lattice Hamiltonian.

basis (self, cell, site, dof_ind)

Returns a single particle wavefunction ket with the particle localized at a specified dof at a specified site of a specified cell.

Parameters

- **cell** (*int*) – The cell at which the particle is to be localized.
- **site** (*int*) – The site of the cell at which the particle is to be localized.
- **dof_ind** (*int/ list of int*) – The index of the degrees of freedom with which the sigle particle is to be localized.

Returns

vec_i [qutip.Qobj] ket type Quantum object representing the localized particle.

bloch_wave_functions (self)

Returns eigenvectors ($\psi_n(k)$) of the Hamiltonian in a numpy.ndarray for translationally symmetric lattices with periodic boundary condition.

angle = $\mathbf{k} \cdot \mathbf{a}_n$ angle otimes $u_n(k)$ angle

$u_n(k)$

angle = $a_n(k) \mathbf{a}_n$ angle + $b_n(k) \mathbf{b}_n$ angle

end{eqnarray}

Please see section 1.2 of Asbóth, J. K., Oroszlány, L., & Pályi, A. (2016). A short course on topological insulators. Lecture notes in physics, 919 for a review.

Returns

eigenstates [ordered np.array] eigenstates[j][0] is the jth eigenvalue. eigenstates[j][1] is the corresponding eigenvector.

bulk_Hamiltonians (*self*)

Returns the bulk momentum space Hamiltonian ($H(k)$) for the lattice at the good quantum numbers of k in a numpy ndarray of Qobj's.

Please see section 1.2 of Asbóth, J. K., Oroszlány, L., & Pályi, A. (2016). A short course on topological insulators. Lecture notes in physics, 919 for a review.

Returns

knxa [np.array] knxA[j][0] is the jth good Quantum number k .

qH_ks [np.ndarray of Qobj's] qH_ks[j] is the Oobj of type oper that holds a bulk Hamiltonian for a good quantum number k .

cell_periodic_parts (*self*)

Returns eigenvectors of the bulk Hamiltonian, i.e. the cell periodic part ($u_n(k)$) of the Bloch wavefunctions in a numpy.ndarray for translationally symmetric lattices with periodic boundary condition.

angle = \sum_k angle \otimes $|u_n(k)\rangle$ angle

$u_n(k)$

angle = $a_n(k)|a\rangle + b_n(k)|b\rangle$ angle

end{eqnarray}

Please see section 1.2 of Asbóth, J. K., Oroszlány, L., & Pályi, A. (2016). A short course on topological insulators. Lecture notes in physics, 919 for a review.

Returns

knxa [np.array]

knxA[j][0] is the jth good Quantum number k .

vec_kns [np.ndarray of Qobj's] vec_kns[j] is the Oobj of type ket that holds an eigenvector of the bulk Hamiltonian of the lattice.

display_lattice (*self*)

Produces a graphic portraying the lattice symbolically with a unit cell marked in it.

Returns

inter_T [Qobj] The coefficient of $\psi_{i,N}^\dagger \psi_{0,i+1}$, i.e. the coupling between the two boundary sites of the two unit cells i and $i+1$.

display_unit_cell (*self*, *label_on=False*)

Produces a graphic displaying the unit cell features with labels on if defined by user. Also returns a dict of Qobj's corresponding to the labeled elements on the display.

Returns

Hcell [dict] Hcell[i][j] is the Hamiltonian segment for $H_{i,j}$ labeled on the graphic.

distribute_operator (*self*, *op*)

A function that returns an operator matrix that applies *op* to all the cells in the 1d lattice

Parameters `op` (`qutip.Qobj`) – Qobj representing the operator to be applied at all cells.

Returns

`op_H` [`qutip.Qobj`] Quantum object representing the operator with `op` applied at all cells.

get_dispersion (*self*, *knpoints=0*)

Returns dispersion relationship for the lattice with the specified number of unit cells with a `k` array and a band energy array.

Returns

`knxa` [`np.array`] `knxA[j][0]` is the *j*th good Quantum number `k`.

`val_kns` [`np.array`] `val_kns[j][:]` is the array of band energies of the *j*th band good at all the good Quantum numbers of `k`.

k (*self*)

Returns the crystal momentum operator. All degrees of freedom has the cell number at their corresponding entry in the position operator.

Returns

`Qobj(ks)` [`qutip.Qobj`] The crystal momentum operator in units of $1/a$. `L` is the number of unit cells, `a` is the length of a unit cell which is always taken to be 1.

operator_at_cells (*self*, *op*, *cells*)

A function that returns an operator matrix that applies `op` to specific cells specified in the cells list

Parameters

`op` [`qutip.Qobj`] Qobj representing the operator to be applied at certain cells.

`cells`: list of int The cells at which the operator `op` is to be applied.

Returns

`Qobj(op_H)` [`Qobj`] Quantum object representing the operator with `op` applied at the specified cells.

operator_between_cells (*self*, *op*, *row_cell*, *col_cell*)

A function that returns an operator matrix that applies `op` to specific cells specified in the cells list

Parameters

`op` [`qutip.Qobj`] Qobj representing the operator to be put between cells `row_cell` and `col_cell`.

`row_cell`: int The row index for cell for the operator `op` to be applied.

`col_cell`: int The column index for cell for the operator `op` to be applied.

Returns

`oper_bet_cell` [`Qobj`] Quantum object representing the operator with `op` applied between the specified cells.

plot_dispersion (*self*)

Plots the dispersion relationship for the lattice with the specified number of unit cells. The dispersion of the infinite crystal is also plotted if `num_cell` is smaller than `MAXc`.

winding_number (*self*)

Returns the winding number for a lattice that has chiral symmetry and also plots the trajectory of (dx,dy) (`dx,dy` are the coefficients of `sigmax` and `sigmay` in the Hamiltonian respectively) on a plane.

Returns

`winding_number` [int or str] `knxA[j][0]` is the *j*th good Quantum number `k`.

x (*self*)

Returns the position operator. All degrees of freedom has the cell number at their corresponding entry in the position operator.

Returns

Qobj(xs) [qutip.Qobj] The position operator.

5.1.10 Distribution functions

class Distribution (*data=None, xvecs=[], xlabel=[]*)

A class for representation spatial distribution functions.

The Distribution class can be used to represent spatial distribution functions of arbitrary dimension (although only 1D and 2D distributions are used so far).

It is intended as a base class for specific distribution function, and provide implementation of basic functions that are shared among all Distribution functions, such as visualization, calculating marginal distributions, etc.

Parameters

data [array_like] Data for the distribution. The dimensions must match the lengths of the coordinate arrays in xvecs.

xvecs [list] List of arrays that spans the space for each coordinate.

xlabels [list] List of labels for each coordinate.

marginal (*self, dim=0*)

Calculate the marginal distribution function along the dimension *dim*. Return a new Distribution instance describing this reduced- dimensionality distribution.

Parameters

dim [int] The dimension (coordinate index) along which to obtain the marginal distribution.

Returns

d [Distributions] A new instances of Distribution that describes the marginal distribution.

project (*self, dim=0*)

Calculate the projection (max value) distribution function along the dimension *dim*. Return a new Distribution instance describing this reduced-dimensionality distribution.

Parameters

dim [int] The dimension (coordinate index) along which to obtain the projected distribution.

Returns

d [Distributions] A new instances of Distribution that describes the projection.

visualize (*self, fig=None, ax=None, figsize=(8, 6), colorbar=True, cmap=None, style='colormap', show_xlabel=True, show_ylabel=True*)

Visualize the data of the distribution in 1D or 2D, depending on the dimensionality of the underlying distribution.

Parameters:

fig [matplotlib Figure instance] If given, use this figure instance for the visualization,

ax [matplotlib Axes instance] If given, render the visualization using this axis instance.

figsize [tuple] Size of the new Figure instance, if one needs to be created.

colorbar: Bool Whether or not the colorbar (in 2D visualization) should be used.

cmap: matplotlib colormap instance If given, use this colormap for 2D visualizations.

style [string] Type of visualization: 'colormap' (default) or 'surface'.

Returns

fig, ax [tuple] A tuple of matplotlib figure and axes instances.

class WignerDistribution (*rho=None, extent=[[-5, 5], [-5, 5]], steps=250*)

class QDistribution (*rho=None, extent=[[-5, 5], [-5, 5]], steps=250*)

class TwoModeQuadratureCorrelation (*state=None, theta1=0.0, theta2=0.0, extent=[[-5, 5], [-5, 5]], steps=250*)

update (*self, state*)

calculate probability distribution for quadrature measurement outcomes given a two-mode wavefunction or density matrix

update_psi (*self, psi*)

calculate probability distribution for quadrature measurement outcomes given a two-mode wavefunction

update_rho (*self, rho*)

calculate probability distribution for quadrature measurement outcomes given a two-mode density matrix

class HarmonicOscillatorWaveFunction (*psi=None, omega=1.0, extent=[-5, 5], steps=250*)

update (*self, psi*)

Calculate the wavefunction for the given state of an harmonic oscillator

class HarmonicOscillatorProbabilityFunction (*rho=None, omega=1.0, extent=[-5, 5], steps=250*)

update (*self, rho*)

Calculate the probability function for the given state of an harmonic oscillator (as density matrix)

5.1.11 Quantum information processing

class Gate (**args, **kwargs*)

Representation of a quantum gate, with its required parametrs, and target and control qubits.

Parameters

name [string] Gate name.

targets [list or int] Gate targets.

controls [list or int] Gate controls.

arg_value [float] Argument value(phi).

arg_label [string] Label for gate representation.

class QubitCircuit (**args, **kwargs*)

Representation of a quantum program/algorithm, maintaining a sequence of gates.

Parameters

N [int] Number of qubits in the system.

user_gates [dict] Define a dictionary of the custom gates. See examples for detail.

input_states [list] A list of string such as 0, '+', "A", "Y". Only used for latex.

dims [list] A list of integer for the dimension of each composite system. e.g [2,2,2,2,2] for 5 qubits system. If None, qubits system will be the default option.

Examples

```
>>> def user_gate():
...     mat = np.array([[1., 0],
...                     [0., 1.j]])
...     return Qobj(mat, dims=[[2], [2]])
>>> qc.QubitCircuit(2, user_gates={"T":user_gate})
>>> qc.add_gate("T", targets=[0])
```

class Processor (*N, t1=None, t2=None, dims=None, spline_kind='step_func'*)

A simulator of a quantum device based on the QuTiP solver `qutip.mesolve`. It is defined by the available driving Hamiltonian and the decoherence time for each component systems. The processor can simulate the evolution under the given control pulses. Noisy evolution is supported by `qutip.qip.Noise` and can be added to the processor.

Parameters

N: int The number of component systems.

t1: list or float, optional Characterize the decoherence of amplitude damping for each qubit. A list of size *N* or a float for all qubits.

t2: list of float, optional Characterize the decoherence of dephasing for each qubit. A list of size *N* or a float for all qubits.

dims: list, optional The dimension of each component system. Default value is a qubit system of `dim=[2, 2, 2, ..., 2]`

spline_kind: str, optional Type of the coefficient interpolation. Default is “step_func”
Note that they have different requirement for the length of `coeff`.

-“step_func”: The coefficient will be treated as a step function. E.g. `tlist=[0, 1, 2]` and `coeff=[3, 2]`, means that the coefficient is 3 in `t=[0,1)` and 2 in `t=[2,3)`. It requires `len(coeff)=len(tlist)-1` or `len(coeff)=len(tlist)`, but in the second case the last element of `coeff` has no effect.

-“cubic”: Use cubic interpolation for the coefficient. It requires `len(coeff)=len(tlist)`

Attributes

N: int The number of component systems.

pulses: list of :class:`qutip.qip.Pulse` A list of control pulses of this device

t1: float or list Characterize the decoherence of amplitude damping of each qubit.

t2: float or list Characterize the decoherence of dephasing for each qubit.

noise: :class:`qutip.qip.Noise`, optional A list of noise objects. They will be processed when creating the noisy `qutip.QobjEvo` from the processor or run the simulation.

drift: :class:`qutip.qip.Drift` A *Drift* object representing the drift Hamiltonians.

dims: list The dimension of each component system. Default value is a qubit system of `dim=[2, 2, 2, ..., 2]`

spline_kind: str Type of the coefficient interpolation. See parameters of `qutip.qip.Processor` for details.

add_control (*self, qobj, targets=None, cyclic_permutation=False, label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None, coeff = None`). To activate the pulse, one can set its `tlist` and `coeff`.

Parameters

qobj: :class:`qutip.Qobj` The Hamiltonian for the control pulse..

targets: list, optional The indices of the target qubits (or subquantum system of other dimensions).

cyclic_permutation: bool, optional If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.

label: str, optional The label (name) of the pulse

add_drift (*self, qobj, targets, cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self, noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self, pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self, U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: array-like 2d The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: array-like 1d The full time sequence for the ideal evolution.

get_noisy_pulses (*self, device_noise=False, drift=False*)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: bool, optional If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: bool, optional If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: list of :class"qutip.qip.Pulse/qutip.qip.Drift A list of noisy pulses.

get_qobjevo (*self, args=None, noisy=False*)

Create a *qutip.QobjEvo* representation of the evolution. It calls the method *get_noisy_pulses* and create the *QobjEvo* from it.

Parameters

args: dict, optional Arguments for *qutip.QobjEvo*

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: qutip.QobjEvo The *qutip.QobjEvo* representation of the unitary evolution.

c_ops: list of qutip.QobjEvo A list of lindblad operators is also returned. if *noisy==False*, it is always an empty list.

load_circuit (*self, qc*)

Translate an *qutip.qip.QubitCircuit* to its corresponding Hamiltonians. (Defined in subclasses)

plot_pulses (*self, title=None, figsize=None, dpi=None*)

Plot the pulse amplitude

Parameters

noisy: bool, optional If true, plot the noisy pulses.

title: str Title for the plot.

figsize: tuple The size of the figure

dpi: int The dpi of the figure

Returns

fig: matplotlib.figure.Figure The *Figure* object for the plot.

ax: matplotlib.axes._subplots.AxesSubplot The axes for the plot.

Notes

plot_pulses only works for *array_like* coefficients

read_coeff (*self, file_name, inctime=True*)

Read the control amplitudes matrix and time list saved in the file by *save_amp*.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list is included in the first column.

Returns

tlist: array_like The time list read from the file.

coeffs: array_like The pulse matrix read from the file.

remove_pulse (*self, indices*)

Remove the control pulse with given indices.

Parameters

indices: int or list of int The indices of the control Hamiltonians to be removed.

run (*self*, *qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

Returns

U_list: list The propagator matrix obtained from the physical implementation.

run_analytically (*self*, *init_state=None*, *qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

init_state: :class:`qutip.Qobj`, optional The initial state of the qubits in the register.

Returns

evo_result: qutip.Result An instance of the class *qutip.Result* will be returned.

run_state (*self*, *init_state=None*, *analytical=False*, *states=None*, *noisy=True*, ****kwargs**)

If *analytical* is False, use *qutip.mesolve* to calculate the time of the state evolution and return the result. Other arguments of *mesolve* can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices. Noise will be neglected in this choice.

Parameters

init_state: Qobj Initial density matrix or state vector (ket).

analytical: bool If True, calculate the evolution with matrices exponentiation.

states: :class:`qutip.Qobj`, optional Old API, same as *init_state*.

****kwargs** Keyword arguments for the *qutip* solver.

Returns

evo_result: qutip.Result If *analytical* is False, an instance of the class *qutip.Result* will be returned.

If *analytical* is True, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list should be included in the first column.

set_all_tlist (*self*, *tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: array-like, optional A list of time at which the time-dependent coefficients are applied. See `qutip.qip.Pulse` for detailed information`

class OptPulseProcessor (*N, drift=None, t1=None, t2=None, dims=None*)

A processor, which takes the Hamiltonian available as dynamic generators, calls the `qutip.control.optimize_pulse_unitary` function to find an optimized pulse sequence for the desired quantum circuit. The processor can simulate the evolution under the given control pulses using `qutip.mesolve`. (For attributes documentation, please refer to the parent class `qutip.qip.device.Processor`)

Parameters

N: int The number of component systems.

drift: `:class:`qutip.Qobj` The drift Hamiltonian. The size must match the whole quantum system.

t1: list or float Characterize the decoherence of amplitude damping for each qubit. A list of size *N* or a float for all qubits.

t2: list of float Characterize the decoherence of dephasing for each qubit. A list of size *N* or a float for all qubits.

dims: list The dimension of each component system. Default value is a qubit system of `dim=[2, 2, 2, ..., 2]`

add_control (*self, qobj, targets=None, cyclic_permutation=False, label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None, coeff = None`). To activate the pulse, one can set its `tlist` and `coeff`.

Parameters

qobj: :class:`qutip.Qobj` The Hamiltonian for the control pulse..

targets: list, optional The indices of the target qubits (or subquantum system of other dimensions).

cyclic_permutation: bool, optional If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.

label: str, optional The label (name) of the pulse

add_drift (*self, qobj, targets, cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self, noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self, pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self*, *U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: array-like 2d The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: array-like 1d The full time sequence for the ideal evolution.

get_noisy_pulses (*self*, *device_noise=False*, *drift=False*)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: bool, optional If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: bool, optional If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: list of :class"qutip.qip.Pulse/qutip.qip.Drift A list of noisy pulses.

get_qobjevo (*self*, *args=None*, *noisy=False*)

Create a *qutip.QobjEvo* representation of the evolution. It calls the method *get_noisy_pulses* and create the *QobjEvo* from it.

Parameters

args: dict, optional Arguments for *qutip.QobjEvo*

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: qutip.QobjEvo The *qutip.QobjEvo* representation of the unitary evolution.

c_ops: list of qutip.QobjEvo A list of lindblad operators is also returned. if *noisy==False*, it is always an empty list.

load_circuit (*self*, *qc*, *min_fid_err=inf*, *merge_gates=True*, *setting_args=None*, *verbose=False*, ***kwargs*)

Find the pulses realizing a given *qutip.qip.Circuit* using *qutip.control.optimize_pulse_unitary*. Further parameter for *qutip.control.optimize_pulse_unitary* needs to be given as keyword arguments. By default, it first merge all the gates into one unitary and then find the control pulses for it. It can be turned off and one can set different parameters for different gates. See examples for details.

Parameters

qc: :class"qutip.QubitCircuit" or list of Qobj The quantum circuit to be translated.

min_fid_err: float, optional The minimal fidelity tolerance, if the fidelity error of any gate decomposition is higher, a warning will be given. Default is infinite.

merge_gates: boolean, optional If True, merge all gate/Qobj into one Qobj and then find the optimal pulses for this unitary matrix. If False, find the optimal pulses for each gate/Qobj.

setting_args: dict, optional Only considered if merge_gates is False. It is a dictionary containing keyword arguments for different gates.

E.g: `setting_args = {"SNOT": {"num_tslots": 10, "evo_time": 1},
"SWAP": {"num_tslots": 30, "evo_time": 3}, "CNOT": {"num_tslots": 30,
"evo_time": 3}}`

verbose: boolean, optional If true, the information for each decomposed gate will be shown. Default is False.

****kwargs** keyword arguments for `qutip.control.optimize_pulse_unitary`

Returns

tlist: array_like A NumPy array specifies the time of each coefficient

coeffs: array_like A 2d NumPy array of the shape $(\text{len}(\text{ctrls}), \text{len}(\text{tlist})-1)$. Each row corresponds to the control pulse sequence for one Hamiltonian.

Notes

$\text{len}(\text{tlist})-1=\text{coeffs.shape}[1]$ since tlist gives the beginning and the end of the pulses

Examples

```
# Same parameter for all the gates qc = QubitCircuit(N=1) qc.add_gate("SNOT", 0)
num_tslots = 10 evo_time = 10 processor = OptPulseProcessor(N=1, drift=sigmaz(), ctrls=[sigmax()])
# num_tslots and evo_time are two keyword arguments tlist, coeffs = processor.load_circuit(
    qc, num_tslots=num_tslots, evo_time=evo_time)

# Different parameters for different gates qc = QubitCircuit(N=2) qc.add_gate("SNOT", 0)
qc.add_gate("SWAP", targets=[0, 1]) qc.add_gate("CNOT", controls=1, targets=[0])

processor = OptPulseProcessor(N=2, drift=tensor([sigmaz()]*2)) processor.add_control(sigmax(),
cyclic_permutation=True) processor.add_control(sigmay(), cyclic_permutation=True) proces-
sor.add_control(tensor([sigmay(), sigmay()])) setting_args = {"SNOT": {"num_tslots": 10,
"evo_time": 1},
    "SWAP": {"num_tslots": 30, "evo_time": 3}, "CNOT": {"num_tslots": 30, "evo_time":
    3}}
```

tlist, coeffs = processor.load_circuit(qc, setting_args=setting_args, merge_gates=False)

plot_pulses (*self, title=None, figsize=None, dpi=None*)

Plot the pulse amplitude

Parameters

noisy: bool, optional If true, plot the noisy pulses.

title: str Title for the plot.

figsize: tuple The size of the figure

dpi: int The dpi of the figure

Returns

fig: `matplotlib.figure.Figure` The *Figure* object for the plot.

ax: `matplotlib.axes._subplots.AxesSubplot` The axes for the plot.

Notes

`plot_pulses` only works for `array_like` coefficients

read_coeff (*self*, *file_name*, *inctime=True*)

Read the control amplitudes matrix and time list saved in the file by *save_amp*.

Parameters

file_name: `string` Name of the file.

inctime: `bool, optional` True if the time list is included in the first column.

Returns

tlist: `array_like` The time list read from the file.

coeffs: `array_like` The pulse matrix read from the file.

remove_pulse (*self*, *indices*)

Remove the control pulse with given indices.

Parameters

indices: `int or list of int` The indices of the control Hamiltonians to be removed.

run (*self*, *qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: `:class:`qutip.qip.QubitCircuit``, `optional` Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

Returns

U_list: `list` The propagator matrix obtained from the physical implementation.

run_analytically (*self*, *init_state=None*, *qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: `:class:`qutip.qip.QubitCircuit``, `optional` Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

init_state: `:class:`qutip.Qobj``, `optional` The initial state of the qubits in the register.

Returns

evo_result: `qutip.Result` An instance of the class *qutip.Result* will be returned.

run_state (*self*, *init_state=None*, *analytical=False*, *states=None*, *noisy=True*, ***kwargs*)

If *analytical* is False, use *qutip.mesolve* to calculate the time of the state evolution and return the result. Other arguments of *mesolve* can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices. Noise will be neglected in this choice.

Parameters

init_state: `Qobj` Initial density matrix or state vector (ket).

analytical: bool If True, calculate the evolution with matrices exponentiation.

states: :class:`qutip.Qobj`, optional Old API, same as `init_state`.

****kwargs** Keyword arguments for the qutip solver.

Returns

evo_result: qutip.Result If `analytical` is False, an instance of the class `qutip.Result` will be returned.

If `analytical` is True, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list should be included in the first column.

set_all_tlist (*self*, *tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: array-like, optional A list of time at which the time-dependent coefficients are applied. See `qutip.qip.Pulse` for detailed information`

class ModelProcessor (*N*, *correct_global_phase=True*, *t1=None*, *t2=None*)

The base class for a circuit processor simulating a physical device, e.g cavityQED, spinchain. The available Hamiltonian of the system is predefined. The processor can simulate the evolution under the given control pulses either numerically or analytically. It cannot be used alone, please refer to the sub-classes. (Only additional attributes are documented here, for others please refer to the parent class `qutip.qip.device.Processor`)

Parameters

N: int The number of component systems.

correct_global_phase: boolean, optional If true, the analytical solution will track the global phase. It has no effect on the numerical solution.

t1: list or float Characterize the decoherence of amplitude damping for each qubit. A list of size *N* or a float for all qubits.

t2: list of float Characterize the decoherence of dephasing for each qubit. A list of size *N* or a float for all qubits.

Attributes

params: dict A Python dictionary contains the name and the value of the parameters in the physical realization, such as laser frequency, detuning etc.

correct_global_phase: float Save the global phase, the analytical solution will track the global phase. It has no effect on the numerical solution.

add_control (*self*, *qobj*, *targets=None*, *cyclic_permutation=False*, *label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None`, `coeff = None`). To activate the pulse, one can set its *tlist* and *coeff*.

Parameters

qobj: :class:`qutip.Qobj` The Hamiltonian for the control pulse..

targets: list, optional The indices of the target qubits (or subquantum system of other dimensions).

cyclic_permutation: bool, optional If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.

label: str, optional The label (name) of the pulse

add_drift (*self, qobj, targets, cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self, noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self, pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self, U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: array-like 2d The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: array-like 1d The full time sequence for the ideal evolution.

get_noisy_pulses (*self, device_noise=False, drift=False*)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: bool, optional If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: bool, optional If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: list of :class"*qutip.qip.Pulse/qutip.qip.Drift* A list of noisy pulses.

get_ops_and_u (*self*)

Get the labels for each Hamiltonian.

Returns

ctrls: list The list of Hamiltonians

coeffs: array_like The transposed pulse matrix

get_qobjevo (*self, args=None, noisy=False*)

Create a *qutip.QobjEvo* representation of the evolution. It calls the method *get_noisy_pulses* and create the *QobjEvo* from it.

Parameters

args: dict, optional Arguments for *qutip.QobjEvo*

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: *qutip.QobjEvo* The *qutip.QobjEvo* representation of the unitary evolution.

c_ops: list of *qutip.QobjEvo* A list of lindblad operators is also returned. if *noisy==False*, it is always an empty list.

load_circuit (*self, qc*)

Translate an *qutip.qip.QubitCircuit* to its corresponding Hamiltonians. (Defined in sub-classes)

plot_pulses (*self, title=None, noisy=None, figsize=(12, 6), dpi=None*)

Maps the physical interaction between the circuit components for the desired physical system.

Returns

fig, ax: Figure Maps the physical interaction between the circuit components.

pulse_matrix (*self*)

Generates the pulse matrix for the desired physical system.

Returns

t, u, labels: Returns the total time and label for every operation.

read_coeff (*self, file_name, inctime=True*)

Read the control amplitudes matrix and time list saved in the file by *save_amp*.

Parameters

file_name: string Name of the file.

incitime: bool, optional True if the time list is included in the first column.

Returns

tlist: array_like The time list read from the file.

coeffs: array_like The pulse matrix read from the file.

remove_pulse (*self, indices*)

Remove the control pulse with given indices.

Parameters

indices: int or list of int The indices of the control Hamiltonians to be removed.

run (*self, qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by `load_circuit`.

Returns

U_list: list The propagator matrix obtained from the physical implementation.

run_analytically (*self*, *init_state=None*, *qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by `load_circuit`.

init_state: :class:`qutip.Qobj`, optional The initial state of the qubits in the register.

Returns

evo_result: *qutip.Result* An instance of the class *qutip.Result* will be returned.

run_state (*self*, *init_state=None*, *analytical=False*, *qc=None*, *states=None*, ***kwargs*)

If *analytical* is False, use *qutip.mesolve* to calculate the time of the state evolution and return the result. Other arguments of *mesolve* can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices.

Parameters

init_state: *Qobj* Initial density matrix or state vector (ket).

analytical: boolean If True, calculate the evolution with matrices exponentiation.

qc: :class:`qutip.qip.QubitCircuit`, optional A quantum circuit. If given, it first calls the `load_circuit` and then calculate the evolution.

states: :class:`qutip.Qobj`, optional Old API, same as *init_state*.

****kwargs** Keyword arguments for the *qutip* solver.

Returns

evo_result: *qutip.Result* If *analytical* is False, an instance of the class *qutip.Result* will be returned.

If *analytical* is True, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list should be included in the first column.

set_all_tlist (*self*, *tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: array-like, optional A list of time at which the time-dependent coefficients are applied. See *qutip.qip.Pulse* for detailed information`

set_up_params (*self*)

Save the parameters in the attribute *params* and check the validity. (Defined in subclasses)

Notes

All parameters will be multiplied by 2π for simplicity

class SpinChain (*N, correct_global_phase, sx, sz, sxsy, t1, t2*)

The processor based on the physical implementation of a spin chain qubits system. The available Hamiltonian of the system is predefined. The processor can simulate the evolution under the given control pulses either numerically or analytically. It is a base class and should not be used directly, please refer the subclasses `qutip.qip.LinearSpinChain` and `qutip.qip.CircularSpinChain`. (Only additional attributes are documented here, for others please refer to the parent class `qutip.qip.device.ModelProcessor`)

Parameters

- N: int** The number of qubits in the system.
- correct_global_phase: float** Save the global phase, the analytical solution will track the global phase. It has no effect on the numerical solution.
- sx: int or list** The delta for each of the qubits in the system.
- sz: int or list** The epsilon for each of the qubits in the system.
- sxsy: int or list** The interaction strength for each of the qubit pair in the system.
- t1: list or float** Characterize the decoherence of amplitude damping for each qubit. A list of size *N* or a float for all qubits.
- t2: list of float** Characterize the decoherence of dephasing for each qubit. A list of size *N* or a float for all qubits.

Attributes

- sx: list** The delta for each of the qubits in the system.
- sz: list** The epsilon for each of the qubits in the system.
- sxsy: list** The interaction strength for each of the qubit pair in the system.
- sx_ops: list** A list of sigmax Hamiltonians for each qubit.
- sz_ops: list** A list of sigmaz Hamiltonians for each qubit.
- sxsy_ops: list** A list of tensor(sigmax, sigmay) interacting Hamiltonians for each qubit.
- sx_u: array_like** Pulse matrix for sigmax Hamiltonians.
- sz_u: array_like** Pulse matrix for sigmaz Hamiltonians.
- sxsy_u: array_like** Pulse matrix for tensor(sigmax, sigmay) interacting Hamiltonians.

add_control (*self, qobj, targets=None, cyclic_permutation=False, label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None, coeff = None`). To activate the pulse, one can set its `tlist` and `coeff`.

Parameters

- qobj: :class:`qutip.Qobj`** The Hamiltonian for the control pulse..
- targets: list, optional** The indices of the target qubits (or subquantum system of other dimensions).
- cyclic_permutation: bool, optional** If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.
- label: str, optional** The label (name) of the pulse

add_drift (*self, qobj, targets, cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self*, *noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self*, *pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

adjacent_gates (*self*, *qc*, *setup*='linear')

Method to resolve 2 qubit gates with non-adjacent control/s or target/s in terms of gates with adjacent interactions for linear/circular spin chain system.

Parameters

qc: :class:`qutip.QubitCircuit` The circular spin chain circuit to be resolved

setup: **Boolean** Linear of Circular spin chain setup

Returns

qc: **qutip.QubitCircuit** Returns QubitCircuit of resolved gates for the qubit circuit in the desired basis.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self*, *U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: **array-like 2d** The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: **array-like 1d** The full time sequence for the ideal evolution.

get_noisy_pulses (*self*, *device_noise*=False, *drift*=False)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: bool, optional If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: bool, optional If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: list of :class"qutip.qip.Pulse/qutip.qip.Drift A list of noisy pulses.

get_ops_and_u (*self*)

Get the labels for each Hamiltonian.

Returns

ctrls: list The list of Hamiltonians

coeffs: array_like The transposed pulse matrix

get_qobjevo (*self, args=None, noisy=False*)

Create a *qutip.QobjEvo* representation of the evolution. It calls the method *get_noisy_pulses* and create the *QobjEvo* from it.

Parameters

args: dict, optional Arguments for *qutip.QobjEvo*

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: qutip.QobjEvo The *qutip.QobjEvo* representation of the unitary evolution.

c_ops: list of qutip.QobjEvo A list of lindblad operators is also returned. if *noisy==False*, it is always an empty list.

load_circuit (*self, qc, setup*)

Decompose a *qutip.QubitCircuit* in to the control amplitude generating the corresponding evolution.

Parameters

qc: :class:`qutip.QubitCircuit` Takes the quantum circuit to be implemented.

setup: string "linear" or "circular" for two sub-calses.

Returns

tlist: array_like A NumPy array specifies the time of each coefficient

coeffs: array_like A 2d NumPy array of the shape (len(ctrls), len(tlist)). Each row corresponds to the control pulse sequence for one Hamiltonian.

optimize_circuit (*self, qc*)

Take a quantum circuit/algorithm and convert it into the optimal form/basis for the desired physical system.

Parameters

qc: :class:`qutip.QubitCircuit` Takes the quantum circuit to be implemented.

Returns

qc: qutip.QubitCircuit The circuit representation with elementary gates that can be implemented in this model.

plot_pulses (*self, title=None, noisy=None, figsize=(12, 6), dpi=None*)

Maps the physical interaction between the circuit components for the desired physical system.

Returns

fig, ax: Figure Maps the physical interaction between the circuit components.

pulse_matrix (*self*)

Generates the pulse matrix for the desired physical system.

Returns

t, u, labels: Returns the total time and label for every operation.

read_coeff (*self, file_name, inctime=True*)

Read the control amplitudes matrix and time list saved in the file by *save_amp*.

Parameters

file_name: **string** Name of the file.

inctime: **bool, optional** True if the time list is included in the first column.

Returns

tlist: **array_like** The time list read from the file.

coeffs: **array_like** The pulse matrix read from the file.

remove_pulse (*self, indices*)

Remove the control pulse with given indices.

Parameters

indices: **int or list of int** The indices of the control Hamiltonians to be removed.

run (*self, qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: **:class:`qutip.qip.QubitCircuit`, optional** Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

Returns

U_list: **list** The propagator matrix obtained from the physical implementation.

run_analytically (*self, init_state=None, qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: **:class:`qutip.qip.QubitCircuit`, optional** Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

init_state: **:class:`qutip.Qobj`, optional** The initial state of the qubits in the register.

Returns

evo_result: **qutip.Result** An instance of the class *qutip.Result* will be returned.

run_state (*self, init_state=None, analytical=False, qc=None, states=None, **kwargs*)

If *analytical* is False, use *qutip.mesolve* to calculate the time of the state evolution and return the result. Other arguments of *mesolve* can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices.

Parameters

init_state: **Qobj** Initial density matrix or state vector (ket).

analytical: **boolean** If True, calculate the evolution with matrices exponentiation.

qc: :class:`qutip.qip.QubitCircuit`, **optional** A quantum circuit. If given, it first calls the `load_circuit` and then calculate the evolution.

states: :class:`qutip.Qobj`, **optional** Old API, same as `init_state`.

****kwargs** Keyword arguments for the qutip solver.

Returns

evo_result: `qutip.Result` If `analytical` is `False`, an instance of the class `qutip.Result` will be returned.

If `analytical` is `True`, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: `string` Name of the file.

inctime: `bool`, **optional** True if the time list should be included in the first column.

set_all_tlist (*self*, *tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: `array-like`, **optional** A list of time at which the time-dependent coefficients are applied. See `qutip.qip.Pulse` for detailed information`

set_up_ops (*self*, *N*)

Generate the Hamiltonians for the spinchain model and save them in the attribute *ctrls*.

Parameters

N: `int` The number of qubits in the system.

set_up_params (*self*, *sx*, *sz*)

Save the parameters in the attribute *params* and check the validity.

Parameters

sx: `float or list` The coefficient of `sigmax` in the model

sz: `float or list` The coefficient of `sigmaz` in the model

Notes

The coefficient of `sxsy` is defined in the submethods. All parameters will be multiplied by 2π for simplicity

class LinearSpinChain (*N*, *correct_global_phase=True*, *sx=0.25*, *sz=1.0*, *sxsy=0.1*, *t1=None*, *t2=None*)

A processor based on the physical implementation of a linear spin chain qubits system. The available Hamiltonian of the system is predefined. The processor can simulate the evolution under the given control pulses either numerically or analytically.

Parameters

N: `int` The number of qubits in the system.

correct_global_phase: `float` Save the global phase, the analytical solution will track the global phase. It has no effect on the numerical solution.

sx: `int or list` The delta for each of the qubits in the system.

sz: `int or list` The epsilon for each of the qubits in the system.

sxsy: `int or list` The interaction strength for each of the qubit pair in the system.

t1: list or float, optional Characterize the decoherence of amplitude damping for each qubit.

t2: list of float, optional Characterize the decoherence of dephasing for each qubit.

add_control (*self, qobj, targets=None, cyclic_permutation=False, label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None, coeff = None`). To activate the pulse, one can set its `tlist` and `coeff`.

Parameters

qobj: :class:`qutip.Qobj` The Hamiltonian for the control pulse..

targets: list, optional The indices of the target qubits (or subquantum system of other dimensions).

cyclic_permutation: bool, optional If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.

label: str, optional The label (name) of the pulse

add_drift (*self, qobj, targets, cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self, noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self, pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

adjacent_gates (*self, qc*)

Method to resolve 2 qubit gates with non-adjacent control/s or target/s in terms of gates with adjacent interactions for linear/circular spin chain system.

Parameters

qc: :class:`qutip.QubitCircuit` The circular spin chain circuit to be resolved

setup: Boolean Linear of Circular spin chain setup

Returns

qc: qutip.QubitCircuit Returns QubitCircuit of resolved gates for the qubit circuit in the desired basis.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self, U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: array-like 2d The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: array-like 1d The full time sequence for the ideal evolution.

get_noisy_pulses (*self*, *device_noise=False*, *drift=False*)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: bool, optional If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: bool, optional If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: list of :class`qutip.qip.Pulse/qutip.qip.Drift A list of noisy pulses.

get_ops_and_u (*self*)

Get the labels for each Hamiltonian.

Returns

ctrls: list The list of Hamiltonians

coeffs: array_like The transposed pulse matrix

get_qobjevo (*self*, *args=None*, *noisy=False*)

Create a *qutip.QobjEvo* representation of the evolution. It calls the method *get_noisy_pulses* and create the *QobjEvo* from it.

Parameters

args: dict, optional Arguments for *qutip.QobjEvo*

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: qutip.QobjEvo The *qutip.QobjEvo* representation of the unitary evolution.

c_ops: list of qutip.QobjEvo A list of lindblad operators is also returned. if *noisy==False*, it is always an empty list.

load_circuit (*self*, *qc*)

Decompose a *qutip.QubitCircuit* in to the control amplitude generating the corresponding evolution.

Parameters

qc: :class`qutip.QubitCircuit` Takes the quantum circuit to be implemented.

setup: string "linear" or "circular" for two sub-callses.

Returns

tlist: array_like A NumPy array specifies the time of each coefficient

coeffs: array_like A 2d NumPy array of the shape $(\text{len}(\text{ctrls}), \text{len}(\text{tlist}))$. Each row corresponds to the control pulse sequence for one Hamiltonian.

optimize_circuit (*self, qc*)

Take a quantum circuit/algorithm and convert it into the optimal form/basis for the desired physical system.

Parameters

qc: :class:`qutip.QubitCircuit` Takes the quantum circuit to be implemented.

Returns

qc: qutip.QubitCircuit The circuit representation with elementary gates that can be implemented in this model.

plot_pulses (*self, title=None, noisy=None, figsize=(12, 6), dpi=None*)

Maps the physical interaction between the circuit components for the desired physical system.

Returns

fig, ax: Figure Maps the physical interaction between the circuit components.

pulse_matrix (*self*)

Generates the pulse matrix for the desired physical system.

Returns

t, u, labels: Returns the total time and label for every operation.

read_coeff (*self, file_name, inctime=True*)

Read the control amplitudes matrix and time list saved in the file by *save_amp*.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list is included in the first column.

Returns

tlist: array_like The time list read from the file.

coeffs: array_like The pulse matrix read from the file.

remove_pulse (*self, indices*)

Remove the control pulse with given indices.

Parameters

indices: int or list of int The indices of the control Hamiltonians to be removed.

run (*self, qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

Returns

U_list: list The propagator matrix obtained from the physical implementation.

run_analytically (*self, init_state=None, qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: `:class:`qutip.qip.QubitCircuit``, **optional** Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by `load_circuit`.

init_state: `:class:`qutip.Qobj``, **optional** The initial state of the qubits in the register.

Returns

evo_result: `qutip.Result` An instance of the class `qutip.Result` will be returned.

run_state (*self*, *init_state=None*, *analytical=False*, *qc=None*, *states=None*, ***kwargs*)

If *analytical* is False, use `qutip.mesolve` to calculate the time of the state evolution and return the result. Other arguments of `mesolve` can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices.

Parameters

init_state: `Qobj` Initial density matrix or state vector (ket).

analytical: `boolean` If True, calculate the evolution with matrices exponentiation.

qc: `:class:`qutip.qip.QubitCircuit``, **optional** A quantum circuit. If given, it first calls the `load_circuit` and then calculate the evolution.

states: `:class:`qutip.Qobj``, **optional** Old API, same as `init_state`.

****kwargs** Keyword arguments for the qutip solver.

Returns

evo_result: `qutip.Result` If *analytical* is False, an instance of the class `qutip.Result` will be returned.

If *analytical* is True, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: `string` Name of the file.

inctime: `bool`, **optional** True if the time list should be included in the first column.

set_all_tlist (*self*, *tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: `array-like`, **optional** A list of time at which the time-dependent coefficients are applied. See `qutip.qip.Pulse` for detailed information`

set_up_ops (*self*, *N*)

Generate the Hamiltonians for the spinchain model and save them in the attribute *ctrls*.

Parameters

N: `int` The number of qubits in the system.

set_up_params (*self*, *sx*, *sz*, *sxsz*)

Save the parameters in the attribute *params* and check the validity.

Parameters

sx: `float or list` The coefficient of sigmax in the model

sz: `float or list` The coefficient of sigmaz in the model

Notes

The coefficient of `sxsy` is defined in the submethods. All parameters will be multiplied by 2π for simplicity

class CircularSpinChain (*N*, *correct_global_phase=True*, *sx=0.25*, *sz=1.0*, *sxsy=0.1*, *t1=None*, *t2=None*)

A processor based on the physical implementation of a circular spin chain qubits system. The available Hamiltonian of the system is predefined. The processor can simulate the evolution under the given control pulses either numerically or analytically.

Parameters

N: int The number of qubits in the system.

correct_global_phase: float Save the global phase, the analytical solution will track the global phase. It has no effect on the numerical solution.

sx: int or list The delta for each of the qubits in the system.

sz: int or list The epsilon for each of the qubits in the system.

sxsy: int or list The interaction strength for each of the qubit pair in the system.

t1: list or float, optional Characterize the decoherence of amplitude damping for each qubit.

t2: list of float, optional Characterize the decoherence of dephasing for each qubit.

add_control (*self*, *qobj*, *targets=None*, *cyclic_permutation=False*, *label=None*)

Add a control Hamiltonian to the processor. It creates a new `qutip.qip.Pulse` object for the device that is turned off (`tlist = None`, `coeff = None`). To activate the pulse, one can set its `tlist` and `coeff`.

Parameters

qobj: :class:`qutip.Qobj` The Hamiltonian for the control pulse..

targets: list, optional The indices of the target qubits (or subquantum system of other dimensions).

cyclic_permutation: bool, optional If true, the Hamiltonian will be expanded for all cyclic permutation of the target qubits.

label: str, optional The label (name) of the pulse

add_drift (*self*, *qobj*, *targets*, *cyclic_permutation=False*)

Add one Hamiltonian to the drift Hamiltonians

Parameters

qobj: :class:`qutip.Qobj` The drift Hamiltonian.

targets: list The indices of the target qubits (or subquantum system of other dimensions).

add_noise (*self*, *noise*)

Add a noise object to the processor

Parameters

noise: :class:`qutip.qip.Noise` The noise object defined outside the processor

add_pulse (*self*, *pulse*)

Add a new pulse to the device.

Parameters

pulse: :class:`qutip.qip.Pulse` *Pulse* object to be added.

adjacent_gates (*self*, *qc*)

Method to resolve 2 qubit gates with non-adjacent control/s or target/s in terms of gates with adjacent interactions for linear/circular spin chain system.

Parameters

qc: :class:`qutip.QubitCircuit` The circular spin chain circuit to be resolved

setup: **Boolean** Linear of Circular spin chain setup

Returns

qc: **qutip.QubitCircuit** Returns QubitCircuit of resolved gates for the qubit circuit in the desired basis.

property coeffs

A list of the coefficients for all control pulses.

property ctrls

A list of Hamiltonian of all pulses.

Type list

eliminate_auxillary_modes (*self*, *U*)

Eliminate the auxillary modes like the cavity modes in cqed. (Defined in subclasses)

get_full_coeffs (*self*)

Return the full coefficients in a 2d matrix form. Each row corresponds to one pulse. If the *tlist* are different for different pulses, the length of each row will be same as the *full_tlist* (see method *get_full_tlist*). Interpolation is used for adding the missing coefficient according to *spline_kind*.

Returns

coeffs: **array-like 2d** The coefficients for all ideal pulses.

get_full_tlist (*self*)

Return the full tlist of the ideal pulses. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: **array-like 1d** The full time sequence for the ideal evolution.

get_noisy_pulses (*self*, *device_noise=False*, *drift=False*)

It takes the pulses defined in the *Processor* and adds noise according to *Processor.noise*. It does not modify the pulses saved in *Processor.pulses* but returns a new list. The length of the new list of noisy pulses might be longer because of drift Hamiltonian and device noise. They will be added to the end of the pulses list.

Parameters

device_noise: **bool, optional** If true, include pulse independent noise such as single qubit Relaxation. Default is False.

drift: **bool, optional** If true, include drift Hamiltonians. Default is False.

Returns

noisy_pulses: **list of :class"qutip.qip.Pulse/qutip.qip.Drift** A list of noisy pulses.

get_ops_and_u (*self*)

Get the labels for each Hamiltonian.

Returns

ctrls: **list** The list of Hamiltonians

coeffs: **array_like** The transposed pulse matrix

`get_qobjevo` (*self*, *args=None*, *noisy=False*)

Create a `qutip.QobjEvo` representation of the evolution. It calls the method `get_noisy_pulses` and create the `QobjEvo` from it.

Parameters

args: dict, optional Arguments for `qutip.QobjEvo`

noisy: bool, optional If noise are included. Default is False.

Returns

qobjevo: `qutip.QobjEvo` The `qutip.QobjEvo` representation of the unitary evolution.

c_ops: list of `qutip.QobjEvo` A list of lindblad operators is also returned. if `noisy==False`, it is always an empty list.

`load_circuit` (*self*, *qc*)

Decompose a `qutip.QubitCircuit` in to the control amplitude generating the corresponding evolution.

Parameters

qc: `:class:`qutip.QubitCircuit`` Takes the quantum circuit to be implemented.

setup: string “linear” or “circular” for two sub-calses.

Returns

tlist: array_like A NumPy array specifies the time of each coefficient

coeffs: array_like A 2d NumPy array of the shape (len(ctrls), len(tlist)). Each row corresponds to the control pulse sequence for one Hamiltonian.

`optimize_circuit` (*self*, *qc*)

Take a quantum circuit/algorithm and convert it into the optimal form/basis for the desired physical system.

Parameters

qc: `:class:`qutip.QubitCircuit`` Takes the quantum circuit to be implemented.

Returns

qc: `qutip.QubitCircuit` The circuit representation with elementary gates that can be implemented in this model.

`plot_pulses` (*self*, *title=None*, *noisy=None*, *figsize=(12, 6)*, *dpi=None*)

Maps the physical interaction between the circuit components for the desired physical system.

Returns

fig, ax: Figure Maps the physical interaction between the circuit components.

`pulse_matrix` (*self*)

Generates the pulse matrix for the desired physical system.

Returns

t, u, labels: Returns the total time and label for every operation.

`read_coeff` (*self*, *file_name*, *inctime=True*)

Read the control amplitudes matrix and time list saved in the file by `save_amp`.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list in included in the first column.

Returns

tlist: array_like The time list read from the file.

coeffs: array_like The pulse matrix read from the file.

remove_pulse (*self*, *indices*)

Remove the control pulse with given indices.

Parameters

indices: int or list of int The indices of the control Hamiltonians to be removed.

run (*self*, *qc=None*)

Calculate the propagator of the evolution by matrix exponentiation. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

Returns

U_list: list The propagator matrix obtained from the physical implementation.

run_analytically (*self*, *init_state=None*, *qc=None*)

Simulate the state evolution under the given *qutip.QubitCircuit* with matrix exponentiation. It will calculate the propagator with matrix exponentiation and return a list of *qutip.Qobj*. This method won't include noise or collapse.

Parameters

qc: :class:`qutip.qip.QubitCircuit`, optional Takes the quantum circuit to be implemented. If not given, use the quantum circuit saved in the processor by *load_circuit*.

init_state: :class:`qutip.Qobj`, optional The initial state of the qubits in the register.

Returns

evo_result: qutip.Result An instance of the class *qutip.Result* will be returned.

run_state (*self*, *init_state=None*, *analytical=False*, *qc=None*, *states=None*, ****kwargs**)

If *analytical* is False, use *qutip.mesolve* to calculate the time of the state evolution and return the result. Other arguments of *mesolve* can be given as keyword arguments. If *analytical* is True, calculate the propagator with matrix exponentiation and return a list of matrices.

Parameters

init_state: Qobj Initial density matrix or state vector (ket).

analytical: boolean If True, calculate the evolution with matrices exponentiation.

qc: :class:`qutip.qip.QubitCircuit`, optional A quantum circuit. If given, it first calls the *load_circuit* and then calculate the evolution.

states: :class:`qutip.Qobj`, optional Old API, same as *init_state*.

****kwargs** Keyword arguments for the qutip solver.

Returns

evo_result: qutip.Result If *analytical* is False, an instance of the class *qutip.Result* will be returned.

If *analytical* is True, a list of matrices representation is returned.

save_coeff (*self*, *file_name*, *inctime=True*)

Save a file with the control amplitudes in each timeslot.

Parameters

file_name: string Name of the file.

inctime: bool, optional True if the time list should be included in the first column.

set_all_tlist (*self, tlist*)

Set *tlist* for all the pulses. It can be used to set *tlist* if all pulses are controlled by the same time sequence.

Parameters

tlist: array-like, optional A list of time at which the time-dependent coefficients are applied. See `qutip.qip.Pulse` for detailed information`

set_up_ops (*self, N*)

Generate the Hamiltonians for the spinchain model and save them in the attribute *ctrls*.

Parameters

N: int The number of qubits in the system.

set_up_params (*self, sx, sz, sxsy*)

Save the parameters in the attribute *params* and check the validity.

Parameters

sx: float or list The coefficient of sigmax in the model

sz: float or list The coefficient of sigmaz in the model

Notes

The coefficient of *sxsy* is defined in the submethods. All parameters will be multiplied by 2π for simplicity

class DecoherenceNoise (*c_ops, targets=None, coeff=None, tlist=None, all_qubits=False*)

The decoherence noise in a processor. It generates lindblad noise according to the given collapse operator *c_ops*.

Parameters

c_ops: :class:`qutip.Qobj` or list The Hamiltonian representing the dynamics of the noise.

targets: int or list, optional The indices of qubits that are acted on. Default is on all qubits

coeff: list, optional A list of the coefficients for the control Hamiltonians.

tlist: array_like, optional A NumPy array specifies the time of each coefficient.

all_qubits: bool, optional If *c_ops* contains only single qubits collapse operator, `all_qubits=True` will allow it to be applied to all qubits.

Attributes

c_ops: :class:`qutip.Qobj` or list The Hamiltonian representing the dynamics of the noise.

targets: int or list The indices of qubits that are acted on.

coeff: list A list of the coefficients for the control Hamiltonians.

tlist: array_like A NumPy array specifies the time of each coefficient.

all_qubits: bool If *c_ops* contains only single qubits collapse operator, `all_qubits=True` will allow it to be applied to all qubits.

get_noisy_dynamics (*self, dims*)

Return a list of Pulse object with only trivial ideal pulse ($H=0$) but non-trivial lindblad noise.

Parameters

dims: list, optional The dimension of the components system, the default value is [2,2,...,2] for qubits system.

Returns

lindblad_noise: list of `qutip.qip.Pulse` A list of Pulse object with only trivial ideal pulse (H=0) but non-trivial lindblad noise.

class `RelaxationNoise` (*t1=None, t2=None, targets=None*)

The decoherence on each qubit characterized by two time scales t1 and t2.

Parameters

t1: float or list, optional Characterize the decoherence of amplitude damping for each qubit.

t2: float or list, optional Characterize the decoherence of dephasing for each qubit.

targets: int or list, optional The indices of qubits that are acted on. Default is on all qubits

Attributes

t1: float or list Characterize the decoherence of amplitude damping for each qubit.

t2: float or list Characterize the decoherence of dephasing for each qubit.

targets: int or list The indices of qubits that are acted on.

get_noisy_dynamics (*self, dims*)

Return a list of Pulse object with only trivial ideal pulse (H=0) but non-trivial relaxation noise.

Parameters

dims: list, optional The dimension of the components system, the default value is [2,2,...,2] for qubits system.

Returns

lindblad_noise: list of `qutip.qip.Pulse` A list of Pulse object with only trivial ideal pulse (H=0) but non-trivial relaxation noise.

class `ControlAmpNoise` (*coeff, tlist=None, indices=None*)

The noise in the amplitude of the control pulse.

Parameters

coeff: list A list of the coefficients for the control Hamiltonians. For available choices, see `qutip.QobjEvo`.

tlist: array_like, optional A NumPy array specifies the time of each coefficient.

indices: list of int, optional The indices of target pulse in the list of pulses.

Attributes

coeff: list A list of the coefficients for the control Hamiltonians. For available choices, see `qutip.QobjEvo`.

tlist: array_like A NumPy array specifies the time of each coefficient.

indices: list of int The indices of target pulse in the list of pulses.

get_noisy_dynamics (*self, pulses*)

Return a list of pulses containing the input pulse with additional coherent noise.

Parameters

pulses: list of `:class: `qutip.qip.Pulse`` The input pulses, on which the noise object will be applied.

Returns

noisy_pulses: list of `qutip.qip.Pulse` The input *Pulse* object with additional coherent noise.

class RandomNoise (*dt, rand_gen, indices=None, **kwargs*)

Random noise in the amplitude of the control pulse. The arguments for the random generator need to be given as key word arguments.

Parameters

dt: float, optional The time interval between two random amplitude. The coefficients of the noise are the same within this time range.

rand_gen: `numpy.random`, optional A random generator in `numpy.random`, it has to take a `size` parameter as the size of random numbers in the output array.

indices: list of int, optional The indices of target pulse in the list of pulses.

kwargs: Key word arguments for the random number generator.

Examples

```
>>> gaussnoise = RandomNoise(
    dt=0.1, rand_gen=np.random.normal, loc=mean, scale=std)
```

Attributes

dt: float, optional The time interval between two random amplitude. The coefficients of the noise are the same within this time range.

rand_gen: `numpy.random`, optional A random generator in `numpy.random`, it has to take a `size` parameter.

indices: list of int The indices of target pulse in the list of pulses.

kwargs: Key word arguments for the random number generator.

get_noisy_dynamics (*self, pulses*)

Return a list of pulses containing the input pulse with additional coherent noise.

Parameters

pulses: list of :class:`qutip.qip.Pulse` The input pulses, on which the noise object will be applied.

Returns

noisy_pulses: list of `qutip.qip.Pulse` The input *Pulse* object with additional coherent noise.

class UserNoise

Template class for user defined noise. It is classified as a pulse dependent noise. By calling the method `get_noisy_dynamics`, it should return the input pulses with additional coherent and/or lindblad noise. If there are pulse independent noise, a dummy `Pulse` can be created by `Pulse(None, None)`. The modified input pulses should always be at the beginning of the list, followed by the dummy pulses.

get_noisy_dynamics (*self, pulses, dims*)

Template method. It should return a list of pulses with noise.

Parameters

pulses: list of :class:`qutip.qip.Pulse` The input pulses, on which the noise object will be applied.

dims: list, optional The dimension of the components system, the default value is `[2,2,...,2]` for qubits system.

Returns

noisy_pulses: list of `qutip.qip.Pulse` The input *Pulse* object with additional noise.

class Pulse (*qobj*, *targets*, *tlist=None*, *coeff=None*, *spline_kind=None*, *label=None*)

Representation of a control pulse and the pulse dependent noise. The pulse is characterized by the ideal control pulse, the coherent noise and the lindblad noise. The later two are lists of noisy evolution dynamics. Each dynamic element is characterized by four variables: *qobj*, *targets*, *tlist* and *coeff*.

See examples for different construction behavior.

Parameters

qobj: :class:'qutip.Qobj' The Hamiltonian of the ideal pulse.

targets: list target qubits of the ideal pulse (or subquantum system of other dimensions).

tlist: array-like, optional *tlist* of the ideal pulse. A list of time at which the time-dependent coefficients are applied. *tlist* does not have to be equidistant, but must have the same length or one element shorter compared to *coeff*. See documentation for the parameter *spline_kind*.

coeff: array-like or bool, optional Time-dependent coefficients of the ideal control pulse. If an array, the length must be the same or one element longer compared to *tlist*. See documentation for the parameter *spline_kind*. If a bool, the coefficient is a constant 1 or 0.

spline_kind: str, optional Type of the coefficient interpolation: "step_func" or "cubic".

-"step_func": The coefficient will be treated as a step function. E.g. *tlist*=[0, 1, 2] and *coeff*=[3, 2], means that the coefficient is 3 in *t*=[0,1) and 2 in *t*=[2,3). It requires `len(coeff)=len(tlist)-1` or `len(coeff)=len(tlist)`, but in the second case the last element of *coeff* has no effect.

-"cubic": Use cubic interpolation for the coefficient. It requires `len(coeff)=len(tlist)`

label: str The label (name) of the pulse.

Examples

Create a pulse that is turned off

```
>>> Pulse(sigmaz(), 0)
>>> Pulse(sigmaz(), 0, None, None)
```

Create a time dependent pulse

```
>>> tlist = np.array([0., 1., 2., 4.])
>>> coeff = np.array([0.5, 1.2, 0.8])
>>> spline_kind = "step_func"
>>> Pulse(sigmaz(), 0, tlist=tlist, coeff=coeff, spline_kind="step_func")
```

Create a time independent pulse

```
>>> Pulse(sigmaz(), 0, coeff=True)
```

Create a constant pulse with time range

```
>>> Pulse(sigmaz(), 0, tlist=tlist, coeff=True)
```

Create an dummy Pulse (H=0)

```
>>> Pulse(None, None)
```

Attributes

ideal_pulse: `:class:`qutip.qip.pulse._EvoElement`` The ideal dynamic of the control pulse.

coherent_noise: `list of :class:`qutip.qip.pulse._EvoElement`` The coherent noise caused by the control pulse. Each dynamic element is still characterized by a time-dependent Hamiltonian.

lindblad_noise: `list of :class:`qutip.qip.pulse._EvoElement`` The dissipative noise of the control pulse. Each dynamic element will be treated as a (time-dependent) lindblad operator in the master equation.

spline_kind: `str` See parameter *spline_kind*.

label: `str` See parameter *label*.

add_coherent_noise (*self, qobj, targets, tlist=None, coeff=None*)

Add a new (time-dependent) Hamiltonian to the coherent noise.

Parameters

qobj: `:class:`qutip.Qobj`` The Hamiltonian of the pulse.

targets: `list` target qubits of the pulse (or subquantum system of other dimensions).

tlist: `array-like, optional` A list of time at which the time-dependent coefficients are applied. *tlist* does not have to be equidistant, but must have the same length or one element shorter compared to *coeff*. See documentation for the parameter *spline_kind* of `qutip.qip.Pulse`.

coeff: `array-like or bool, optional` Time-dependent coefficients of the pulse noise. If an array, the length must be the same or one element longer compared to *tlist*. See documentation for the parameter *spline_kind* of `qutip.qip.Pulse`. If a bool, the coefficient is a constant 1 or 0.

add_lindblad_noise (*self, qobj, targets, tlist=None, coeff=None*)

Add a new (time-dependent) lindblad noise to the coherent noise.

Parameters

qobj: `:class:`qutip.Qobj`` The collapse operator of the lindblad noise.

targets: `list` target qubits of the collapse operator (or subquantum system of other dimensions).

tlist: `array-like, optional` A list of time at which the time-dependent coefficients are applied. *tlist* does not have to be equidistant, but must have the same length or one element shorter compared to *coeff*. See documentation for the parameter *spline_kind* of `qutip.qip.Pulse`.

coeff: `array-like or bool, optional` Time-dependent coefficients of the pulse noise. If an array, the length must be the same or one element longer compared to *tlist*. See documentation for the parameter *spline_kind* of `qutip.qip.Pulse`. If a bool, the coefficient is a constant 1 or 0.

property coeff

See parameter *coeff*.

get_full_tlist (*self*)

Return the full *tlist* of the pulses and noise. It means that if different *tlist*'s are present, they will be merged to one with all time points stored in a sorted array.

Returns

full_tlist: `array-like 1d` The full time sequence for the nosiy evolution.

get_ideal_qobj (*self, dims*)

Get the Hamiltonian of the ideal pulse.

Parameters

dims: int or list Dimension of the system. If int, we assume it is the number of qubits in the system. If list, it is the dimension of the component systems.

Returns

qobj: *qutip.Qobj* The Hamiltonian of the ideal pulse.

get_ideal_qobjevo (*self, dims*)

Get a *QobjEvo* representation of the ideal evolution.

Parameters

dims: int or list Dimension of the system. If int, we assume it is the number of qubits in the system. If list, it is the dimension of the component systems.

Returns

ideal_evo: *qutip.QobjEvo* A *QobjEvo* representing the ideal evolution.

get_noisy_qobjevo (*self, dims*)

Get the *QobjEvo* representation of the noisy evolution. The result can be used directly as input for the *qutip* solvers.

Parameters

dims: int or list Dimension of the system. If int, we assume it is the number of qubits in the system. If list, it is the dimension of the component systems.

Returns

noisy_evo: *qutip.QobjEvo* A *QobjEvo* representing the ideal evolution and coherent noise.

c_ops: list of *qutip.QobjEvo* A list of (time-dependent) lindblad operators.

print_info (*self*)

Print the information of the pulse, including the ideal dynamics, the coherent noise and the lindblad noise.

property qobj

See parameter *qobj*.

property targets

See parameter *targets*.

property tlist

See parameter *tlist*

5.1.12 Optimal control

class Optimizer (*config, dyn, params=None*)

Base class for all control pulse optimisers. This class should not be instantiated, use its subclasses This class implements the fidelity, gradient and iteration callback functions. All subclass objects must be initialised with a

OptimConfig instance - various configuration options Dynamics instance - describes the dynamics of the (quantum) system

to be control optimised

Attributes

log_level [integer] level of messaging output from the logger. Options are attributes of *qutip.logging_utils*, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or

above is effectively ‘quiet’ execution, assuming everything runs as expected. The default NOTSET implies that the level will be taken from the QuTiP settings file, which by default is WARN

params: Dictionary The key value pairs are the attribute name and value Note: attributes are created if they do not exist already, and are overwritten if they do.

alg [string] Algorithm to use in pulse optimisation. Options are:

‘GRAPE’ (default) - GRAdient Ascent Pulse Engineering ‘CRAB’ - Chopped RANdom Basis

alg_params [Dictionary] options that are specific to the pulse optim algorithm that is GRAPE or CRAB

disp_conv_msg [bool] Set true to display a convergence message (for `scipy.optimize.minimize` methods anyway)

optim_method [string] a `scipy.optimize.minimize` method that will be used to optimise the pulse for minimum fidelity error

method_params [Dictionary] Options for the `optim_method`. Note that where there is an equivalent attribute of this instance or the `termination_conditions` (for example `maxiter`) it will override an value in these options

approx_grad [bool] If set True then the method will approximate the gradient itself (if it has requirement and facility for this) This will mean that the `fid_err_grad_wrapper` will not get called Note it should be left False when using the Dynamics to calculate approximate gradients Note it is set True automatically when the alg is CRAB

amp_lbound [float or list of floats] lower boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control

amp_ubound [float or list of floats] upper boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control

bounds [List of floats] Bounds for the parameters. If not set before the `run_optimization` call then the list is built automatically based on the `amp_lbound` and `amp_ubound` attributes. Setting this attribute directly allows specific bounds to be set for individual parameters. Note: Only some methods use bounds

dynamics [Dynamics (subclass instance)] describes the dynamics of the (quantum) system to be control optimised (see Dynamics classes for details)

config [OptimConfig instance] various configuration options (see OptimConfig for details)

termination_conditions [TerminationCondition instance] attributes determine when the optimisation will end

pulse_generator [PulseGen (subclass instance)] (can be) used to create initial pulses not used by the class, but set by `pulseoptim.create_pulse_optimizer`

stats [Stats] attributes of which give performance stats for the optimisation set to None to reduce overhead of calculating stats. Note it is (usually) shared with the Dynamics instance

dump [`dump.OptimDump`] Container for data dumped during the optimisation. Can be set by specifying the dumping level or set directly. Note this is mainly intended for user and a development debugging but could be used for status information during a long optimisation.

dumping [string] The level of data dumping that will occur during the optimisation - NONE : No processing data dumped (Default) - SUMMARY : A summary at each iteration will be recorded - FULL : All logs will be generated and dumped - CUSTOM : Some customised level of dumping When first set to CUSTOM this is equivalent to SUMMARY.

dump_to_file [bool] If set True then data will be dumped to file during the optimisation dumping will be set to SUMMARY during init_optim if dump_to_file is True and dumping not set. Default is False

dump_dir [string] Basically a link to dump.dump_dir. Exists so that it can be set through optim_params. If dump is None then will return None or will set dumping to SUMMARY when setting a path

iter_summary [*OptimIterSummary*] Summary of the most recent iteration. Note this is only set if dumping is on

apply_method_params (*self, params=None*)

Loops through all the method_params (either passed here or the method_params attribute) If the name matches an attribute of this object or the termination conditions object, then the value of this attribute is set. Otherwise it is assumed to a method_option for the scipy.optimize.minimize function

apply_params (*self, params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter This is called during the instantiation automatically. The key value pairs are the attribute name and value Note: attributes are created if they do not exist already, and are overwritten if they do.

property dumping

The level of data dumping that will occur during the optimisation

- NONE : No processing data dumped (Default)
- SUMMARY : A summary at each iteration will be recorded
- FULL : All logs will be generated and dumped
- CUSTOM : Some customised level of dumping

When first set to CUSTOM this is equivalent to SUMMARY. It is then up to the user to specify which logs are dumped

fid_err_func_wrapper (*self, *args*)

Get the fidelity error achieved using the ctrl amplitudes passed in as the first argument.

This is called by generic optimisation algorithm as the func to the minimised. The argument is the current variable values, i.e. control amplitudes, passed as a flat array. Hence these are reshaped as [nTimeslots, n_ctrls] and then used to update the stored ctrl values (if they have changed)

The error is checked against the target, and the optimisation is terminated if the target has been achieved.

fid_err_grad_wrapper (*self, *args*)

Get the gradient of the fidelity error with respect to all of the variables, i.e. the ctrl amplitudes in each timeslot

This is called by generic optimisation algorithm as the gradients of func to the minimised wrt the variables. The argument is the current variable values, i.e. control amplitudes, passed as a flat array. Hence these are reshaped as [nTimeslots, n_ctrls] and then used to update the stored ctrl values (if they have changed)

Although the optimisation algorithms have a check within them for function convergence, i.e. local minima, the sum of the squares of the normalised gradient is checked explicitly, and the optimisation is terminated if this is below the min_gradient_norm condition

init_optim (*self, term_conds*)

Check optimiser attribute status and passed parameters before running the optimisation. This is called by run_optimization, but could called independently to check the configuration.

iter_step_callback_func (*self, *args*)

Check the elapsed wall time for the optimisation run so far. Terminate if this has exceeded the maximum allowed time

run_optimization (*self*, *term_conds=None*)

This default function optimisation method is a wrapper to the `scipy.optimize.minimize` function.

It will attempt to minimise the fidelity error with respect to some parameters, which are determined by `_get_optim_var_vals` (see below)

The optimisation end when one of the passed termination conditions has been met, e.g. target achieved, wall time, or function call or iteration count exceeded. Note these conditions include gradient minimum met (local minima) for methods that use a gradient.

The function minimisation method is taken from the `optim_method` attribute. Note that not all of these methods have been tested. Note that some of these use a gradient and some do not. See the `scipy` documentation for details. Options specific to the method can be passed setting the `method_params` attribute.

If the parameter `term_conds=None`, then the `termination_conditions` attribute must already be set. It will be overwritten if the parameter is not `None`

The result is returned in an `OptimResult` object, which includes the final fidelity, time evolution, reason for termination etc

class OptimizerBFGS (*config*, *dyn*, *params=None*)

Implements the `run_optimization` method using the BFGS algorithm

run_optimization (*self*, *term_conds=None*)

Optimise the control pulse amplitudes to minimise the fidelity error using the BFGS (Broyden–Fletcher–Goldfarb–Shanno) algorithm The optimisation end when one of the passed termination conditions has been met, e.g. target achieved, gradient minimum met (local minima), wall time / iteration count exceeded.

Essentially this is wrapper to the: `scipy.optimize.fmin_bfgs` function

If the parameter `term_conds=None`, then the `termination_conditions` attribute must already be set. It will be overwritten if the parameter is not `None`

The result is returned in an `OptimResult` object, which includes the final fidelity, time evolution, reason for termination etc

class OptimizerLBFGSB (*config*, *dyn*, *params=None*)

Implements the `run_optimization` method using the L-BFGS-B algorithm

Attributes

max_metric_corr [integer] The maximum number of variable metric corrections used to define the limited memory matrix. That is the number of previous gradient values that are used to approximate the Hessian see the `scipy.optimize.fmin_l_bfgs_b` documentation for description of `m` argument

init_optim (*self*, *term_conds*)

Check optimiser attribute status and passed parameters before running the optimisation. This is called by `run_optimization`, but could called independently to check the configuration.

run_optimization (*self*, *term_conds=None*)

Optimise the control pulse amplitudes to minimise the fidelity error using the L-BFGS-B algorithm, which is the constrained (bounded amplitude values), limited memory, version of the Broyden–Fletcher–Goldfarb–Shanno algorithm.

The optimisation end when one of the passed termination conditions has been met, e.g. target achieved, gradient minimum met (local minima), wall time / iteration count exceeded.

Essentially this is wrapper to the: `scipy.optimize.fmin_l_bfgs_b` function This in turn is a warpper for well established implementation of the L-BFGS-B algorithm written in Fortran, which is therefore very fast. See SciPy documentation for credit and details on this function.

If the parameter `term_conds=None`, then the `termination_conditions` attribute must already be set. It will be overwritten if the parameter is not `None`

The result is returned in an OptimResult object, which includes the final fidelity, time evolution, reason for termination etc

class OptimizerCrab (*config, dyn, params=None*)

Optimises the pulse using the CRAB algorithm [1]. It uses the `scipy.optimize.minimize` function with the method specified by the `optim_method` attribute. See `Optimizer.run_optimization` for details. It minimises the fidelity error function with respect to the CRAB basis function coefficients.

AJGP ToDo: Add citation here

init_optim (*self, term_conds*)

Check optimiser attribute status and passed parameters before running the optimisation. This is called by `run_optimization`, but could be called independently to check the configuration.

class OptimizerCrabFmin (*config, dyn, params=None*)

Optimises the pulse using the CRAB algorithm [1, 2]. It uses the `scipy.optimize.fmin` function which is effectively a wrapper for the Nelder-mead method. It minimises the fidelity error function with respect to the CRAB basis function coefficients. This is the default Optimizer for CRAB.

Notes

[1] P. Doria, T. Calarco & S. Montangero. *Phys. Rev. Lett.* **106**, 190501 (2011).

[2] T. Caneva, T. Calarco, & S. Montangero. *Phys. Rev. A* **84**, 022326 (2011).

run_optimization (*self, term_conds=None*)

This function optimisation method is a wrapper to the `scipy.optimize.fmin` function.

It will attempt to minimise the fidelity error with respect to some parameters, which are determined by `_get_optim_var_vals` which in the case of CRAB are the basis function coefficients

The optimisation ends when one of the passed termination conditions has been met, e.g. target achieved, wall time, or function call or iteration count exceeded. Specifically to the `fmin` method, the optimisation will stop when change parameter values is less than `xtol` or the change in function value is below `ftol`.

If the parameter `term_conds=None`, then the `termination_conditions` attribute must already be set. It will be overwritten if the parameter is not `None`

The result is returned in an OptimResult object, which includes the final fidelity, time evolution, reason for termination etc

class OptimIterSummary

A summary of the most recent iteration of the pulse optimisation

Attributes

iter_num [int] Iteration number of the pulse optimisation

fid_func_call_num [int] Fidelity function call number of the pulse optimisation

grad_func_call_num [int] Gradient function call number of the pulse optimisation

fid_err [float] Fidelity error

grad_norm [float] fidelity gradient (wrt the control parameters) vector norm that is the magnitude of the gradient

wall_time [float] Time spent computing the pulse optimisation so far (in seconds of elapsed time)

class TerminationConditions

Base class for all termination conditions. Used to determine when to stop the optimisation algorithm. Note different subclasses should be used to match the type of optimisation being used

Attributes

fid_err_targ [float] Target fidelity error

fid_goal [float] goal fidelity, e.g. $1 - \text{self.fid_err_targ}$ It its typical to set this for unitary systems

max_wall_time [float] # maximum time for optimisation (seconds)

min_gradient_norm [float] Minimum normalised gradient after which optimisation will terminate

max_iterations [integer] Maximum iterations of the optimisation algorithm

max_fid_func_calls [integer] Maximum number of calls to the fidelity function during the optimisation algorithm

accuracy_factor [float] Determines the accuracy of the result. Typical values for `accuracy_factor` are: $1e12$ for low accuracy; $1e7$ for moderate accuracy; 10.0 for extremely high accuracy `scipy.optimize.fmin_l_bfgs_b` `factr` argument. Only set for specific methods (`fmin_l_bfgs_b`) that uses this Otherwise the same thing is passed as `method_option ftol` (although the scale is different) Hence it is not defined here, but may be set by the user

class OptimResult

Attributes give the result of the pulse optimisation attempt

Attributes

termination_reason [string] Description of the reason for terminating the optimisation

fidelity [float] final (normalised) fidelity that was achieved

initial_fid_err [float] fidelity error before optimisation starting

fid_err [float] final fidelity error that was achieved

goal_achieved [boolean] True is the fidely error achieved was below the target

grad_norm_final [float] Final value of the sum of the squares of the (normalised) fidelity error gradients

grad_norm_min_reached [float] True if the optimisation terminated due to the minimum value of the gradient being reached

num_iter [integer] Number of iterations of the optimisation algorithm completed

max_iter_exceeded [boolean] True if the iteration limit was reached

max_fid_func_exceeded [boolean] True if the fidelity function call limit was reached

wall_time [float] time elapsed during the optimisation

wall_time_limit_exceeded [boolean] True if the wall time limit was reached

time [array[num_tslots+1] of float] Time are the start of each timeslot with the final value being the total evolution time

initial_amps [array[num_tslots, n_ctrls]] The amplitudes at the start of the optimisation

final_amps [array[num_tslots, n_ctrls]] The amplitudes at the end of the optimisation

evo_full_final [Qobj] The evolution operator from $t=0$ to $t=T$ based on the final amps

evo_full_initial [Qobj] The evolution operator from $t=0$ to $t=T$ based on the initial amps

stats [Stats] Object contaning the stats for the run (if any collected)

optimizer [Optimizer] Instance of the Optimizer used to generate the result

class Dynamics (*optimconfig, params=None*)

This is a base class only. See subclass descriptions and choose an appropriate one for the application.

Note that `initialize_controls` must be called before most of the methods can be used. `init_timeslots` can be called sometimes earlier in order to access timeslot related attributes

This acts as a container for the operators that are used to calculate time evolution of the system under study. That is the dynamics generators (Hamiltonians, Lindbladians etc), the propagators from one timeslot to the next, and the evolution operators. Due to the large number of matrix additions and multiplications, for small systems at least, the optimisation performance is much better using ndarrays to represent these operators. However

Attributes

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL`. Anything `WARN` or above is effectively ‘quiet’ execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

params: Dictionary The key value pairs are the attribute name and value. Note: attributes are created if they do not exist already, and are overwritten if they do.

stats [Stats] Attributes of which give performance stats for the optimisation set to `None` to reduce overhead of calculating stats. Note it is (usually) shared with the `Optimizer` object

tslot_computer [`TimeslotComputer` (subclass instance)] Used to manage when the timeslot dynamics generators, propagators, gradients etc are updated

prop_computer [`PropagatorComputer` (subclass instance)] Used to compute the propagators and their gradients

fid_computer [`FidelityComputer` (subclass instance)] Used to compute the fidelity error and the fidelity error gradient.

memory_optimization [int] Level of memory optimisation. Setting to 0 (default) means that execution speed is prioritized over memory. Setting to 1 means that some memory prioritisation steps will be taken, for instance using `Qobj` (and hence sparse arrays) as the internal operator data type, and not caching some operators. Potentially further memory saving may be made with `memory_optimization > 1`. The options are processed in `_set_memory_optimizations`, see this for more information. Individual memory saving options can be switched by setting them directly (see below)

oper_dtype [type] Data type for internal dynamics generators, propagators and time evolution operators. This can be `ndarray` or `Qobj`, or (in theory) any other representation that supports typical matrix methods (e.g. `dot`). `ndarray` performs best for smaller quantum systems. `Qobj` may perform better for larger systems, and will also perform better when (custom) fidelity measures use `Qobj` methods such as `partial_trace`. See `_choose_oper_dtype` for how this is chosen when not specified

cache_phased_dyn_gen [bool] If `True` then the dynamics generators will be saved with and without the propagation prefactor (if there is one). Defaults to `True` when `memory_optimization=0`, otherwise `False`

cache_prop_grad [bool] If the `True` then the propagator gradients (for exact gradients) will be computed when the propagator are computed and cache until they are used by the fidelity computer. If `False` then the fidelity computer will calculate them as needed. Defaults to `True` when `memory_optimization=0`, otherwise `False`

cache_dyn_gen_eigenvectors_adj: bool If `True` then `DynamicsUnitary` will cache the adjoint of the Hamiltonian eigenvector matrix. Defaults to `True` when `memory_optimization=0`, otherwise `False`

sparse_eigen_decomp: bool If `True` then `DynamicsUnitary` will use the sparse eigenvalue decomposition. Defaults to `True` when `memory_optimization<=1`, otherwise `False`

num_tslots [integer] Number of timeslots (aka timeslices)

num_ctrls [integer] calculate the of controls from the length of the control list

- evo_time** [float] Total time for the evolution
- tau** [array[num_tslots] of float] Duration of each timeslot Note that if this is set before initialize_controls is called then num_tslots and evo_time are calculated from tau, otherwise tau is generated from num_tslots and evo_time, that is equal size time slices
- time** [array[num_tslots+1] of float] Cumulative time for the evolution, that is the time at the start of each time slice
- drift_dyn_gen** [Qobj or list of Qobj] Drift or system dynamics generator (Hamiltonian) Matrix defining the underlying dynamics of the system Can also be a list of Qobj (length num_tslots) for time varying drift dynamics
- ctrl_dyn_gen** [List of Qobj] Control dynamics generator (Hamiltonians) List of matrices defining the control dynamics
- initial** [Qobj] Starting state / gate The matrix giving the initial state / gate, i.e. at time 0 Typically the identity for gate evolution
- target** [Qobj] Target state / gate: The matrix giving the desired state / gate for the evolution
- ctrl_amps** [array[num_tslots, num_ctrls] of float] Control amplitudes The amplitude (scale factor) for each control in each timeslot
- initial_ctrl_scaling** [float] Scale factor applied to be applied the control amplitudes when they are initialised This is used by the PulseGens rather than in any functions in this class
- initial_ctrl_offset** [float] Linear offset applied to be applied the control amplitudes when they are initialised This is used by the PulseGens rather than in any functions in this class
- dyn_gen** [List of Qobj] List of combined dynamics generators (Qobj) for each timeslot
- prop** [list of Qobj] List of propagators (Qobj) for each timeslot
- prop_grad** [array[num_tslots, num_ctrls] of Qobj] Array of propagator gradients (Qobj) for each timeslot, control
- fwd_evo** [List of Qobj] List of evolution operators (Qobj) from the initial to the given
- onwd_evo** [List of Qobj] List of evolution operators (Qobj) from the initial to the given
- onto_evo** [List of Qobj] List of evolution operators (Qobj) from the initial to the given
- evo_current** [Boolean] Used to flag that the dynamics used to calculate the evolution operators is current. It is set to False when the amplitudes change
- fact_mat_round_prec** [float] Rounding precision used when calculating the factor matrix to determine if two eigenvalues are equivalent Only used when the PropagatorComputer uses diagonalisation
- def_amps_fname** [string] Default name for the output used when save_amps is called
- unitarity_check_level** [int] If > 0 then unitarity of the system evolution is checked at at evolution recomputation. level 1 checks all propagators level 2 checks eigen basis as well Default is 0
- unitarity_tol** : Tolerance used in checking if operator is unitary Default is 1e-10
- dump** [dump.DynamicsDump] Store of historical calculation data. Set to None (Default) for no storing of historical data Use dumping property to set level of data dumping
- dumping** [string] The level of data dumping that will occur during the time evolution calculation.
- dump_to_file** [bool] If set True then data will be dumped to file during the calculations dumping will be set to SUMMARY during init_evo if dump_to_file is True and dumping not set. Default is False

dump_dir [string] Basically a link to `dump.dump_dir`. Exists so that it can be set through `dyn_params`. If `dump` is `None` then will return `None` or will set dumping to `SUMMARY` when setting a path

apply_params (*self*, *params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter. This is called during the instantiation automatically. The key value pairs are the attribute name and value. Note: attributes are created if they do not exist already, and are overwritten if they do.

combine_dyn_gen (*self*, *k*)

Computes the dynamics generator for a given timeslot. This is the combined Hamiltonian for unitary systems.

compute_evolution (*self*)

Recalculate the time evolution operators. Dynamics generators (e.g. Hamiltonian) and prop (propagators) are calculated as necessary. Actual work is completed by the `recompute_evolution` method of the timeslot computer.

property dumping

The level of data dumping that will occur during the time evolution calculation.

- `NONE` : No processing data dumped (Default)
- `SUMMARY` : A summary of each time evolution will be recorded
- `FULL` : All operators used or created in the calculation dumped
- `CUSTOM` : Some customised level of dumping

When first set to `CUSTOM` this is equivalent to `SUMMARY`. It is then up to the user to specify which operators are dumped. **WARNING:** `FULL` could consume a lot of memory!

property dyn_gen

List of combined dynamics generators (Qobj) for each timeslot.

property dyn_gen_phase

Some op that is applied to the `dyn_gen` before exponentiating to get the propagator. See *phase_application* for how this is applied.

flag_system_changed (*self*)

Flag evolution, fidelity and gradients as needing recalculation.

property full_evo

Full evolution - time evolution at final time slot.

property fwd_evo

List of evolution operators (Qobj) from the initial to the given timeslot.

get_ctrl_dyn_gen (*self*, *j*)

Get the dynamics generator for the control. Not implemented in the base class. Choose a subclass.

get_drift_dim (*self*)

Returns the size of the matrix that defines the drift dynamics that is assuming the drift is $N \times N$, then this returns N .

get_dyn_gen (*self*, *k*)

Get the combined dynamics generator for the timeslot. Not implemented in the base class. Choose a subclass.

get_num_ctrls (*self*)

calculate the of controls from the length of the control list. sets the `num_ctrls` property, which can be used alternatively subsequently.

init_timeslots (*self*)

Generate the timeslot duration array 'tau' based on the `evo_time` and `num_tslots` attributes, unless the `tau` attribute is already set in which case this step is ignored. Generate the cumulative time array 'time' based on the `tau` values.

initialize_controls (*self, amps, init_tslots=True*)

Set the initial control amplitudes and time slices Note this must be called after the configuration is complete before any dynamics can be calculated

property num_ctrls

calculate the of controls from the length of the control list sets the num_ctrls property, which can be used alternatively subsequently

property onto_evo

List of evolution operators (Qobj) from the initial to the given timeslot

property onwd_evo

List of evolution operators (Qobj) from the initial to the given timeslot

property phase_application

scalar(string), default='preop' Determines how the phase is applied to the dynamics generators

- 'preop' : $P = \text{expm}(\text{phase} * \text{dyn_gen})$
- 'postop' : $P = \text{expm}(\text{dyn_gen} * \text{phase})$
- 'custom' : Customised phase application

The 'custom' option assumes that the `_apply_phase` method has been set to a custom function

Type phase_application

property prop

List of propagators (Qobj) for each timeslot

property prop_grad

Array of propagator gradients (Qobj) for each timeslot, control

refresh_drift_attribs (*self*)

Reset the dyn_shape, dyn_dims and time_depend_drift attribs

save_amps (*self, file_name=None, times=None, amps=None, verbose=False*)

Save a file with the current control amplitudes in each timeslot The first column in the file will be the start time of the slot

Parameters

file_name [string] Name of the file If None given the `def_amps_fname` attribute will be used

times [List type (or string)] List / array of the start times for each slot If None given this will be retrieved through `get_amp_times()` If 'exclude' then times will not be saved in the file, just the amplitudes

amps [Array[num_tslots, num_ctrls]] Amplitudes to be saved If None given the `ctrl_amps` attribute will be used

verbose [Boolean] If True then an info message will be logged

unitarity_check (*self*)

Checks whether all propagators are unitary

update_ctrl_amps (*self, new_amps*)

Determine if any amplitudes have changed. If so, then mark the timeslots as needing recalculation The actual work is completed by the `compare_amps` method of the timeslot computer

class DynamicsGenMat (*optimconfig, params=None*)

This sub class can be used for any system where no additional operator is applied to the dynamics generator before calculating the propagator, e.g. classical dynamics, Lindbladian

class DynamicsUnitary (*optimconfig, params=None*)

This is the subclass to use for systems with dynamics described by unitary matrices. E.g. closed systems with Hermitian Hamiltonians Note a matrix diagonalisation is used to compute the exponent The eigen

decomposition is also used to calculate the propagator gradient. The method is taken from DYNAMO (see file header)

Attributes

drift_ham [Qobj] This is the drift Hamiltonian for unitary dynamics It is mapped to drift_dyn_gen during initialize_controls

ctrl_ham [List of Qobj] These are the control Hamiltonians for unitary dynamics It is mapped to ctrl_dyn_gen during initialize_controls

H [List of Qobj] The combined drift and control Hamiltonians for each timeslot These are the dynamics generators for unitary dynamics. It is mapped to dyn_gen during initialize_controls

check_unitarity (*self*)

Checks whether all propagators are unitary For propagators found not to be unitary, the potential underlying causes are investigated.

initialize_controls (*self, amplitudes, init_slots=True*)

Set the initial control amplitudes and time slices Note this must be called after the configuration is complete before any dynamics can be calculated

property num_ctrls

calculate the of controls from the length of the control list sets the num_ctrls property, which can be used alternatively subsequently

class DynamicsSymplectic (*optimconfig, params=None*)

Symplectic systems This is the subclass to use for systems where the dynamics is described by symplectic matrices, e.g. coupled oscillators, quantum optics

Attributes

omega [array[drift_dyn_gen.shape]] matrix used in the calculation of propagators (time evolution) with symplectic systems.

property dyn_gen_phase

The phasing operator for the symplectic group generators usually referred to as Omega By default this is applied as 'postop' dyn_gen*-Omega If phase_application is 'preop' it is applied as Omega*dyn_gen

class PropagatorComputer (*dynamics, params=None*)

Base for all Propagator Computer classes that are used to calculate the propagators, and also the propagator gradient when exact gradient methods are used Note: they must be instantiated with a Dynamics object, that is the container for the data that the functions operate on This base class cannot be used directly. See subclass descriptions and choose the appropriate one for the application

Attributes

log_level [integer] level of messaging output from the logger. Options are attributes of qutip_utils.logging, in decreasing levels of messaging, are: DEBUG_INTENSE, DEBUG_VERBOSE, DEBUG, INFO, WARN, ERROR, CRITICAL Anything WARN or above is effectively 'quiet' execution, assuming everything runs as expected. The default NOTSET implies that the level will be taken from the QuTiP settings file, which by default is WARN

grad_exact [boolean] indicates whether the computer class instance is capable of computing propagator gradients. It is used to determine whether to create the Dynamics prop_grad array

apply_params (*self, params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter This is called during the instantiation automatically. The key value pairs are the attribute name and value Note: attributes are created if they do not exist already, and are overwritten if they do.

reset (*self*)

reset any configuration data

class PropCompApproxGrad (*dynamics, params=None*)

This subclass can be used when the propagator is calculated simply by expm of the dynamics generator, i.e. when gradients will be calculated using approximate methods.

reset (*self*)
reset any configuration data

class PropCompDiag (*dynamics, params=None*)

Computes the propagator exponentiation using diagonalisation of the dynamics generator

reset (*self*)
reset any configuration data

class PropCompFrechet (*dynamics, params=None*)

Frechet method for calculating the propagator: exponentiating the combined dynamics generator and the propagator gradient It should work for all systems, e.g. unitary, open, symplectic There are other PropagatorComputer subclasses that may be more efficient

reset (*self*)
reset any configuration data

class FidelityComputer (*dynamics, params=None*)

Base class for all Fidelity Computers. This cannot be used directly. See subclass descriptions and choose one appropriate for the application Note: this must be instantiated with a Dynamics object, that is the container for the data that the methods operate on

Attributes

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively ‘quiet’ execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

dimensional_norm [float] Normalisation constant

fid_norm_func [function] Used to normalise the fidelity See `SU` and `PSU` options for the unitary dynamics

grad_norm_func [function] Used to normalise the fidelity gradient See `SU` and `PSU` options for the unitary dynamics

uses_onwd_evo [boolean] flag to specify whether the `onwd_evo` evolution operator (see `Dynamics`) is used by the `FidelityComputer`

uses_onto_evo [boolean]

flag to specify whether the onto_evo evolution operator (see `Dynamics`) is used by the `FidelityComputer`

fid_err [float] Last computed value of the fidelity error

fidelity [float] Last computed value of the normalised fidelity

fidelity_current [boolean] flag to specify whether the fidelity / `fid_err` are based on the current amplitude values. Set `False` when amplitudes change

fid_err_grad: array[num_tslot, num_ctrls] of float Last computed values for the fidelity error gradients wrt the control in the timeslot

grad_norm [float] Last computed value for the norm of the fidelity error gradients (sqrt of the sum of the squares)

fid_err_grad_current [boolean] flag to specify whether the fidelity / `fid_err` are based on the current amplitude values. Set `False` when amplitudes change

apply_params (*self*, *params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter This is called during the instantiation automatically. The key value pairs are the attribute name and value Note: attributes are created if they do not exist already, and are overwritten if they do.

clear (*self*)

clear any temporarily held status data

flag_system_changed (*self*)

Flag fidelity and gradients as needing recalculation

get_fid_err (*self*)

returns the absolute distance from the maximum achievable fidelity

get_fid_err_gradient (*self*)

Returns the normalised gradient of the fidelity error in a (nTimeslots x n_ctrls) array wrt the timeslot control amplitude

init_comp (*self*)

initialises the computer based on the configuration of the Dynamics

reset (*self*)

reset any configuration data and clear any temporarily held status data

class FidCompUnitary (*dynamics, params=None*)

Computes fidelity error and gradient assuming unitary dynamics, e.g. closed qubit systems Note fidelity and gradient calculations were taken from DYNAMO (see file header)

Attributes

phase_option [string]

determines how global phase is treated in fidelity calculations: PSU - global phase ignored SU - global phase included

fidelity_prenorm [complex] Last computed value of the fidelity before it is normalised It is stored to use in the gradient normalisation calculation

fidelity_prenorm_current [boolean] flag to specify whether fidelity_prenorm are based on the current amplitude values. Set False when amplitudes change

clear (*self*)

clear any temporarily held status data

compute_fid_grad (*self*)

Calculates exact gradient of function wrt to each timeslot control amplitudes. Note these gradients are not normalised These are returned as a (nTimeslots x n_ctrls) array

flag_system_changed (*self*)

Flag fidelity and gradients as needing recalculation

get_fid_err (*self*)

Gets the absolute error in the fidelity

get_fid_err_gradient (*self*)

Returns the normalised gradient of the fidelity error in a (nTimeslots x n_ctrls) array The gradients are cached in case they are requested multiple times between control updates (although this is not typically found to happen)

get_fidelity (*self*)

Gets the appropriately normalised fidelity value The normalisation is determined by the fid_norm_func pointer which should be set in the config

get_fidelity_prenorm (*self*)

Gets the current fidelity value prior to normalisation Note the gradient function uses this value The value is cached, because it is used in the gradient calculation

init_comp (*self*)

Check configuration and initialise the normalisation

init_normalization (*self*)

Calc norm of $\langle U_{\text{final}} | U_{\text{final}} \rangle$ to scale subsequent norms When considering unitary time evolution operators, this basically results in calculating the trace of the identity matrix and is hence equal to the size of the target matrix There may be situations where this is not the case, and hence it is not assumed to be so. The normalisation function called should be set to either the PSU - global phase ignored SU - global phase respected

normalize_PSU (*self*, *A*)

normalize_SU (*self*, *A*)

normalize_gradient_PSU (*self*, *grad*)

Normalise the gradient matrix passed as *grad* This PSU version is independent of global phase

normalize_gradient_SU (*self*, *grad*)

Normalise the gradient matrix passed as *grad* This SU version respects global phase

reset (*self*)

reset any configuration data and clear any temporarily held status data

set_phase_option (*self*, *phase_option=None*)

Deprecated - use *phase_option* Phase options are SU - global phase important PSU - global phase is not important

class FidCompTraceDiff (*dynamics*, *params=None*)

Computes fidelity error and gradient for general system dynamics by calculating the the fidelity error as the trace of the overlap of the difference between the target and evolution resulting from the pulses with the transpose of the same. This should provide a distance measure for dynamics described by matrices Note the gradient calculation is taken from: 'Robust quantum gates for open systems via optimal control: Markovian versus non-Markovian dynamics' Frederik F Floether, Pierre de Fouquieres, and Sophie G Schirmer

Attributes

scale_factor [float] The fidelity error calculated is of some arbitrary scale. This factor can be used to scale the fidelity error such that it may represent some physical measure If None is given then it is calculated as $1/2N$, where N is the dimension of the drift, when the Dynamics are initialised.

compute_fid_err_grad (*self*)

Calculate exact gradient of the fidelity error function wrt to each timeslot control amplitudes. Uses the trace difference norm fidelity These are returned as a ($n_{\text{timeslots}} \times n_{\text{ctrls}}$) array

get_fid_err (*self*)

Gets the absolute error in the fidelity

get_fid_err_gradient (*self*)

Returns the normalised gradient of the fidelity error in a ($n_{\text{timeslots}} \times n_{\text{ctrls}}$) array The gradients are cached in case they are requested mutiple times between control updates (although this is not typically found to happen)

init_comp (*self*)

initialises the computer based on the configuration of the Dynamics Calculates the *scale_factor* is not already set

reset (*self*)

reset any configuration data and clear any temporarily held status data

class FidCompTraceDiffApprox (*dynamics*, *params=None*)

As *FidCompTraceDiff*, except uses the finite difference method to compute approximate gradients

Attributes

epsilon [float] control amplitude offset to use when approximating the gradient wrt a timeslot control amplitude

compute_fid_err_grad (*self*)

Calculates gradient of function wrt to each timeslot control amplitudes. Note these gradients are not normalised They are calculated These are returned as a (nTimeslots x n_ctrls) array

reset (*self*)

reset any configuration data and clear any temporarily held status data

class TimeslotComputer (*dynamics, params=None*)

Base class for all Timeslot Computers Note: this must be instantiated with a Dynamics object, that is the container for the data that the methods operate on

Attributes

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively ‘quiet’ execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

evo_comp_summary [EvoCompSummary] A summary of the most recent evolution computation Used in the stats and dump Will be set to `None` if neither stats or dump are set

apply_params (*self, params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter This is called during the instantiation automatically. The key value pairs are the attribute name and value Note: attributes are created if they do not exist already, and are overwritten if they do.

dump_current (*self*)

Store a copy of the current time evolution

class TSlotCompUpdateAll (*dynamics, params=None*)

Timeslot Computer - Update All Updates all dynamics generators, propagators and evolutions when ctrl amplitudes are updated

compare_amps (*self, new_amps*)

Determine if any amplitudes have changed. If so, then mark the timeslots as needing recalculation Returns: `True` if amplitudes are the same, `False` if they have changed

get_timeslot_for_fidelity_calc (*self*)

Returns the timeslot index that will be used calculate current fidelity value. This (default) method simply returns the last timeslot

recompute_evolution (*self*)

Recalculates the evolution operators. Dynamics generators (e.g. Hamiltonian) and prop (propagators) are calculated as necessary

class PulseGen (*dyn=None, params=None*)

Pulse generator Base class for all Pulse generators The object can optionally be instantiated with a Dynamics object, in which case the timeslots and amplitude scaling and offset are copied from that. Otherwise the class can be used independently by setting: `tau` (array of timeslot durations) or `num_tslots` and `pulse_time` for equally spaced timeslots

Attributes

num_tslots [integer] Number of timeslots, aka timeslices (copied from Dynamics if given)

pulse_time [float] total duration of the pulse (copied from Dynamics.evo_time if given)

scaling [float] linear scaling applied to the pulse (copied from Dynamics.initial_ctrl_scaling if given)

offset [float] linear offset applied to the pulse (copied from Dynamics.initial_ctrl_offset if given)

tau [array[num_tslots] of float] Duration of each timeslot (copied from Dynamics if given)

lbound [float] Lower boundary for the pulse amplitudes Note that the scaling and offset attributes can be used to fully bound the pulse for all generators except some of the random ones This bound (if set) may result in additional shifting / scaling Default is $-\text{Inf}$

ubound [float] Upper boundary for the pulse amplitudes Note that the scaling and offset attributes can be used to fully bound the pulse for all generators except some of the random ones This bound (if set) may result in additional shifting / scaling Default is Inf

periodic [boolean] True if the pulse generator produces periodic pulses

random [boolean] True if the pulse generator produces random pulses

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively ‘quiet’ execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

apply_params (*self*, *params=None*)

Set object attributes based on the dictionary (if any) passed in the instantiation, or passed as a parameter This is called during the instantiation automatically. The key value pairs are the attribute name and value

gen_pulse (*self*)

returns the pulse as an array of vales for each timeslot Must be implemented by subclass

init_pulse (*self*)

Initialise the pulse parameters

reset (*self*)

reset attributes to default values

class PulseGenRandom (*dyn=None*, *params=None*)

Generates random pulses as simply random values for each timeslot

gen_pulse (*self*)

Generate a pulse of random values between 1 and -1 Values are scaled using the scaling property and shifted using the offset property Returns the pulse as an array of vales for each timeslot

reset (*self*)

reset attributes to default values

class PulseGenZero (*dyn=None*, *params=None*)

Generates a flat pulse

gen_pulse (*self*)

Generate a pulse with the same value in every timeslot. The value will be zero, unless the offset is not zero, in which case it will be the offset

class PulseGenLinear (*dyn=None*, *params=None*)

Generates linear pulses

Attributes

gradient [float] Gradient of the line. Note this is calculated from the `start_val` and `end_val` if these are given

start_val [float] Start point of the line. That is the starting amplitude

end_val [float] End point of the line. That is the amplitude at the start of the last timeslot

gen_pulse (*self*, *gradient=None*, *start_val=None*, *end_val=None*)

Generate a linear pulse using either the gradient and start value or using the end point to calculate the gradient Note that the scaling and offset parameters are still applied, so unless these values are the default 1.0 and 0.0, then the actual gradient etc will be different Returns the pulse as an array of vales for each timeslot

init_pulse (*self*, *gradient=None*, *start_val=None*, *end_val=None*)
 Calculate the gradient if pulse is defined by start and end point values

reset (*self*)
 reset attributes to default values

class PulseGenPeriodic (*dyn=None*, *params=None*)
 Intermediate class for all periodic pulse generators All of the periodic pulses range from -1 to 1 All have a start phase that can be set between 0 and 2pi

Attributes

num_waves [float] Number of complete waves (cycles) that occur in the pulse. *wavelen* and *freq* calculated from this if it is given

wavelen [float] Wavelength of the pulse (assuming the speed is 1) *freq* is calculated from this if it is given

freq [float] Frequency of the pulse

start_phase [float] Phase of the pulse signal when $t=0$

init_pulse (*self*, *num_waves=None*, *wavelen=None*, *freq=None*, *start_phase=None*)
 Calculate the wavelength, frequency, number of waves etc from the each other and the other parameters
 If *num_waves* is given then the other parameters are worked from this Otherwise if the wavelength is given then it is the driver Otherwise the frequency is used to calculate wavelength and *num_waves*

reset (*self*)
 reset attributes to default values

class PulseGenSine (*dyn=None*, *params=None*)
 Generates sine wave pulses

gen_pulse (*self*, *num_waves=None*, *wavelen=None*, *freq=None*, *start_phase=None*)
 Generate a sine wave pulse If no params are provided then the class object attributes are used. If they are provided, then these will reinitialise the object attribs. returns the pulse as an array of vales for each timeslot

class PulseGenSquare (*dyn=None*, *params=None*)
 Generates square wave pulses

gen_pulse (*self*, *num_waves=None*, *wavelen=None*, *freq=None*, *start_phase=None*)
 Generate a square wave pulse If no parameters are pavided then the class object attributes are used. If they are provided, then these will reinitialise the object attribs

class PulseGenSaw (*dyn=None*, *params=None*)
 Generates saw tooth wave pulses

gen_pulse (*self*, *num_waves=None*, *wavelen=None*, *freq=None*, *start_phase=None*)
 Generate a saw tooth wave pulse If no parameters are pavided then the class object attributes are used. If they are provided, then these will reinitialise the object attribs

class PulseGenTriangle (*dyn=None*, *params=None*)
 Generates triangular wave pulses

gen_pulse (*self*, *num_waves=None*, *wavelen=None*, *freq=None*, *start_phase=None*)
 Generate a sine wave pulse If no parameters are pavided then the class object attributes are used. If they are provided, then these will reinitialise the object attribs

class PulseGenGaussian (*dyn=None*, *params=None*)
 Generates pulses with a Gaussian profile

gen_pulse (*self*, *mean=None*, *variance=None*)
 Generate a pulse with Gaussian shape. The peak is centre around the mean and the variance determines the breadth The scaling and offset attributes are applied as an amplitude and fixed linear offset. Note that the maximum amplitude will be scaling + offset.

reset (*self*)
 reset attributes to default values

class PulseGenGaussianEdge (*dyn=None, params=None*)
 Generate pulses with inverted Gaussian ramping in and out It's intended use for a ramping modulation, which is often required in experimental setups.

Attributes

decay_time [float] Determines the ramping rate. It is approximately the time required to bring the pulse to full amplitude It is set to 1/10 of the pulse time by default

gen_pulse (*self, decay_time=None*)
 Generate a pulse that starts and ends at zero and 1.0 in between then apply scaling and offset The tailing in and out is an inverted Gaussian shape

reset (*self*)
 reset attributes to default values

class PulseGenCrab (*dyn=None, num_coeffs=None, params=None*)
 Base class for all CRAB pulse generators Note these are more involved in the optimisation process as they are used to produce piecewise control amplitudes each time new optimisation parameters are tried

Attributes

num_coeffs [integer] Number of coefficients used for each basis function

num_basis_funcs [integer] Number of basis functions In this case set at 2 and should not be changed

coeffs [float array[num_coeffs, num_basis_funcs]] The basis coefficient values

randomize_coeffs [bool] If True (default) then the coefficients are set to some random values when initialised, otherwise they will all be equal to self.scaling

estimate_num_coeffs (*self, dim*)
 Estimate the number coefficients based on the dimensionality of the system. :returns: **num_coeffs** – estimated number of coefficients :rtype: int

get_optim_var_vals (*self*)
 Get the parameter values to be optimised :returns: :rtype: list (or 1d array) of floats

init_coeffs (*self, num_coeffs=None*)
 Generate the initial coefficient values.

Parameters

num_coeffs [integer] Number of coefficients used for each basis function If given this overrides the default and sets the attribute of the same name.

init_pulse (*self, num_coeffs=None*)
 Set the initial freq and coefficient values

reset (*self*)
 reset attributes to default values

set_optim_var_vals (*self, param_vals*)
 Set the values of the any of the pulse generation parameters based on new values from the optimisation method Typically this will be the basis coefficients

class PulseGenCrabFourier (*dyn=None, num_coeffs=None, params=None*)
 Generates a pulse using the Fourier basis functions, i.e. sin and cos

Attributes

freqs [float array[num_coeffs]] Frequencies for the basis functions

randomize_freqs [bool] If True (default) the some random offset is applied to the frequencies

gen_pulse (*self*, *coeffs=None*)

Generate a pulse using the Fourier basis with the *freqs* and *coeffs* attributes.

Parameters

coeffs [float array[num_coefs, num_basis_funcs]] The basis coefficient values. If given this overrides the default and sets the attribute of the same name.

init_freqs (*self*)

Generate the frequencies. These are the Fourier harmonics with a uniformly distributed random offset.

init_pulse (*self*, *num_coefs=None*)

Set the initial freq and coefficient values.

reset (*self*)

reset attributes to default values.

class Stats

Base class for all optimisation statistics. Used for configurations where all timeslots are updated each iteration e.g. exact gradients. Note that all times are generated using `timeit.default_timer()` and are in seconds.

Attributes

dyn_gen_name [string] Text used in some report functions. Makes sense to set it to 'Hamiltonian' when using unitary dynamics. Default is simply 'dynamics generator'.

num_iter [integer] Number of iterations of the optimisation algorithm.

wall_time_optim_start [float] Start time for the optimisation.

wall_time_optim_end [float] End time for the optimisation.

wall_time_optim [float] Time elapsed during the optimisation.

wall_time_dyn_gen_compute [float] Total wall (elapsed) time computing combined dynamics generator (for example combining drift and control Hamiltonians).

wall_time_prop_compute [float] Total wall (elapsed) time computing propagators, that is the time evolution from one timeslot to the next. Includes calculating the propagator gradient for exact gradients.

wall_time_fwd_prop_compute [float] Total wall (elapsed) time computing combined forward propagation, that is the time evolution from the start to a specific timeslot. Excludes calculating the propagators themselves.

wall_time_onwd_prop_compute [float] Total wall (elapsed) time computing combined onward propagation, that is the time evolution from a specific timeslot to the end time. Excludes calculating the propagators themselves.

wall_time_gradient_compute [float] Total wall (elapsed) time computing the fidelity error gradient. Excludes calculating the propagator gradients (in exact gradient methods).

num_fidelity_func_calls [integer] Number of calls to fidelity function by the optimisation algorithm.

num_grad_func_calls [integer] Number of calls to gradient function by the optimisation algorithm.

num_tslot_recompute [integer] Number of time the timeslot evolution is recomputed (It is only computed if any amplitudes changed since the last call).

num_fidelity_computes [integer] Number of time the fidelity is computed (It is only computed if any amplitudes changed since the last call).

num_grad_computes [integer] Number of time the gradient is computed (It is only computed if any amplitudes changed since the last call).

num_ctrl_amp_updates [integer] Number of times the control amplitudes are updated.

mean_num_ctrl_amp_updates_per_iter [float] Mean number of control amplitude updates per iteration

num_timeslot_changes [integer] Number of times the amplitudes of a any control in a timeslot changes

mean_num_timeslot_changes_per_update [float] Mean average number of timeslot amplitudes that are changed per update

num_ctrl_amp_changes [integer] Number of times individual control amplitudes that are changed

mean_num_ctrl_amp_changes_per_update [float] Mean average number of control amplitudes that are changed per update

calculate (*self*)

Perform the calculations (e.g. averages) that are required on the stats Should be called before calling report

report (*self*)

Print a report of the stats to the console

class Dump

A container for dump items. The lists for dump items is depends on the type Note: abstract class

Attributes

parent [some control object (Dynamics or Optimizer)] aka the host. Object that generates the data that is dumped and is host to this dump object.

dump_dir [str] directory where files (if any) will be written out the path and be relative or absolute use ~/ to specify user home directory Note: files are only written when write_to_file is True or writeout is called explicitly Defaults to ~/.qtrl_dump

level [string] The level of data dumping that will occur - SUMMARY : A summary will be recorded - FULL : All possible dumping - CUSTOM : Some customised level of dumping When first set to CUSTOM this is equivalent to SUMMARY.

write_to_file [bool] When set True data and summaries (as configured) will be written interactively to file during the processing Set during instantiation by the host based on its dump_to_file attrib

dump_file_ext [str] Default file extension for any file names that are auto generated

fname_base [str] First part of any auto generated file names. This is usually overridden in the subclass

dump_summary [bool] If True a summary is recorded each time a new item is added to the the dump. Default is True

summary_sep [str] delimiter for the summary file. default is a space

data_sep [str] delimiter for the data files (arrays saved to file). default is a space

summary_file [str] File path for summary file. Automatically generated. Can be set specifically

create_dump_dir (*self*)

Checks dump directory exists, creates it if not

property level

The level of data dumping that will occur

- SUMMARY : A summary will be recorded
- FULL : All possible dumping
- CUSTOM : Some customised level of dumping

When first set to CUSTOM this is equivalent to SUMMARY. It is then up to the user to specify what specifically is dumped

class OptimDump (*optim, level='SUMMARY'*)

A container for dumps of optimisation data generated during the pulse optimisation.

Attributes

- dump_summary** [bool] When True summary items are appended to the iter_summary
- iter_summary** [list of optimizer.OptimIterSummary] Summary at each iteration
- dump_fid_err** [bool] When True values are appended to the fid_err_log
- fid_err_log** [list of float] Fidelity error at each call of the fid_err_func
- dump_grad_norm** [bool] When True values are appended to the fid_err_log
- grad_norm_log** [list of float] Gradient norm at each call of the grad_norm_log
- dump_grad** [bool] When True values are appended to the grad_log
- grad_log** [list of ndarray] Gradients at each call of the fid_grad_func

add_iter_summary (*self*)

add copy of current optimizer iteration summary

property dump_all

True if everything (ignoring the summary) is to be dumped

property dump_any

True if anything other than the summary is to be dumped

update_fid_err_log (*self, fid_err*)

add an entry to the fid_err log

update_grad_log (*self, grad*)

add an entry to the grad log

update_grad_norm_log (*self, grad_norm*)

add an entry to the grad_norm log

writeout (*self, f=None*)

write all the logs and the summary out to file(s)

Parameters

- f** [filename or filehandle] If specified then all summary and object data will go in one file. If None is specified then type specific files will be generated in the dump_dir If a filehandle is specified then it must be a byte mode file as numpy.savetxt is used, and requires this.

class DynamicsDump (*dynamics, level='SUMMARY'*)

A container for dumps of dynamics data. Mainly time evolution calculations

Attributes

- dump_summary** [bool] If True a summary is recorded
- evo_summary** [list of :class:`slotcomp.EvoCompSummary`] Summary items are appended if dump_summary is True at each recomputation of the evolution.
- dump_amps** [bool] If True control amplitudes are dumped
- dump_dyn_gen** [bool] If True the dynamics generators (Hamiltonians) are dumped
- dump_prop** [bool] If True propagators are dumped
- dump_prop_grad** [bool] If True propagator gradients are dumped
- dump_fwd_evo** [bool] If True forward evolution operators are dumped
- dump_onwd_evo** [bool] If True onward evolution operators are dumped

dump_onto_evo [bool] If True onto (or backward) evolution operators are dumped

evo_dumps [list of *EvoCompDumpItem*] A new dump item is appended at each recomputation of the evolution. That is if any of the calculation objects are to be dumped.

add_evo_comp_summary (*self*, *dump_item_idx=None*)
add copy of current evo comp summary

add_evo_dump (*self*)
Add dump of current time evolution generating objects

property dump_all
True if all of the calculation objects are to be dumped

property dump_any
True if any of the calculation objects are to be dumped

writeout (*self*, *f=None*)
write all the dump items and the summary out to file(s) :param f: If specified then all summary and object data will go in one file.

If None is specified then type specific files will be generated in the `dump_dir` If a filehandle is specified then it must be a byte mode file as `numpy.savetxt` is used, and requires this.

class DumpItem
An item in a dump list

class EvoCompDumpItem (*dump*)
A copy of all objects generated to calculate one time evolution Note the attributes are only set if the corresponding *DynamicsDump* **dump_** attribute is set.

writeout (*self*, *f=None*)
write all the objects out to files

Parameters

f [filename or filehandle] If specified then all object data will go in one file. If None is specified then type specific files will be generated in the `dump_dir` If a filehandle is specified then it must be a byte mode file as `numpy.savetxt` is used, and requires this.

class DumpSummaryItem
A summary of the most recent iteration Abstract class only
Attributes: `idx` : int

Index in the summary list in which this is stored

5.2 Functions

5.2.1 Manipulation and Creation of States and Operators

Quantum States

basis (*dimensions*, *n=None*, *offset=None*)
Generates the vector representation of a Fock state.

Parameters

dimensions [int or list of ints] Number of Fock states in Hilbert space. If a list, then the resultant object will be a tensor product over spaces with those dimensions.

n [int or list of ints, optional (default 0 for all dimensions)] Integer corresponding to desired number state, defaults to 0 for all dimensions if omitted. The shape must match dimensions, e.g. if `dimensions` is a list, then `n` must either be omitted or a list of equal length.

offset [int or list of ints, optional (default 0 for all dimensions)] The lowest number state that is included in the finite number state representation of the state in the relevant dimension.

Returns

state [`qutip.Qobj`] Qobj representing the requested number state $|n\rangle$.

Notes

A subtle incompatibility with the quantum optics toolbox: In QuTiP:

```
basis(N, 0) = ground state
```

but in the qotoolbox:

```
basis(N, 1) = ground state
```

Examples

```
>>> basis(5,2)
Quantum object: dims = [[5], [1]], shape = (5, 1), type = ket
Qobj data =
[[ 0.+0.j]
 [ 0.+0.j]
 [ 1.+0.j]
 [ 0.+0.j]
 [ 0.+0.j]]
>>> basis([2,2,2], [0,1,0])
Quantum object: dims = [[2, 2, 2], [1, 1, 1]], shape = (8, 1), type = ket
Qobj data =
[[0.]
 [0.]
 [1.]
 [0.]
 [0.]
 [0.]
 [0.]
 [0.]]
```

bell_state (*state*='00')

Returns the Bell state:

$$|B00\rangle = 1 / \sqrt{2} * [|0\rangle|0\rangle + |1\rangle|1\rangle] \quad |B01\rangle = 1 / \sqrt{2} * [|0\rangle|0\rangle - |1\rangle|1\rangle] \quad |B10\rangle = 1 / \sqrt{2} * [|0\rangle|1\rangle + |1\rangle|0\rangle] \quad |B11\rangle = 1 / \sqrt{2} * [|0\rangle|1\rangle - |1\rangle|0\rangle]$$

Returns

Bell_state [qobj] Bell state

bra (*seq*, *dim*=2)

Produces a multiparticle bra state for a list or string, where each element stands for state of the respective particle.

Parameters

seq [str / list of ints or characters] Each element defines state of the respective particle. (e.g. [1,1,0,1] or a string "1101"). For qubits it is also possible to use the following conventions: - 'g'/'e' (ground and excited state) - 'u'/'d' (spin up and down) - 'H'/'V' (horizontal and vertical polarization) Note: for dimension > 9 you need to use a list.

dim [int (default: 2) / list of ints] Space dimension for each particle: int if there are the same, list if they are different.

Returns

bra [qobj]

Examples

```
>>> bra("10")
Quantum object: dims = [[1, 1], [2, 2]], shape = [1, 4], type = bra
Qobj data =
[[ 0.  0.  1.  0.]]
```

```
>>> bra("Hue")
Quantum object: dims = [[1, 1, 1], [2, 2, 2]], shape = [1, 8], type = bra
Qobj data =
[[ 0.  1.  0.  0.  0.  0.  0.  0.]]
```

```
>>> bra("12", 3)
Quantum object: dims = [[1, 1], [3, 3]], shape = [1, 9], type = bra
Qobj data =
[[ 0.  0.  0.  0.  0.  1.  0.  0.  0.]]
```

```
>>> bra("31", [5, 2])
Quantum object: dims = [[1, 1], [5, 2]], shape = [1, 10], type = bra
Qobj data =
[[ 0.  0.  0.  0.  0.  0.  0.  1.  0.  0.]]
```

coherent (*N*, *alpha*, *offset=0*, *method='operator'*)

Generates a coherent state with eigenvalue *alpha*.

Constructed using displacement operator on vacuum state.

Parameters

N [int] Number of Fock states in Hilbert space.

alpha [float/complex] Eigenvalue of coherent state.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the state. Using a non-zero offset will make the default method 'analytic'.

method [string {'operator', 'analytic'}] Method for generating coherent state.

Returns

state [qobj] Qobj quantum object for coherent state

Notes

Select method 'operator' (default) or 'analytic'. With the 'operator' method, the coherent state is generated by displacing the vacuum state using the displacement operator defined in the truncated Hilbert space of size 'N'. This method guarantees that the resulting state is normalized. With 'analytic' method the coherent state is generated using the analytical formula for the coherent state coefficients in the Fock basis. This method does not guarantee that the state is normalized if truncated to a small number of Fock states, but would in that case give more accurate coefficients.

Examples

```
>>> coherent(5,0.25j)
Quantum object: dims = [[5], [1]], shape = [5, 1], type = ket
Qobj data =
[[ 9.69233235e-01+0.j          ]
 [ 0.00000000e+00+0.24230831j]
 [-4.28344935e-02+0.j          ]
 [ 0.00000000e+00-0.00618204j]
 [ 7.80904967e-04+0.j          ]]
```

coherent_dm (*N*, *alpha*, *offset=0*, *method='operator'*)

Density matrix representation of a coherent state.

Constructed via outer product of `qutip.states.coherent`

Parameters

N [int] Number of Fock states in Hilbert space.

alpha [float/complex] Eigenvalue for coherent state.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the state.

method [string {'operator', 'analytic'}] Method for generating coherent density matrix.

Returns

dm [qobj] Density matrix representation of coherent state.

Notes

Select method 'operator' (default) or 'analytic'. With the 'operator' method, the coherent density matrix is generated by displacing the vacuum state using the displacement operator defined in the truncated Hilbert space of size 'N'. This method guarantees that the resulting density matrix is normalized. With 'analytic' method the coherent density matrix is generated using the analytical formula for the coherent state coefficients in the Fock basis. This method does not guarantee that the state is normalized if truncated to a small number of Fock states, but would in that case give more accurate coefficients.

Examples

```
>>> coherent_dm(3,0.25j)
Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 0.93941695+0.j          0.00000000-0.23480733j -0.04216943+0.j          ]
 [ 0.00000000+0.23480733j  0.05869011+0.j          0.00000000-0.01054025j]
 [-0.04216943+0.j          0.00000000+0.01054025j  0.00189294+0.j          ]]
```

enr_state_dictionaries (*dims*, *excitations*)

Return the number of states, and lookup-dictionaries for translating a state tuple to a state index, and vice versa, for a system with a given number of components and maximum number of excitations.

Parameters

dims: list A list with the number of states in each sub-system.

excitations [integer] The maximum numbers of dimension

Returns

nstates, state2idx, idx2state: integer, dict, dict The number of states *nstates*, a dictionary for looking up state indices from a state tuple, and a dictionary for looking up state state tuples from state indices.

enr_thermal_dm (*dims, excitations, n*)

Generate the density operator for a thermal state in the excitation-number- restricted state space defined by the *dims* and *excitations* arguments. See the documentation for `enr_fock` for a more detailed description of these arguments. The temperature of each mode in *dims* is specified by the average number of excitatons *n*.

Parameters

dims [list] A list of the dimensions of each subsystem of a composite quantum system.

excitations [integer] The maximum number of excitations that are to be included in the state space.

n [integer] The average number of exciations in the thermal state. *n* can be a float (which then applies to each mode), or a list/array of the same length as *dims*, in which each element corresponds specifies the temperature of the corresponding mode.

Returns

dm [Qobj] Thermal state density matrix.

enr_fock (*dims, excitations, state*)

Generate the Fock state representation in a excitation-number restricted state space. The *dims* argument is a list of integers that define the number of quantum states of each component of a composite quantum system, and the *excitations* specifies the maximum number of excitations for the basis states that are to be included in the state space. The *state* argument is a tuple of integers that specifies the state (in the number basis representation) for which to generate the Fock state representation.

Parameters

dims [list] A list of the dimensions of each subsystem of a composite quantum system.

excitations [integer] The maximum number of excitations that are to be included in the state space.

state [list of integers] The state in the number basis representation.

Returns

ket [Qobj] A Qobj instance that represent a Fock state in the exciation-number- restricted state space defined by *dims* and *excitations*.

fock (*dimensions, n=None, offset=None*)

Bosonic Fock (number) state.

Same as `qutip.states.basis`.

Parameters

dimensions [int or list of ints] Number of Fock states in Hilbert space. If a list, then the resultant object will be a tensor product over spaces with those dimensions.

n [int or list of ints, optional (default 0 for all dimensions)] Integer corresponding to desired number state, defaults to 0 for all dimensions if omitted. The shape must match *dimensions*, e.g. if *dimensions* is a list, then *n* must either be omitted or a list of equal length.

offset [int or list of ints, optional (default 0 for all dimensions)] The lowest number state that is included in the finite number state representation of the state in the relevant dimension.

Returns

Requested number state $|n\rangle$.

Examples

```
>>> fock(4,3)
Quantum object: dims = [[4], [1]], shape = [4, 1], type = ket
Qobj data =
[[ 0.+0.j]
 [ 0.+0.j]
 [ 0.+0.j]
 [ 1.+0.j]]
```

fock_dm (*dimensions*, *n=None*, *offset=None*)

Density matrix representation of a Fock state

Constructed via outer product of `qutip.states.fock`.

Parameters

dimensions [int or list of ints] Number of Fock states in Hilbert space. If a list, then the resultant object will be a tensor product over spaces with those dimensions.

n [int or list of ints, optional (default 0 for all dimensions)] Integer corresponding to desired number state, defaults to 0 for all dimensions if omitted. The shape must match dimensions, e.g. if dimensions is a list, then n must either be omitted or a list of equal length.

offset [int or list of ints, optional (default 0 for all dimensions)] The lowest number state that is included in the finite number state representation of the state in the relevant dimension.

Returns

dm [qobj] Density matrix representation of Fock state.

Examples

```
>>> fock_dm(3,1)
Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 0.+0.j 0.+0.j 0.+0.j]
 [ 0.+0.j 1.+0.j 0.+0.j]
 [ 0.+0.j 0.+0.j 0.+0.j]]
```

ghz_state (*N=3*)

Returns the N-qubit GHZ-state.

Parameters

N [int (default=3)] Number of qubits in state

Returns

G [qobj] N-qubit GHZ-state

maximally_mixed_dm (*N*)

Returns the maximally mixed density matrix for a Hilbert space of dimension N.

Parameters

N [int] Number of basis states in Hilbert space.

Returns

dm [qobj] Thermal state density matrix.

ket (*seq*, *dim=2*)

Produces a multiparticle ket state for a list or string, where each element stands for state of the respective particle.

Parameters

seq [str / list of ints or characters] Each element defines state of the respective particle. (e.g. [1,1,0,1] or a string "1101"). For qubits it is also possible to use the following conventions: - 'g'/'e' (ground and excited state) - 'u'/'d' (spin up and down) - 'H'/'V' (horizontal and vertical polarization) Note: for dimension > 9 you need to use a list.

dim [int (default: 2) / list of ints] Space dimension for each particle: int if there are the same, list if they are different.

Returns

ket [qobj]

Examples

```
>>> ket("10")
Quantum object: dims = [[2, 2], [1, 1]], shape = [4, 1], type = ket
Qobj data =
[[ 0.]
 [ 0.]
 [ 1.]
 [ 0.]]
```

```
>>> ket("Hue")
Quantum object: dims = [[2, 2, 2], [1, 1, 1]], shape = [8, 1], type = ket
Qobj data =
[[ 0.]
 [ 1.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]]
```

```
>>> ket("12", 3)
Quantum object: dims = [[3, 3], [1, 1]], shape = [9, 1], type = ket
Qobj data =
[[ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 1.]
 [ 0.]
 [ 0.]
 [ 0.]]
```

```
>>> ket("31", [5, 2])
Quantum object: dims = [[5, 2], [1, 1]], shape = [10, 1], type = ket
Qobj data =
```

(continues on next page)

(continued from previous page)

```
[[ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 1.]
 [ 0.]
 [ 0.]]
```

ket2dm (*Q*)

Takes input ket or bra vector and returns density matrix formed by outer product.

Parameters

Q [qobj] Ket or bra type quantum object.

Returns

dm [qobj] Density matrix formed by outer product of *Q*.

Examples

```
>>> x=basis(3,2)
>>> ket2dm(x)
Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j]]
```

phase_basis (*N, m, phi0=0*)

Basis vector for the *m*th phase of the Pegg-Barnett phase operator.

Parameters

N [int] Number of basis vectors in Hilbert space.

m [int] Integer corresponding to the *m*th discrete phase $\phi_m = \phi_0 + 2\pi m/N$

phi0 [float (default=0)] Reference phase angle.

Returns

state [qobj] Ket vector for *m*th Pegg-Barnett phase operator basis state.

Notes

The Pegg-Barnett basis states form a complete set over the truncated Hilbert space.

projection (*N, n, m, offset=None*)

The projection operator that projects state $|m\rangle$ on state $|n\rangle$.

Parameters

N [int] Number of basis states in Hilbert space.

n, m [float] The number states in the projection.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the projector.

Returns

oper [qobj] Requested projection operator.

qutrit_basis ()

Basis states for a three level system (qutrit)

Returns

qstates [array] Array of qutrit basis vectors

singlet_state ()

Returns the two particle singlet-state:

$$|S\rangle = 1/\sqrt{2} * [|0\rangle|1\rangle - |1\rangle|0\rangle]$$

that is identical to the fourth bell state.

Returns

Bell_state [qobj] $|B_{11}\rangle$ Bell state

spin_state (*j, m, type='ket'*)

Generates the spin state $|j, m\rangle$, i.e. the eigenstate of the spin-*j* Sz operator with eigenvalue *m*.

Parameters

j [float] The spin of the state ().

m [int] Eigenvalue of the spin-*j* Sz operator.

type [string {'ket', 'bra', 'dm'}] Type of state to generate.

Returns

state [qobj] Qobj quantum object for spin state

spin_coherent (*j, theta, phi, type='ket'*)

Generate the coherent spin state $|theta, phi\rangle$.

Parameters

j [float] The spin of the state.

theta [float] Angle from z axis.

phi [float] Angle from x axis.

type [string {'ket', 'bra', 'dm'}] Type of state to generate.

Returns

state [qobj] Qobj quantum object for spin coherent state

state_number_enumerate (*dims, excitations=None, state=None, idx=0*)

An iterator that enumerate all the state number arrays (quantum numbers on the form [n1, n2, n3, ...]) for a system with dimensions given by *dims*.

Example

```
>>> for state in state_number_enumerate([2,2]):
>>>     print(state)
[ 0  0 ]
[ 0  1 ]
[ 1  0 ]
[ 1  1 ]
```

Parameters

dims [list or array] The quantum state dimensions array, as it would appear in a Qobj.

state [list] Current state in the iteration. Used internally.

excitations [integer (None)] Restrict state space to states with excitation numbers below or equal to this value.

idx [integer] Current index in the iteration. Used internally.

Returns

state_number [list] Successive state number arrays that can be used in loops and other iterations, using standard state enumeration *by definition*.

state_number_index (*dims, state*)

Return the index of a quantum state corresponding to *state*, given a system with dimensions given by *dims*.

Example

```
>>> state_number_index([2, 2, 2], [1, 1, 0])
6
```

Parameters

dims [list or array] The quantum state dimensions array, as it would appear in a Qobj.

state [list] State number array.

Returns

idx [int] The index of the state given by *state* in standard enumeration ordering.

state_index_number (*dims, index*)

Return a quantum number representation given a state index, for a system of composite structure defined by *dims*.

Example

```
>>> state_index_number([2, 2, 2], 6)
[1, 1, 0]
```

Parameters

dims [list or array] The quantum state dimensions array, as it would appear in a Qobj.

index [integer] The index of the state in standard enumeration ordering.

Returns

state [list] The state number array corresponding to index *index* in standard enumeration ordering.

state_number_qobj (*dims, state*)

Return a Qobj representation of a quantum state specified by the state array *state*.

Example

```
>>> state_number_qobj([2, 2, 2], [1, 0, 1])
Quantum object: dims = [[2, 2, 2], [1, 1, 1]], shape = [8, 1], type = ket
Qobj data =
[[ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 0.]
 [ 1.]
 [ 0.]
 [ 0.]]
```

Parameters

dims [list or array] The quantum state dimensions array, as it would appear in a Qobj.

state [list] State number array.

Returns

state [qutip.Qobj.qobj] The state as a qutip.Qobj.qobj instance.

thermal_dm (*N*, *n*, *method*='operator')

Density matrix for a thermal state of *n* particles

Parameters

N [int] Number of basis states in Hilbert space.

n [float] Expectation value for number of particles in thermal state.

method [string {'operator', 'analytic'}] *string* that sets the method used to generate the thermal state probabilities

Returns

dm [qobj] Thermal state density matrix.

Notes

The 'operator' method (default) generates the thermal state using the truncated number operator `num(N)`. This is the method that should be used in computations. The 'analytic' method uses the analytic coefficients derived in an infinite Hilbert space. The analytic form is not necessarily normalized, if truncated too aggressively.

Examples

```
>>> thermal_dm(5, 1)
Quantum object: dims = [[5], [5]], shape = [5, 5], type = oper, isHerm = True
Qobj data =
[[ 0.51612903  0.          0.          0.          0.          ]
 [ 0.          0.25806452  0.          0.          0.          ]
 [ 0.          0.          0.12903226  0.          0.          ]
 [ 0.          0.          0.          0.06451613  0.          ]
 [ 0.          0.          0.          0.          0.03225806]]
```

```
>>> thermal_dm(5, 1, 'analytic')
Quantum object: dims = [[5], [5]], shape = [5, 5], type = oper, isHerm = True
Qobj data =
```

(continues on next page)

(continued from previous page)

[[0.5	0.	0.	0.	0.]
[0.	0.25	0.	0.	0.]
[0.	0.	0.125	0.	0.]
[0.	0.	0.	0.0625	0.]
[0.	0.	0.	0.	0.03125]]

zero_ket (*N*, *dims=None*)

Creates the zero ket vector with shape $N \times 1$ and dimensions *dims*.

Parameters

N [int] Hilbert space dimensionality

dims [list] Optional dimensions if ket corresponds to a composite Hilbert space.

Returns

zero_ket [qobj] Zero ket on given Hilbert space.

Quantum Operators

This module contains functions for generating Qobj representation of a variety of commonly occurring quantum operators.

charge (*Nmax*, *Nmin=None*, *frac=1*)

Generate the diagonal charge operator over charge states from *Nmin* to *Nmax*.

Parameters

Nmax [int] Maximum charge state to consider.

Nmin [int (default = -Nmax)] Lowest charge state to consider.

frac [float (default = 1)] Specify fractional charge if needed.

Returns

C [Qobj] Charge operator over [*Nmin*,*Nmax*].

Notes

New in version 3.2.

commutator (*A*, *B*, *kind='normal'*)

Return the commutator of kind *kind* (normal, anti) of the two operators *A* and *B*.

create (*N*, *offset=0*)

Creation (raising) operator.

Parameters

N [int] Dimension of Hilbert space.

Returns

oper [qobj] Qobj for raising operator.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Examples

```
>>> create(4)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isHerm = False
Qobj data =
[[ 0.00000000+0.j  0.00000000+0.j  0.00000000+0.j  0.00000000+0.j]
 [ 1.00000000+0.j  0.00000000+0.j  0.00000000+0.j  0.00000000+0.j]
 [ 0.00000000+0.j  1.41421356+0.j  0.00000000+0.j  0.00000000+0.j]
 [ 0.00000000+0.j  0.00000000+0.j  1.73205081+0.j  0.00000000+0.j]]
```

destroy (*N*, *offset*=0)

Destruction (lowering) operator.

Parameters

N [int] Dimension of Hilbert space.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper [qobj] Qobj for lowering operator.

Examples

```
>>> destroy(4)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isHerm = False
Qobj data =
[[ 0.00000000+0.j  1.00000000+0.j  0.00000000+0.j  0.00000000+0.j]
 [ 0.00000000+0.j  0.00000000+0.j  1.41421356+0.j  0.00000000+0.j]
 [ 0.00000000+0.j  0.00000000+0.j  0.00000000+0.j  1.73205081+0.j]
 [ 0.00000000+0.j  0.00000000+0.j  0.00000000+0.j  0.00000000+0.j]]
```

displace (*N*, *alpha*, *offset*=0)

Single-mode displacement operator.

Parameters

N [int] Dimension of Hilbert space.

alpha [float/complex] Displacement amplitude.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper [qobj] Displacement operator.

Examples

```
>>> displace(4, 0.25)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isHerm = False
Qobj data =
[[ 0.96923323+0.j -0.24230859+0.j  0.04282883+0.j -0.00626025+0.j]
 [ 0.24230859+0.j  0.90866411+0.j -0.33183303+0.j  0.07418172+0.j]
 [ 0.04282883+0.j  0.33183303+0.j  0.84809499+0.j -0.41083747+0.j]
 [ 0.00626025+0.j  0.07418172+0.j  0.41083747+0.j  0.90866411+0.j]]
```

enr_destroy (*dims*, *excitations*)

Generate annihilation operators for modes in a excitation-number-restricted state space. For example, consider

a system consisting of 4 modes, each with 5 states. The total hilbert space size is $5^{**}4 = 625$. If we are only interested in states that contain up to 2 excitations, we only need to include states such as

$(0, 0, 0, 0)$ $(0, 0, 0, 1)$ $(0, 0, 0, 2)$ $(0, 0, 1, 0)$ $(0, 0, 1, 1)$ $(0, 0, 2, 0)$...

This function creates annihilation operators for the 4 modes that act within this state space:

`a1, a2, a3, a4 = enr_destroy([5, 5, 5, 5], excitations=2)`

From this point onwards, the annihilation operators `a1`, ..., `a4` can be used to setup a Hamiltonian, collapse operators and expectation-value operators, etc., following the usual pattern.

Parameters

dims [list] A list of the dimensions of each subsystem of a composite quantum system.

excitations [integer] The maximum number of excitations that are to be included in the state space.

Returns

a_ops [list of qobj] A list of annihilation operators for each mode in the composite quantum system described by `dims`.

enr_identity (*dims, excitations*)

Generate the identity operator for the excitation-number restricted state space defined by the *dims* and *excitations* arguments. See the docstring for `enr_fock` for a more detailed description of these arguments.

Parameters

dims [list] A list of the dimensions of each subsystem of a composite quantum system.

excitations [integer] The maximum number of excitations that are to be included in the state space.

state [list of integers] The state in the number basis representation.

Returns

op [Qobj] A Qobj instance that represent the identity operator in the excitation-number-restricted state space defined by *dims* and *excitations*.

jmat (*j, *args*)

Higher-order spin operators:

Parameters

j [float] Spin of operator

args [str] Which operator to return 'x','y','z','+','-'. If no args given, then output is ['x','y','z']

Returns

jmat [qobj / ndarray] qobj for requested spin operator(s).

Notes

If no 'args' input, then returns array of ['x','y','z'] operators.

Examples

```
>>> jmat(1)
[ Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 0.          0.70710678  0.          ]
 [ 0.70710678  0.          0.70710678]
 [ 0.          0.70710678  0.          ]]
Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 0.+0.j          0.-0.70710678j  0.+0.j          ]
 [ 0.+0.70710678j  0.+0.j          0.-0.70710678j]
 [ 0.+0.j          0.+0.70710678j  0.+0.j          ]]
Quantum object: dims = [[3], [3]], shape = [3, 3], type = oper, isHerm = True
Qobj data =
[[ 1.  0.  0.]
 [ 0.  0.  0.]
 [ 0.  0. -1.]]]
```

num (*N*, *offset=0*)

Quantum object for number operator.

Parameters

N [int] The dimension of the Hilbert space.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper: qobj Qobj for number operator.

Examples

```
>>> num(4)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isHerm = True
Qobj data =
[[0 0 0 0]
 [0 1 0 0]
 [0 0 2 0]
 [0 0 0 3]]]
```

qeye (*dimensions*)

Identity operator.

Parameters

dimensions [(int) or (list of int) or (list of list of int)] Dimension of Hilbert space. If provided as a list of ints, then the dimension is the product over this list, but the `dims` property of the new Qobj are set to this list. This can produce either *oper* or *super* depending on the passed *dimensions*.

Returns

oper [qobj] Identity operator Qobj.

Examples

```
>>> qeye(3)
Quantum object: dims = [[3], [3]], shape = (3, 3), type = oper, isherm = True
Qobj data =
[[ 1.  0.  0.]
 [ 0.  1.  0.]
 [ 0.  0.  1.]]
>>> qeye([2,2])
Quantum object: dims = [[2, 2], [2, 2]], shape = (4, 4), type = oper, isherm = True
Qobj data =
[[1.  0.  0.  0.]
 [0.  1.  0.  0.]
 [0.  0.  1.  0.]
 [0.  0.  0.  1.]]
```

identity (*dims*)

Identity operator. Alternative name to *qeye*.

Parameters

dimensions [(int) or (list of int) or (list of list of int)] Dimension of Hilbert space. If provided as a list of ints, then the dimension is the product over this list, but the *dims* property of the new Qobj are set to this list. This can produce either *oper* or *super* depending on the passed *dimensions*.

Returns

oper [qobj] Identity operator Qobj.

momentum (*N*, *offset=0*)

Momentum operator $p = -1j/\sqrt{2}*(a-a.dag())$

Parameters

N [int] Number of Fock states in Hilbert space.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper [qobj] Momentum operator as Qobj.

phase (*N*, *phi0=0*)

Single-mode Pegg-Barnett phase operator.

Parameters

N [int] Number of basis states in Hilbert space.

phi0 [float] Reference phase.

Returns

oper [qobj] Phase operator with respect to reference phase.

Notes

The Pegg-Barnett phase operator is Hermitian on a truncated Hilbert space.

position (*N, offset=0*)

Position operator $x=1/\sqrt{2}*(a+a.dag())$

Parameters

N [int] Number of Fock states in Hilbert space.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper [qobj] Position operator as Qobj.

qdiags (*diagonals, offsets, dims=None, shape=None*)

Constructs an operator from an array of diagonals.

Parameters

diagonals [sequence of array_like] Array of elements to place along the selected diagonals.

offsets [sequence of ints]

Sequence for diagonals to be set:

- k=0 main diagonal
- k>0 kth upper diagonal
- k<0 kth lower diagonal

dims [list, optional] Dimensions for operator

shape [list, tuple, optional] Shape of operator. If omitted, a square operator large enough to contain the diagonals is generated.

See also:

scipy.sparse.diags for usage information.

Notes

This function requires SciPy 0.11+.

Examples

```
>>> qdiags(sqrt(range(1, 4)), 1)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isherm = False
Qobj data =
[[ 0.          1.          0.          0.          ]
 [ 0.          0.          1.41421356  0.          ]
 [ 0.          0.          0.          1.73205081]
 [ 0.          0.          0.          0.          ]]
```

qutrit_ops ()

Operators for a three level system (qutrit).

Returns

opers: array array of qutrit operators.

qzero (*dimensions*)

Zero operator.

Parameters

dimensions [(int) or (list of int) or (list of list of int)] Dimension of Hilbert space. If provided as a list of ints, then the dimension is the product over this list, but the `dims` property of the new `Qobj` are set to this list. This can produce either *oper* or *super* depending on the passed *dimensions*.

Returns

qzero [qobj] Zero operator Qobj.

sigmam()
Annihilation operator for Pauli spins.

Examples

```
>>> sigmam()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = False
Qobj data =
[[ 0.  0.]
 [ 1.  0.]]
```

sigmap()
Creation operator for Pauli spins.

Examples

```
>>> sigmap()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = False
Qobj data =
[[ 0.  1.]
 [ 0.  0.]]
```

sigmax()
Pauli spin 1/2 sigma-x operator

Examples

```
>>> sigmax()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = False
Qobj data =
[[ 0.  1.]
 [ 1.  0.]]
```

sigmay()
Pauli spin 1/2 sigma-y operator.

Examples

```
>>> sigmay()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = True
Qobj data =
[[ 0.+0.j  0.-1.j]
 [ 0.+1.j  0.+0.j]]
```

sigmaz()
Pauli spin 1/2 sigma-z operator.

Examples

```
>>> sigmaz()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = True
Qobj data =
[[ 1.  0.]
 [ 0. -1.]]
```

spin_Jx (*j*)

Spin-j x operator

Parameters

j [float] Spin of operator

Returns

op [Qobj] qobj representation of the operator.

spin_Jy (*j*)

Spin-j y operator

Parameters

j [float] Spin of operator

Returns

op [Qobj] qobj representation of the operator.

spin_Jz (*j*)

Spin-j z operator

Parameters

j [float] Spin of operator

Returns

op [Qobj] qobj representation of the operator.

spin_Jm (*j*)

Spin-j annihilation operator

Parameters

j [float] Spin of operator

Returns

op [Qobj] qobj representation of the operator.

spin_Jp (*j*)

Spin-j creation operator

Parameters

j [float] Spin of operator

Returns

op [Qobj] qobj representation of the operator.

squeeze (*N*, *z*, *offset=0*)

Single-mode Squeezing operator.

Parameters

N [int] Dimension of hilbert space.

z [float/complex] Squeezing parameter.

offset [int (default 0)] The lowest number state that is included in the finite number state representation of the operator.

Returns

oper [qutip.qobj.Qobj] Squeezing operator.

Examples

```
>>> squeeze(4, 0.25)
Quantum object: dims = [[4], [4]], shape = [4, 4], type = oper, isHerm = False
Qobj data =
[[ 0.98441565+0.j  0.00000000+0.j  0.17585742+0.j  0.00000000+0.j]
 [ 0.00000000+0.j  0.95349007+0.j  0.00000000+0.j  0.30142443+0.j]
 [-0.17585742+0.j  0.00000000+0.j  0.98441565+0.j  0.00000000+0.j]
 [ 0.00000000+0.j -0.30142443+0.j  0.00000000+0.j  0.95349007+0.j]]
```

squeezing (*a1, a2, z*)
Generalized squeezing operator.

$$S(z) = \exp\left(\frac{1}{2}\left(z^*a_1a_2 - za_1^\dagger a_2^\dagger\right)\right)$$

Parameters

- a1** [qutip.qobj.Qobj] Operator 1.
- a2** [qutip.qobj.Qobj] Operator 2.
- z** [float/complex] Squeezing parameter.

Returns

oper [qutip.qobj.Qobj] Squeezing operator.

tunneling (*N, m=1*)
Tunneling operator with elements of the form $\sum |N \rangle \langle N + m| + |N + m \rangle \langle N|$.

Parameters

- N** [int] Number of basis states in Hilbert space.
- m** [int (default = 1)] Number of excitations in tunneling event.

Returns

T [Qobj] Tunneling operator.

Notes

New in version 3.2.

Quantum Objects

Random Operators and States

This module is a collection of random state and operator generators. The sparsity of the output Qobj's is controlled by varying the *density* parameter.

rand_dm (*N, density=0.75, pure=False, dims=None, seed=None*)
Creates a random NxN density matrix.

Parameters

N [int, ndarray, list] If int, then shape of output operator. If list/ndarray then eigenvalues of generated density matrix.

density [float] Density between [0,1] of output density matrix.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

Returns

oper [qobj] NxN density matrix quantum operator.

Notes

For small density matrices., choosing a low density will result in an error as no diagonal elements will be generated such that $Tr(\rho) = 1$.

rand_dm_ginibre (*N=2, rank=None, dims=None, seed=None*)

Returns a Ginibre random density operator of dimension `dim` and rank `rank` by using the algorithm of [BCSZ08]. If `rank` is *None*, a full-rank (Hilbert-Schmidt ensemble) random density operator will be returned.

Parameters

N [int] Dimension of the density operator to be returned.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

rank [int or None] Rank of the sampled density operator. If *None*, a full-rank density operator is generated.

Returns

rho [Qobj] An $N \times N$ density operator sampled from the Ginibre or Hilbert-Schmidt distribution.

rand_dm_hs (*N=2, dims=None, seed=None*)

Returns a Hilbert-Schmidt random density operator of dimension `dim` and rank `rank` by using the algorithm of [BCSZ08].

Parameters

N [int] Dimension of the density operator to be returned.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

Returns

rho [Qobj] A `dim` \times `dim` density operator sampled from the Ginibre or Hilbert-Schmidt distribution.

rand_herm (*N, density=0.75, dims=None, pos_def=False, seed=None*)

Creates a random NxN sparse Hermitian quantum object.

If 'N' is an integer, uses $H = 0.5 * (X + X^+)$ where X is a randomly generated quantum operator with a given *density*. Else uses complex Jacobi rotations when 'N' is given by an array.

Parameters

N [int, list/ndarray] If int, then shape of output operator. If list/ndarray then eigenvalues of generated operator.

density [float] Density between [0,1] of output Hermitian operator.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

pos_def [bool (default=False)] Return a positive semi-definite matrix (by diagonal dominance).

seed [int] seed for the random number generator

Returns

oper [qobj] NxN Hermitian quantum operator.

rand_ket (*N=0, density=1, dims=None, seed=None*)

Creates a random Nx1 sparse ket vector.

Parameters

N [int] Number of rows for output quantum operator. If None or 0, N is deduced from dims.

density [float] Density between [0,1] of output ket state.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[1]]`.

Returns

oper [qobj] Nx1 ket state quantum operator.

rand_ket_haar (*N=2, dims=None, seed=None*)

Returns a Haar random pure state of dimension `dim` by applying a Haar random unitary to a fixed pure state.

Parameters

N [int] Dimension of the state vector to be returned. If None or 0, N is deduced from dims.

dims [list of ints, or None] Dimensions of the resultant quantum object. If None, `[[N],[1]]` is used.

Returns

psi [Qobj] A random state vector drawn from the Haar measure.

rand_stochastic (*N, density=0.75, kind='left', dims=None, seed=None*)

Generates a random stochastic matrix.

Parameters

N [int] Dimension of matrix.

density [float] Density between [0,1] of output density matrix.

kind [str (Default = 'left')] Generate 'left' or 'right' stochastic matrix.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

Returns

oper [qobj] Quantum operator form of stochastic matrix.

rand_unitary (*N, density=0.75, dims=None, seed=None*)

Creates a random NxN sparse unitary quantum object.

Uses $\exp(-iH)$ where H is a randomly generated Hermitian operator.

Parameters

N [int] Shape of output quantum operator.

density [float] Density between [0,1] of output Unitary operator.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is `dims=[[N],[N]]`.

Returns

oper [qobj] NxN Unitary quantum operator.

rand_unitary_haar ($N=2$, $dims=None$, $seed=None$)

Returns a Haar random unitary matrix of dimension dim , using the algorithm of [Mez07].

Parameters

N [int] Dimension of the unitary to be returned.

dims [list of lists of int, or None] Dimensions of quantum object. Used for specifying tensor structure. Default is $dims=[[N],[N]]$.

Returns

U [Qobj] Unitary of $dims [[dim], [dim]]$ drawn from the Haar measure.

rand_super ($N=5$, $dims=None$, $seed=None$)

Returns a randomly drawn superoperator acting on operators acting on N dimensions.

Parameters

N [int] Square root of the dimension of the superoperator to be returned.

dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is $dims=[[N],[N], [[N],[N]]]$.

rand_super_bcsz ($N=2$, $enforce_tp=True$, $rank=None$, $dims=None$, $seed=None$)

Returns a random superoperator drawn from the Bruzda et al ensemble for CPTP maps [BCSZ08]. Note that due to finite numerical precision, for ranks less than full-rank, zero eigenvalues may become slightly negative, such that the returned operator is not actually completely positive.

Parameters

N [int] Square root of the dimension of the superoperator to be returned.

enforce_tp [bool] If True, the trace-preserving condition of [BCSZ08] is enforced; otherwise only complete positivity is enforced.

rank [int or None] Rank of the sampled superoperator. If None, a full-rank superoperator is generated.


dims [list] Dimensions of quantum object. Used for specifying tensor structure. Default is $dims=[[N],[N], [[N],[N]]]$.

Returns

rho [Qobj] A superoperator acting on vectorized $dim \times dim$ density operators, sampled from the BCSZ distribution.

Three-Level Atoms

This module provides functions that are useful for simulating the three level atom with QuTiP. A three level atom (qutrit) has three states, which are linked by dipole transitions so that $1 \leftrightarrow 2 \leftrightarrow 3$. Depending on there relative energies they are in the ladder, lambda or vee configuration. The structure of the relevant operators is the same for any of the three configurations:



(continues on next page)

(continued from previous page)

----- one>	-----	three>	-----
	one>		two>

References

The naming of qutip operators follows the convention in [R0be8dcf25d86-1] .

Notes

Contributed by Markus Baden, Oct. 07, 2011

three_level_basis ()

Basis states for a three level atom.

Returns

states [array] *array* of three level atom basis vectors.

three_level_ops ()

Operators for a three level system (qutrit)

Returns

ops [array] *array* of three level operators.

Superoperators and Liouvillians

operator_to_vector (*op*)

Create a vector representation of a quantum operator given the matrix representation.

vector_to_operator (*op*)

Create a matrix representation given a quantum operator in vector form.

liouvillian (*H*, *c_ops*=[], *data_only*=False, *chi*=None)

Assembles the Liouvillian superoperator from a Hamiltonian and a `list` of collapse operators. Like `liouvillian`, but with an experimental implementation which avoids creating extra `Qobj` instances, which can be advantageous for large systems.

Parameters

H [Qobj or QobjEvo] System Hamiltonian.

c_ops [array_like of Qobj or QobjEvo] A `list` or `array` of collapse operators.

Returns

L [Qobj or QobjEvo] Liouvillian superoperator.

sprest (*A*)

Superoperator formed from post-multiplication by operator *A*

Parameters

A [Qobj or QobjEvo] Quantum operator for post multiplication.

Returns

super [Qobj or QobjEvo] Superoperator formed from input quantum object.

spre (*A*)

Superoperator formed from pre-multiplication by operator *A*.

Parameters

A [Qobj or QobjEvo] Quantum operator for pre-multiplication.

Returns

super :Qobj or QobjEvo Superoperator formed from input quantum object.

sprepost (*A, B*)

Superoperator formed from pre-multiplication by operator A and post- multiplication of operator B.

Parameters

A [Qobj or QobjEvo] Quantum operator for pre-multiplication.

B [Qobj or QobjEvo] Quantum operator for post-multiplication.

Returns

super [Qobj or QobjEvo] Superoperator formed from input quantum objects.

lindblad_dissipator (*a, b=None, data_only=False, chi=None*)

Lindblad dissipator (generalized) for a single pair of collapse operators (a, b), or for a single collapse operator (a) when b is not specified:

$$\mathcal{D}[a, b]\rho = a\rho b^\dagger - \frac{1}{2}a^\dagger b\rho - \frac{1}{2}\rho a^\dagger b$$

Parameters

a [Qobj or QobjEvo] Left part of collapse operator.

b [Qobj or QobjEvo (optional)] Right part of collapse operator. If not specified, b defaults to a.

Returns

D [qobj, QobjEvo] Lindblad dissipator superoperator.

Superoperator Representations

This module implements transformations between superoperator representations, including supermatrix, Kraus, Choi and Chi (process) matrix formalisms.

super_to_choi (*q_oper*)

Takes a superoperator to a Choi matrix TODO: Sanitize input, incorporate as method on Qobj if type=='super'

choi_to_super (*q_oper*)

Takes a Choi matrix to a superoperator TODO: Sanitize input, Abstract-ify application of channels to states

choi_to_kraus (*q_oper, tol=1e-09*)

Takes a Choi matrix and returns a list of Kraus operators. TODO: Create a new class structure for quantum channels, perhaps as a strict sub-class of Qobj.

kraus_to_choi (*kraus_list*)

Takes a list of Kraus operators and returns the Choi matrix for the channel represented by the Kraus operators in *kraus_list*

kraus_to_super (*kraus_list*)

Converts a list of Kraus operators and returns a super operator.

choi_to_chi (*q_oper*)

Converts a Choi matrix to a Chi matrix in the Pauli basis.

NOTE: this is only supported for qubits right now. Need to extend to Heisenberg-Weyl for other subsystem dimensions.

chi_to_choi (*q_oper*)

Converts a Chi matrix to a Choi matrix in the Pauli basis.

NOTE: this is only supported for qubits right now. Need to extend to Heisenberg-Weyl for other subsystem dimensions.

to_choi (*q_oper*)

Converts a Qobj representing a quantum map to the Choi representation, such that the trace of the returned operator is equal to the dimension of the system.

Parameters

q_oper [Qobj] Superoperator to be converted to Choi representation. If *q_oper* is `type="oper"`, then it is taken to act by conjugation, such that `to_choi(A) == to_choi(sprepost(A, A.dag()))`.

Returns

choi [Qobj] A quantum object representing the same map as *q_oper*, such that `choi.superrep == "choi"`.

Raises

TypeError: if the given quantum object is not a map, or cannot be converted to Choi representation.

to_chi (*q_oper*)

Converts a Qobj representing a quantum map to a representation as a chi (process) matrix in the Pauli basis, such that the trace of the returned operator is equal to the dimension of the system.

Parameters

q_oper [Qobj] Superoperator to be converted to Chi representation. If *q_oper* is `type="oper"`, then it is taken to act by conjugation, such that `to_chi(A) == to_chi(sprepost(A, A.dag()))`.

Returns

chi [Qobj] A quantum object representing the same map as *q_oper*, such that `chi.superrep == "chi"`.

Raises

TypeError: if the given quantum object is not a map, or cannot be converted to Chi representation.

to_super (*q_oper*)

Converts a Qobj representing a quantum map to the supermatrix (Liouville) representation.

Parameters

q_oper [Qobj] Superoperator to be converted to supermatrix representation. If *q_oper* is `type="oper"`, then it is taken to act by conjugation, such that `to_super(A) == sprepost(A, A.dag())`.

Returns

superop [Qobj] A quantum object representing the same map as *q_oper*, such that `superop.superrep == "super"`.

Raises

TypeError If the given quantum object is not a map, or cannot be converted to supermatrix representation.

to_kraus (*q_oper, tol=1e-09*)

Converts a Qobj representing a quantum map to a list of quantum objects, each representing an operator in the Kraus decomposition of the given map.

Parameters

q_oper [Qobj] Superoperator to be converted to Kraus representation. If *q_oper* is `type="oper"`, then it is taken to act by conjugation, such that `to_kraus(A) == to_kraus(sprepost(A, A.dag())) == [A]`.

tol [Float] Optional threshold parameter for eigenvalues/Kraus ops to be discarded. The default is $1e-9$.

Returns

kraus_ops [list of Qobj] A list of quantum objects, each representing a Kraus operator in the decomposition of `q_oper`.

Raises

TypeError: if the given quantum object is not a map, or cannot be decomposed into Kraus operators.

to_stinespring (*q_oper*)

Converts a Qobj representing a quantum map Λ to a pair of partial isometries A and B such that $\Lambda(X) = \text{Tr}_2(A X B^\dagger)$ for all inputs X , where the partial trace is taken over a new index on the output dimensions of A and B .

For completely positive inputs, A will always equal B up to precision errors.

Parameters

q_oper [Qobj] Superoperator to be converted to a Stinespring pair.

Returns

A, B [Qobj] Quantum objects representing each of the Stinespring matrices for the input Qobj.

Operators and Superoperator Dimensions

Internal use module for manipulating dims specifications.

is_scalar (*dims*)

Returns True if a dims specification is effectively a scalar (has dimension 1).

flatten (*l*)

Flattens a list of lists to the first level.

Given a list containing a mix of scalars and lists, flattens down to a list of the scalars within the original list.

Examples

```
>>> print(flatten([[0], 1], 2))
[0, 1, 2]
```

deep_remove (*l, *what*)

Removes scalars from all levels of a nested list.

Given a list containing a mix of scalars and lists, returns a list of the same structure, but where one or more scalars have been removed.

Examples

```
>>> print(deep_remove([[0, 1, 2]], [3, 4], [5], [6, 7]], 0, 5)
[[[1, 2]], [3, 4], [], [6, 7]]
```

unflatten (*l, idxs*)

Unflattens a list by a given structure.

Given a list of scalars and a deep list of indices as produced by *flatten*, returns an “unflattened” form of the list. This perfectly inverts *flatten*.

Examples

```
>>> l = [[[10, 20, 30], [40, 50, 60]], [[70, 80, 90], [100, 110, 120]]]
>>> idxs = enumerate_flat(l)
>>> print(unflatten(flatten(l)), idxs) == l
True
```

collapse_dims_oper (*dims*)

Given the dimensions specifications for a ket-, bra- or oper-type Qobj, returns a dimensions specification describing the same shape by collapsing all composite systems. For instance, the bra-type dimensions specification `[[2, 3], [1]]` collapses to `[[6], [1]]`.

Parameters

dims [list of lists of ints] Dimensions specifications to be collapsed.

Returns

collapsed_dims [list of lists of ints] Collapsed dimensions specification describing the same shape such that `len(collapsed_dims[0]) == len(collapsed_dims[1]) == 1`.

collapse_dims_super (*dims*)

Given the dimensions specifications for an operator-ket-, operator-bra- or super-type Qobj, returns a dimensions specification describing the same shape by collapsing all composite systems. For instance, the super-type dimensions specification `[[[2, 3], [2, 3]], [[2, 3], [2, 3]]]` collapses to `[[[6], [6]], [[6], [6]]]`.

Parameters

dims [list of lists of ints] Dimensions specifications to be collapsed.

Returns

collapsed_dims [list of lists of ints] Collapsed dimensions specification describing the same shape such that `len(collapsed_dims[i][j]) == 1` for `i` and `j` in `range(2)`.

enumerate_flat (*l*)

Labels the indices at which scalars occur in a flattened list.

Given a list containing a mix of scalars and lists, returns a list of the same structure, where each scalar has been replaced by an index into the flattened list.

Examples

```
>>> print(enumerate_flat([[10], [20, 30]], 40))
[[[0], [1, 2]], 3]
```

dims_to_tensor_perm (*dims*)

Given the dims of a Qobj instance, returns a list representing a permutation from the flattening of that dims specification to the corresponding tensor indices.

Parameters

dims [list] Dimensions specification for a Qobj.

Returns

perm [list] A list such that `data[flatten(dims)[idx]]` gives the index of the tensor data corresponding to the `idx`'th dimension of `dims`.

dims_to_tensor_shape (*dims*)

Given the dims of a Qobj instance, returns the shape of the corresponding tensor. This helps, for instance, resolve the column-stacking convention for superoperators.

Parameters

dims [list] Dimensions specification for a Qobj.

Returns

tensor_shape [tuple] NumPy shape of the corresponding tensor.

dims_idx_to_tensor_idxs (*dims, indices*)

Given the dims of a Qobj instance, and some indices into dims, returns the corresponding tensor indices. This helps resolve, for instance, that column-stacking for superoperators, oper-ket and oper-bra implies that the input and output tensor indices are reversed from their order in dims.

Parameters

dims [list] Dimensions specification for a Qobj.

indices [int, list or tuple] Indices to convert to tensor indices. Can be specified as a single index, or as a collection of indices. In the latter case, this can be nested arbitrarily deep. For instance, [0, [0, (2, 3)]].

Returns

tens_indices [int, list or tuple] Container of the same structure as indices containing the tensor indices for each element of indices.

5.2.2 Functions acting on states and operators

Expectation Values

expect (*oper, state*)

Calculates the expectation value for operator(s) and state(s).

Parameters

oper [qobj/array-like] A single or a *list* of operators for expectation value.

state [qobj/array-like] A single or a *list* of quantum states or density matrices.

Returns

expt [float/complex/array-like] Expectation value. *real* if *oper* is Hermitian, *complex* otherwise. A (nested) array of expectation values of state or operator are arrays.

Examples

```
>>> expect(num(4), basis(4, 3))
3
```

variance (*oper, state*)

Variance of an operator for the given state vector or density matrix.

Parameters

oper [qobj] Operator for expectation value.

state [qobj/list] A single or *list* of quantum states or density matrices..

Returns

var [float] Variance of operator 'oper' for given state.

Tensor

Module for the creation of composite quantum objects via the tensor product.

tensor (*args)

Calculates the tensor product of input operators.

Parameters

args [array_like] list or array of quantum objects for tensor product.

Returns

obj [qobj] A composite quantum object.

Examples

```
>>> tensor([sigmax(), sigmax()])
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = True
Qobj data =
[[ 0.+0.j  0.+0.j  0.+0.j  1.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j]
 [ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]]
```

super_tensor (*args)

Calculates the tensor product of input superoperators, by tensoring together the underlying Hilbert spaces on which each vectorized operator acts.

Parameters

args [array_like] list or array of quantum objects with type="super".

Returns

obj [qobj] A composite quantum object.

composite (*args)

Given two or more operators, kets or bras, returns the Qobj corresponding to a composite system over each argument. For ordinary operators and vectors, this is the tensor product, while for superoperators and vectorized operators, this is the column-reshuffled tensor product.

If a mix of Qobjs supported on Hilbert and Liouville spaces are passed in, the former are promoted. Ordinary operators are assumed to be unitaries, and are promoted using `to_super`, while kets and bras are promoted by taking their projectors and using `operator_to_vector(ket2dm(arg))`.

tensor_contract (qobj, *pairs)

Contracts a qobj along one or more index pairs. Note that this uses dense representations and thus should *not* be used for very large Qobjs.

Parameters

pairs [tuple] One or more tuples (i, j) indicating that the i and j dimensions of the original qobj should be contracted.

Returns

cqobj [Qobj] The original Qobj with all named index pairs contracted away.

Partial Transpose

partial_transpose (*rho*, *mask*, *method='dense'*)

Return the partial transpose of a Qobj instance *rho*, where *mask* is an array/list with length that equals the number of components of *rho* (that is, the length of *rho.dims[0]*), and the values in *mask* indicates whether or not the corresponding subsystem is to be transposed. The elements in *mask* can be boolean or integers *0* or *1*, where *True/1* indicates that the corresponding subsystem should be transposed.

Parameters

- rho** [qutip.qobj] A density matrix.
- mask** [list / array] A mask that selects which subsystems should be transposed.
- method** [str] choice of method, *dense* or *sparse*. The default method is *dense*. The *sparse* implementation can be faster for large and sparse systems (hundreds of quantum states).

Returns

- rho_pr**: qutip.qobj A density matrix with the selected subsystems transposed.

Entropy Functions

concurrence (*rho*)

Calculate the concurrence entanglement measure for a two-qubit state.

Parameters

- state** [qobj] Ket, bra, or density matrix for a two-qubit state.

Returns

- concur** [float] Concurrence

References

[1]

entropy_conditional (*rho*, *selB*, *base=2.718281828459045*, *sparse=False*)

Calculates the conditional entropy $S(A|B) = S(A, B) - S(B)$ of a selected density matrix component.

Parameters

- rho** [qobj] Density matrix of composite object
- selB** [int/list] Selected components for density matrix B
- base** [{e,2}] Base of logarithm.
- sparse** [{False,True}] Use sparse eigensolver.

Returns

- ent_cond** [float] Value of conditional entropy

entropy_linear (*rho*)

Linear entropy of a density matrix.

Parameters

- rho** [qobj] density matrix or ket/bra vector.

Returns

- entropy** [float] Linear entropy of rho.

Examples

```
>>> rho=0.5*fock_dm(2,0)+0.5*fock_dm(2,1)
>>> entropy_linear(rho)
0.5
```

entropy_mutual (*rho*, *selA*, *selB*, *base*=2.718281828459045, *sparse*=False)

Calculates the mutual information $S(A:B)$ between selection components of a system density matrix.

Parameters

- rho** [qobj] Density matrix for composite quantum systems
- selA** [int/list] *int* or *list* of first selected density matrix components.
- selB** [int/list] *int* or *list* of second selected density matrix components.
- base** [{e,2}] Base of logarithm.
- sparse** [{False,True}] Use sparse eigensolver.

Returns

- ent_mut** [float] Mutual information between selected components.

entropy_vn (*rho*, *base*=2.718281828459045, *sparse*=False)

Von-Neumann entropy of density matrix

Parameters

- rho** [qobj] Density matrix.
- base** [{e,2}] Base of logarithm.
- sparse** [{False,True}] Use sparse eigensolver.

Returns

- entropy** [float] Von-Neumann entropy of *rho*.

Examples

```
>>> rho=0.5*fock_dm(2,0)+0.5*fock_dm(2,1)
>>> entropy_vn(rho,2)
1.0
```

Density Matrix Metrics

This module contains a collection of functions for calculating metrics (distance measures) between states and operators.

fidelity (*A*, *B*)

Calculates the fidelity (pseudo-metric) between two density matrices. See: Nielsen & Chuang, “Quantum Computation and Quantum Information”

Parameters

- A** [qobj] Density matrix or state vector.
- B** [qobj] Density matrix or state vector with same dimensions as A.

Returns

- fid** [float] Fidelity pseudo-metric between A and B.

Examples

```
>>> x = fock_dm(5, 3)
>>> y = coherent_dm(5, 1)
>>> fidelity(x, y)
0.24104350624628332
```

tracedist (*A*, *B*, *sparse=False*, *tol=0*)

Calculates the trace distance between two density matrices.. See: Nielsen & Chuang, “Quantum Computation and Quantum Information”

Parameters

- A** [qobj] Density matrix or state vector.
- B** [qobj] Density matrix or state vector with same dimensions as A.
- tol** [float] Tolerance used by sparse eigensolver, if used. (0=Machine precision)
- sparse** [{False, True}] Use sparse eigensolver.

Returns

tracedist [float] Trace distance between A and B.

Examples

```
>>> x=fock_dm(5, 3)
>>> y=coherent_dm(5, 1)
>>> tracedist(x, y)
0.9705143161472971
```

buress_dist (*A*, *B*)

Returns the Bures distance between two density matrices A & B.

The Bures distance ranges from 0, for states with unit fidelity, to $\sqrt{2}$.

Parameters

- A** [qobj] Density matrix or state vector.
- B** [qobj] Density matrix or state vector with same dimensions as A.

Returns

dist [float] Bures distance between density matrices.

buress_angle (*A*, *B*)

Returns the Bures Angle between two density matrices A & B.

The Bures angle ranges from 0, for states with unit fidelity, to $\pi/2$.

Parameters

- A** [qobj] Density matrix or state vector.
- B** [qobj] Density matrix or state vector with same dimensions as A.

Returns

angle [float] Bures angle between density matrices.

hilbert_dist (*A*, *B*)

Returns the Hilbert-Schmidt distance between two density matrices A & B.

Parameters

- A** [qobj] Density matrix or state vector.

B [qobj] Density matrix or state vector with same dimensions as A.

Returns

dist [float] Hilbert-Schmidt distance between density matrices.

Notes

See V. Vedral and M. B. Plenio, Phys. Rev. A 57, 1619 (1998).

average_gate_fidelity (*oper, target=None*)

Given a Qobj representing the supermatrix form of a map, returns the average gate fidelity (pseudo-metric) of that map.

Parameters

A [Qobj] Quantum object representing a superoperator.

target [Qobj] Quantum object representing the target unitary; the inverse is applied before evaluating the fidelity.

Returns

fid [float] Fidelity pseudo-metric between A and the identity superoperator, or between A and the target superunitary.

process_fidelity (*U1, U2, normalize=True*)

Calculate the process fidelity given two process operators.

Continuous Variables

This module contains a collection functions for calculating continuous variable quantities from fock-basis representation of the state of multi-mode fields.

correlation_matrix (*basis, rho=None*)

Given a basis set of operators $\{a\}_n$, calculate the correlation matrix:

$$C_{mn} = \langle a_m a_n \rangle$$

Parameters

basis [list] List of operators that defines the basis for the correlation matrix.

rho [Qobj] Density matrix for which to calculate the correlation matrix. If *rho* is *None*, then a matrix of correlation matrix operators is returned instead of expectation values of those operators.

Returns

corr_mat [ndarray] A 2-dimensional *array* of correlation values or operators.

covariance_matrix (*basis, rho, symmetrized=True*)

Given a basis set of operators $\{a\}_n$, calculate the covariance matrix:

$$V_{mn} = \frac{1}{2} \langle a_m a_n + a_n a_m \rangle - \langle a_m \rangle \langle a_n \rangle$$

or, if of the optional argument *symmetrized=False*,

$$V_{mn} = \langle a_m a_n \rangle - \langle a_m \rangle \langle a_n \rangle$$

Parameters

basis [list] List of operators that defines the basis for the covariance matrix.

rho [Qobj] Density matrix for which to calculate the covariance matrix.

symmetrized [bool {True, False}] Flag indicating whether the symmetrized (default) or non-symmetrized correlation matrix is to be calculated.

Returns

corr_mat [ndarray] A 2-dimensional array of covariance values.

correlation_matrix_field (*a1*, *a2*, *rho=None*)

Calculates the correlation matrix for given field operators a_1 and a_2 . If a density matrix is given the expectation values are calculated, otherwise a matrix with operators is returned.

Parameters

a1 [Qobj] Field operator for mode 1.

a2 [Qobj] Field operator for mode 2.

rho [Qobj] Density matrix for which to calculate the covariance matrix.

Returns

cov_mat [ndarray] Array of complex numbers or Qobj's A 2-dimensional *array* of covariance values, or, if $\rho=0$, a matrix of operators.

correlation_matrix_quadrature (*a1*, *a2*, *rho=None*, *g=1.4142135623730951*)

Calculate the quadrature correlation matrix with given field operators a_1 and a_2 . If a density matrix is given the expectation values are calculated, otherwise a matrix with operators is returned.

Parameters

a1 [Qobj] Field operator for mode 1.

a2 [Qobj] Field operator for mode 2.

rho [Qobj] Density matrix for which to calculate the covariance matrix.

g [float] Scaling factor for $a = 0.5 * g * (x + iy)$, default $g = \text{sqrt}(2)$. The value of g is related to the value of \hbar in the commutation relation $[x, y] = i * \hbar$ via $\hbar=2/g ** 2$ giving the default value $\hbar=1$.

Returns

corr_mat [ndarray] Array of complex numbers or Qobj's A 2-dimensional *array* of covariance values for the field quadratures, or, if $\rho=0$, a matrix of operators.

wigner_covariance_matrix (*a1=None*, *a2=None*, *R=None*, *rho=None*, *g=1.4142135623730951*)

Calculates the Wigner covariance matrix $V_{ij} = \frac{1}{2}(R_{ij} + R_{ji})$, given the quadrature correlation matrix $R_{ij} = \langle R_i R_j \rangle - \langle R_i \rangle \langle R_j \rangle$, where $R = (q_1, p_1, q_2, p_2)^T$ is the vector with quadrature operators for the two modes.

Alternatively, if $R = None$, and if annihilation operators $a1$ and $a2$ for the two modes are supplied instead, the quadrature correlation matrix is constructed from the annihilation operators before then the covariance matrix is calculated.

Parameters

a1 [Qobj] Field operator for mode 1.

a2 [Qobj] Field operator for mode 2.

R [ndarray] The quadrature correlation matrix.

rho [Qobj] Density matrix for which to calculate the covariance matrix.

g [float] Scaling factor for $a = 0.5 * g * (x + iy)$, default $g = \text{sqrt}(2)$. The value of g is related to the value of \hbar in the commutation relation $[x, y] = i * \hbar$ via $\hbar=2/g ** 2$ giving the default value $\hbar=1$.

Returns

cov_mat [ndarray] A 2-dimensional array of covariance values.

logarithmic_negativity ($V, g=1.4142135623730951$)

Calculates the logarithmic negativity given a symmetrized covariance matrix, see `qutip.continuous_variables.covariance_matrix`. Note that the two-mode field state that is described by V must be Gaussian for this function to be applicable.

Parameters

V [*2d array*] The covariance matrix.

g [float] Scaling factor for $a = 0.5 * g * (x + iy)$, default $g = \sqrt{2}$. The value of g is related to the value of \hbar in the commutation relation $[x, y] = i * \hbar$ via $\hbar = 2/g ** 2$ giving the default value $\hbar = 1$.

Returns

N [float] The logarithmic negativity for the two-mode Gaussian state that is described by the Wigner covariance matrix V .

5.2.3 Dynamics and Time-Evolution

Schrödinger Equation

This module provides solvers for the unitary Schrodinger equation.

sesolve ($H, \psi_0, tlist, e_ops=None, args=None, options=None, progress_bar=None, _safe_mode=True$)

Schrodinger equation evolution of a state vector or unitary matrix for a given Hamiltonian.

Evolve the state vector (ψ_0) using a given Hamiltonian (H), by integrating the set of ordinary differential equations that define the system. Alternatively evolve a unitary matrix in solving the Schrodinger operator equation.

The output is either the state vector or unitary matrix at arbitrary points in time ($tlist$), or the expectation values of the supplied operators (e_ops). If e_ops is a callback function, it is invoked for each time in $tlist$ with time and the state as arguments, and the function does not use any return values. e_ops cannot be used in conjunction with solving the Schrodinger operator equation.

Parameters

H [`qutip.qobj`, `qutip.qobjevo`, *list*, *callable*] system Hamiltonian as a `Qobj`, list of `Qobj` and coefficient, `QobjEvo`, or a callback function for time-dependent Hamiltonians. list format and options can be found in `QobjEvo`'s description.

psi0 [`qutip.qobj`] initial state vector (ket) or initial unitary operator $\psi_0 = U$

tlist [*list* / *array*] list of times for t .

e_ops [`None` / list of `qutip.qobj` / *callable* function] single operator or list of operators for which to evaluate expectation values. For list operator evolution, the overlap is computed:

$$\text{tr}(e_ops[i].\text{dag()} * \text{op}(t))$$

args [`None` / *dictionary*] dictionary of parameters for time-dependent Hamiltonians

options [`None` / `qutip.Qdeoptions`] with options for the ODE solver.

progress_bar [`None` / `BaseProgressBar`] Optional instance of `BaseProgressBar`, or a subclass thereof, for showing the progress of the simulation.

Returns

output: qutip.solver An instance of the class `qutip.solver`, which contains either an *array* of expectation values for the times specified by $tlist$, or an *array* or state vectors corresponding to the times in $tlist$ [if e_ops is an empty list], or nothing if a callback function was given in place of operators for which to calculate the expectation values.

Master Equation

This module provides solvers for the Lindblad master equation and von Neumann equation.

mesolve (*H*, *rho0*, *tlist*, *c_ops=None*, *e_ops=None*, *args=None*, *options=None*, *progress_bar=None*, *_safe_mode=True*)

Master equation evolution of a density matrix for a given Hamiltonian and set of collapse operators, or a Liouvillian.

Evolve the state vector or density matrix (*rho0*) using a given Hamiltonian (*H*) and an [optional] set of collapse operators (*c_ops*), by integrating the set of ordinary differential equations that define the system. In the absence of collapse operators the system is evolved according to the unitary evolution of the Hamiltonian.

The output is either the state vector at arbitrary points in time (*tlist*), or the expectation values of the supplied operators (*e_ops*). If *e_ops* is a callback function, it is invoked for each time in *tlist* with time and the state as arguments, and the function does not use any return values.

If either *H* or the Qobj elements in *c_ops* are superoperators, they will be treated as direct contributions to the total system Liouvillian. This allows to solve master equations that are not on standard Lindblad form by passing a custom Liouvillian in place of either the *H* or *c_ops* elements.

Time-dependent operators

For time-dependent problems, *H* and *c_ops* can be callback functions that takes two arguments, time and *args*, and returns the Hamiltonian or Liouvillian for the system at that point in time (*callback format*).

Alternatively, *H* and *c_ops* can be specified in a nested-list format where each element in the list is a list of length 2, containing an operator (`qutip.qobj`) at the first element and where the second element is either a string (*list string format*), a callback function (*list callback format*) that evaluates to the time-dependent coefficient for the corresponding operator, or a NumPy array (*list array format*) which specifies the value of the coefficient to the corresponding operator for each value of *t* in *tlist*.

Examples

```
H = [[H0, 'sin(w*t)'], [H1, 'sin(2*w*t)']]
```

```
H = [[H0, f0_t], [H1, f1_t]]
```

where *f0_t* and *f1_t* are python functions with signature *f_t(t, args)*.

```
H = [[H0, np.sin(w*tlist)], [H1, np.sin(2*w*tlist)]]
```

In the *list string format* and *list callback format*, the string expression and the callback function must evaluate to a real or complex number (coefficient for the corresponding operator).

In all cases of time-dependent operators, *args* is a dictionary of parameters that is used when evaluating operators. It is passed to the callback functions as second argument.

Additional options

Additional options to *mesolve* can be set via the *options* argument, which should be an instance of `qutip.solver.Options`. Many ODE integration options can be set this way, and the *store_states* and *store_final_state* options can be used to store states even though expectation values are requested via the *e_ops* argument.

Note: If an element in the list-specification of the Hamiltonian or the list of collapse operators are in superoperator form it will be added to the total Liouvillian of the problem with out further transformation. This allows for using *mesolve* for solving master equations that are not on standard Lindblad form.

Note: On using callback function: *mesolve* transforms all `qutip.qobj` objects to sparse matrices before handing the problem to the integrator function. In order for your callback function to work correctly, pass all `qutip.qobj` objects that are used in constructing the Hamiltonian via *args*. *mesolve* will check for `qutip.qobj` in *args* and handle the conversion to sparse matrices. All other `qutip.qobj` objects that

are not passed via *args* will be passed on to the integrator in *scipy* which will raise an `NotImplemented` exception.

Parameters

H [*qutip.Qobj*] System Hamiltonian, or a callback function for time-dependent Hamiltonians, or alternatively a system Liouvillian.

rho0 [*qutip.Qobj*] initial density matrix or state vector (ket).

tlist [*list / array*] list of times for *t*.

c_ops [*None / list of qutip.Qobj*] single collapse operator, or list of collapse operators, or a list of Liouvillian superoperators.

e_ops [*None / list of qutip.Qobj / callback function single*] single operator or list of operators for which to evaluate expectation values.

args [*None / dictionary*] dictionary of parameters for time-dependent Hamiltonians and collapse operators.

options [*None / qutip.Options*] with options for the solver.

progress_bar [*None / BaseProgressBar*] Optional instance of `BaseProgressBar`, or a subclass thereof, for showing the progress of the simulation.

Returns

result: qutip.Result An instance of the class `qutip.Result`, which contains either an *array result.expect* of expectation values for the times specified by *tlist*, or an *array result.states* of state vectors or density matrices corresponding to the times in *tlist* [if *e_ops* is an empty list], or nothing if a callback function was given in place of operators for which to calculate the expectation values.

Monte Carlo Evolution

mcsolve (*H, psi0, tlist, c_ops=[], e_ops=[], ntraj=0, args={}, options=None, progress_bar=True, map_func=<function parallel_map at 0xd20de5510>, map_kwargs={}, _safe_mode=True*)
 Monte Carlo evolution of a state vector $|\psi\rangle$ for a given Hamiltonian and sets of collapse operators, and possibly, operators for calculating expectation values. Options for the underlying ODE solver are given by the `Options` class.

`mcsolve` supports time-dependent Hamiltonians and collapse operators using either Python functions or strings to represent time-dependent coefficients. Note that, the system Hamiltonian MUST have at least one constant term.

As an example of a time-dependent problem, consider a Hamiltonian with two terms H_0 and H_1 , where H_1 is time-dependent with coefficient $\sin(w*t)$, and collapse operators C_0 and C_1 , where C_1 is time-dependent with coefficient $\exp(-a*t)$. Here, w and a are constant arguments with values W and A .

Using the Python function time-dependent format requires two Python functions, one for each collapse coefficient. Therefore, this problem could be expressed as:

```
def H1_coeff(t, args):
    return sin(args['w']*t)

def C1_coeff(t, args):
    return exp(-args['a']*t)

H = [H0, [H1, H1_coeff]]

c_ops = [C0, [C1, C1_coeff]]

args={'a': A, 'w': W}
```

or in String (Cython) format we could write:

```
H = [H0, [H1, 'sin(w*t)']]
c_ops = [C0, [C1, 'exp(-a*t)']]
args={'a': A, 'w': W}
```

Constant terms are preferably placed first in the Hamiltonian and collapse operator lists.

Parameters

- H** [*qutip.Qobj*, list] System Hamiltonian.
- psi0** [*qutip.Qobj*] Initial state vector
- tlist** [array_like] Times at which results are recorded.
- ntraj** [int] Number of trajectories to run.
- c_ops** [*qutip.Qobj*, list] single collapse operator or a list of collapse operators.
- e_ops** [*qutip.Qobj*, list] single operator as Qobj or list or equivalent of Qobj operators for calculating expectation values.
- args** [dict] Arguments for time-dependent Hamiltonian and collapse operator terms.
- options** [Options] Instance of ODE solver options.
- progress_bar: BaseProgressBar** Optional instance of BaseProgressBar, or a subclass thereof, for showing the progress of the simulation. Set to None to disable the progress bar.
- map_func: function** A map function for managing the calls to the single-trajectory solver.
- map_kwargs: dictionary** Optional keyword arguments to the map_func function.

Returns

- results** [*qutip.solver.Result*] Object storing all results from the simulation.

Note: It is possible to reuse the random number seeds from a previous run of the mcsolver by passing the output Result object seeds via the Options class, i.e. Options(seeds=prev_result.seeds).

Exponential Series

essolve (*H*, *rho0*, *tlist*, *c_op_list*, *e_ops*)

Evolution of a state vector or density matrix (*rho0*) for a given Hamiltonian (*H*) and set of collapse operators (*c_op_list*), by expressing the ODE as an exponential series. The output is either the state vector at arbitrary points in time (*tlist*), or the expectation values of the supplied operators (*e_ops*).

Parameters

- H** [qobj/function_type] System Hamiltonian.
- rho0** [*qutip.qobj*] Initial state density matrix.
- tlist** [list/array] list of times for *t*.
- c_op_list** [list of *qutip.qobj*] list of *qutip.qobj* collapse operators.
- e_ops** [list of *qutip.qobj*] list of *qutip.qobj* operators for which to evaluate expectation values.

Returns

expt_array [array] Expectation values of wavefunctions/density matrices for the times specified in `tlist`.

Note: This solver does not support time-dependent Hamiltonians. ..

ode2es (*L, rho0*)

Creates an exponential series that describes the time evolution for the initial density matrix (or state vector) *rho0*, given the Liouvillian (or Hamiltonian) *L*.

Parameters

L [qobj] Liouvillian of the system.

rho0 [qobj] Initial state vector or density matrix.

Returns

eseries [*qutip.eseries*] `eseries` representation of the system dynamics.

Bloch-Redfield Master Equation

brmesolve (*H, psi0, tlist, a_ops=[], e_ops=[], c_ops=[], args={}, use_secular=True, sec_cutoff=0.1, tol=1e-12, spectra_cb=None, options=None, progress_bar=None, _safe_mode=True, verbose=False*)

Solves for the dynamics of a system using the Bloch-Redfield master equation, given an input Hamiltonian, Hermitian bath-coupling terms and their associated spectrum functions, as well as possible Lindblad collapse operators.

For time-independent systems, the Hamiltonian must be given as a Qobj, whereas the bath-coupling terms (*a_ops*), must be written as a nested list of operator - spectrum function pairs, where the frequency is specified by the *w* variable.

Example

```
a_ops = [[a+a.dag(), lambda w: 0.2*(w>=0)]]
```

For time-dependent systems, the Hamiltonian, *a_ops*, and Lindblad collapse operators (*c_ops*), can be specified in the QuTiP string-based time-dependent format. For the *a_op* spectra, the frequency variable must be *w*, and the string cannot contain any other variables other than the possibility of having a time-dependence through the time variable *t*:

Example

```
a_ops = [[a+a.dag(), '0.2*exp(-t)*(w>=0)']]
```

It is also possible to use Cubic_Spline objects for time-dependence. In the case of *a_ops*, Cubic_Splines must be passed as a tuple:

Example

```
a_ops = [ [a+a.dag(), ( f(w), g(t) ) ]
```

where *f(w)* and *g(t)* are strings or Cubic_spline objects for the bath spectrum and time-dependence, respectively.

Finally, if one has bath-coupling terms of the form $H = f(t)*a + conj[f(t)]*a.dag()$, then the correct input format is

Example

```
a_ops = [ [(a,a.dag()), (f(w), g1(t), g2(t))],... ]
```

where *f(w)* is the spectrum of the operators while *g1(t)* and *g2(t)* are the time-dependence of the operators *a* and *a.dag()*, respectively

Parameters

H [Qobj / list] System Hamiltonian given as a Qobj or nested list in string-based format.

psi0: Qobj Initial density matrix or state vector (ket).

tlist [array_like] List of times for evaluating evolution

a_ops [list] Nested list of Hermitian system operators that couple to the bath degrees of freedom, along with their associated spectra.

e_ops [list] List of operators for which to evaluate expectation values.

c_ops [list] List of system collapse operators, or nested list in string-based format.

args [dict] Placeholder for future implementation, kept for API consistency.

use_secular [bool {True}] Use secular approximation when evaluating bath-coupling terms.

sec_cutoff [float {0.1}] Cutoff for secular approximation.

tol [float {qutip.settings.atol}] Tolerance used for removing small values after basis transformation.

spectra_cb [list] DEPRECATED. Do not use.

options [*qutip.solver.Options*] Options for the solver.

progress_bar [BaseProgressBar] Optional instance of BaseProgressBar, or a subclass thereof, for showing the progress of the simulation.

Returns

result: *qutip.solver.Result* An instance of the class *qutip.solver.Result*, which contains either an array of expectation values, for operators given in *e_ops*, or a list of states for the times specified by *tlist*.

`bloch_redfield_tensor()`

Calculates the time-independent Bloch-Redfield tensor for a system given a set of operators and corresponding spectral functions that describes the system's coupling to its environment.

Parameters

H [*qutip.qobj*]
System Hamiltonian.

a_ops [list] Nested list of system operators that couple to the environment, and the corresponding bath spectra represented as Python functions.

spectra_cb [list] Deprecated.

c_ops [list] List of system collapse operators.

use_secular [bool {True, False}] Flag that indicates if the secular approximation should be used.

sec_cutoff [float {0.1}] Threshold for secular approximation.

atol [float {qutip.settings.atol}] Threshold for removing small parameters.

Returns

R, kets: *qutip.Qobj*, list of *qutip.Qobj* R is the Bloch-Redfield tensor and kets is a list eigenstates of the Hamiltonian.

`bloch_redfield_solve(R, ekets, rho0, tlist, e_ops=[], options=None, progress_bar=None)`

Evolve the ODEs defined by Bloch-Redfield master equation. The Bloch-Redfield tensor can be calculated by the function *bloch_redfield_tensor*.

Parameters

- R** [qutip.qobj] Bloch-Redfield tensor.
- ekets** [array of qutip.qobj] Array of kets that make up a basis transformation for the eigenbasis.
- rho0** [qutip.qobj] Initial density matrix.
- tlist** [list / array] List of times for t .
- e_ops** [list of qutip.qobj / callback function] List of operators for which to evaluate expectation values.
- options** [qutip.Qdeoptions] Options for the ODE solver.

Returns

output: qutip.solver An instance of the class `qutip.solver`, which contains either an *array* of expectation values for the times specified by *tlist*.

Floquet States and Floquet-Markov Master Equation

fmmesolve (H , $\rho0$, $tlist$, $c_ops=[]$, $e_ops=[]$, $spectra_cb=[]$, $T=None$, $args={}$, $options=<qutip.solver.Options\ object\ at\ 0x1a2146ecf8>$, $floquet_basis=True$, $kmax=5$, $_safe_mode=True$)

Solve the dynamics for the system using the Floquet-Markov master equation.

Note: This solver currently does not support multiple collapse operators.

Parameters

- H** [qutip.qobj] system Hamiltonian.
- rho0 / psi0** [qutip.qobj] initial density matrix or state vector (ket).
- tlist** [list / array] list of times for t .
- c_ops** [list of qutip.qobj] list of collapse operators.
- e_ops** [list of qutip.qobj / callback function] list of operators for which to evaluate expectation values.
- spectra_cb** [list callback functions] List of callback functions that compute the noise power spectrum as a function of frequency for the collapse operators in c_ops .
- T** [float] The period of the time-dependence of the hamiltonian. The default value ‘None’ indicates that the ‘tlist’ spans a single period of the driving.
- args** [dictionary] dictionary of parameters for time-dependent Hamiltonians and collapse operators.

This dictionary should also contain an entry ‘w_th’, which is the temperature of the environment (if finite) in the energy/frequency units of the Hamiltonian. For example, if the Hamiltonian written in units of 2π GHz, and the temperature is given in K, use the following conversion

```

>>> temperature = 25e-3 # unit K
>>> h = 6.626e-34
>>> kB = 1.38e-23
>>> args['w_th'] = temperature * (kB / h) * 2 * pi * 1e-9
```

- options** [qutip.solver] options for the ODE solver.
- k_max** [int] The truncation of the number of sidebands (default 5).

Returns

output [`qutip.solver`] An instance of the class `qutip.solver`, which contains either an *array* of expectation values for the times specified by *tlist*.

floquet_modes (*H*, *T*, *args=None*, *sort=False*, *U=None*)

Calculate the initial Floquet modes $\Phi_{\alpha}(0)$ for a driven system with period *T*.

Returns a list of `qutip.qobj` instances representing the Floquet modes and a list of corresponding quasienergies, sorted by increasing quasienergy in the interval $[-\pi/T, \pi/T]$. The optional parameter *sort* decides if the output is to be sorted in increasing quasienergies or not.

Parameters

H [`qutip.qobj`] system Hamiltonian, time-dependent with period *T*

args [dictionary] dictionary with variables required to evaluate *H*

T [float] The period of the time-dependence of the hamiltonian. The default value 'None' indicates that the 'tlist' spans a single period of the driving.

U [`qutip.qobj`] The propagator for the time-dependent Hamiltonian with period *T*. If *U* is *None* (default), it will be calculated from the Hamiltonian *H* using `qutip.propagator.propagator`.

Returns

output [list of kets, list of quasi energies] Two lists: the Floquet modes as kets and the quasi energies.

floquet_modes_t (*f_modes_0*, *f_energies*, *t*, *H*, *T*, *args=None*)

Calculate the Floquet modes at times *tlist* $\Phi_{\alpha}(tlist)$ propagating the initial Floquet modes $\Phi_{\alpha}(0)$

Parameters

f_modes_0 [list of `qutip.qobj` (kets)] Floquet modes at *t*

f_energies [list] Floquet energies.

t [float] The time at which to evaluate the floquet modes.

H [`qutip.qobj`] system Hamiltonian, time-dependent with period *T*

args [dictionary] dictionary with variables required to evaluate *H*

T [float] The period of the time-dependence of the hamiltonian.

Returns

output [list of kets] The Floquet modes as kets at time *t*

floquet_modes_table (*f_modes_0*, *f_energies*, *tlist*, *H*, *T*, *args=None*)

Pre-calculate the Floquet modes for a range of times spanning the floquet period. Can later be used as a table to look up the floquet modes for any time.

Parameters

f_modes_0 [list of `qutip.qobj` (kets)] Floquet modes at *t*

f_energies [list] Floquet energies.

tlist [array] The list of times at which to evaluate the floquet modes.

H [`qutip.qobj`] system Hamiltonian, time-dependent with period *T*

T [float] The period of the time-dependence of the hamiltonian.

args [dictionary] dictionary with variables required to evaluate *H*

Returns

output [nested list] A nested list of Floquet modes as kets for each time in *tlist*

floquet_modes_t_lookup (*f_modes_table_t*, *t*, *T*)

Lookup the floquet mode at time *t* in the pre-calculated table of floquet modes in the first period of the time-dependence.

Parameters

f_modes_table_t [nested list of `qutip.qobj` (kets)] A lookup-table of Floquet modes at times precalculated by `qutip.floquet.floquet_modes_table`.

t [float] The time for which to evaluate the Floquet modes.

T [float] The period of the time-dependence of the hamiltonian.

Returns

output [nested list] A list of Floquet modes as kets for the time that most closely matching the time *t* in the supplied table of Floquet modes.

floquet_states (*f_modes_t*, *f_energies*, *t*)

Evaluate the floquet states at time *t* given the Floquet modes at that time.

Parameters

f_modes_t [list of `qutip.qobj` (kets)] A list of Floquet modes for time *t*.

f_energies [array] The Floquet energies.

t [float] The time for which to evaluate the Floquet states.

Returns

output [list] A list of Floquet states for the time *t*.

floquet_states_t (*f_modes_0*, *f_energies*, *t*, *H*, *T*, *args=None*)

Evaluate the floquet states at time *t* given the initial Floquet modes.

Parameters

f_modes_t [list of `qutip.qobj` (kets)] A list of initial Floquet modes (for time $t = 0$).

f_energies [array] The Floquet energies.

t [float] The time for which to evaluate the Floquet states.

H [`qutip.qobj`] System Hamiltonian, time-dependent with period *T*.

T [float] The period of the time-dependence of the hamiltonian.

args [dictionary] Dictionary with variables required to evaluate H.

Returns

output [list] A list of Floquet states for the time *t*.

floquet_wavefunction (*f_modes_t*, *f_energies*, *f_coeff*, *t*)

Evaluate the wavefunction for a time *t* using the Floquet state decomposition, given the Floquet modes at time *t*.

Parameters

f_modes_t [list of `qutip.qobj` (kets)] A list of initial Floquet modes (for time $t = 0$).

f_energies [array] The Floquet energies.

f_coeff [array] The coefficients for Floquet decomposition of the initial wavefunction.

t [float] The time for which to evaluate the Floquet states.

Returns

output [`qutip.qobj`] The wavefunction for the time *t*.

floquet_wavefunction_t (*f_modes_0*, *f_energies*, *f_coeff*, *t*, *H*, *T*, *args=None*)

Evaluate the wavefunction for a time *t* using the Floquet state decomposition, given the initial Floquet modes.

Parameters

- f_modes_t** [list of `qutip.qobj` (kets)] A list of initial Floquet modes (for time $t = 0$).
- f_energies** [array] The Floquet energies.
- f_coeff** [array] The coefficients for Floquet decomposition of the initial wavefunction.
- t** [float] The time for which to evaluate the Floquet states.
- H** [`qutip.qobj`] System Hamiltonian, time-dependent with period T .
- T** [float] The period of the time-dependence of the hamiltonian.
- args** [dictionary] Dictionary with variables required to evaluate H.

Returns

- output** [`qutip.qobj`] The wavefunction for the time t .

floquet_state_decomposition (*f_states, f_energies, psi*)

Decompose the wavefunction psi (typically an initial state) in terms of the Floquet states, $\psi = \sum_{\alpha} c_{\alpha} \psi_{\alpha}(0)$.

Parameters

- f_states** [list of `qutip.qobj` (kets)] A list of Floquet modes.
- f_energies** [array] The Floquet energies.
- psi** [`qutip.qobj`] The wavefunction to decompose in the Floquet state basis.

Returns

- output** [array] The coefficients c_{α} in the Floquet state decomposition.

fsesolve (*H, psi0, tlist, e_ops=[], T=None, args={}, Tsteps=100*)

Solve the Schrodinger equation using the Floquet formalism.

Parameters

- H** [`qutip.qobj.Qobj`] System Hamiltonian, time-dependent with period T .
- psi0** [`qutip.qobj`] Initial state vector (ket).
- tlist** [*list / array*] list of times for t .
- e_ops** [list of `qutip.qobj / callback function`] list of operators for which to evaluate expectation values. If this list is empty, the state vectors for each time in *tlist* will be returned instead of expectation values.
- T** [float] The period of the time-dependence of the hamiltonian.
- args** [dictionary] Dictionary with variables required to evaluate H.
- Tsteps** [integer] The number of time steps in one driving period for which to precalculate the Floquet modes. *Tsteps* should be an even number.

Returns

- output** [`qutip.solver.Result`] An instance of the class `qutip.solver.Result`, which contains either an *array* of expectation values or an array of state vectors, for the times specified by *tlist*.

floquet_master_equation_rates (*f_modes_0, f_energies, c_op, H, T, args, J_cb, w_th, kmax=5, f_modes_table_t=None*)

Calculate the rates and matrix elements for the Floquet-Markov master equation.

Parameters

- f_modes_0** [list of `qutip.qobj` (kets)] A list of initial Floquet modes.
- f_energies** [array] The Floquet energies.
- c_op** [`qutip.qobj`] The collapse operators describing the dissipation.

H [`qutip.Qobj`] System Hamiltonian, time-dependent with period T .

T [float] The period of the time-dependence of the hamiltonian.

args [dictionary] Dictionary with variables required to evaluate H .

J_cb [callback functions] A callback function that computes the noise power spectrum, as a function of frequency, associated with the collapse operator c_{op} .

w_th [float] The temperature in units of frequency.

k_max [int] The truncation of the number of sidebands (default 5).

f_modes_table_t [nested list of `qutip.Qobj` (kets)] A lookup-table of Floquet modes at times precalculated by `qutip.floquet.floquet_modes_table` (optional).

Returns

output [list] A list (Delta, X, Gamma, A) containing the matrices Delta, X, Gamma and A used in the construction of the Floquet-Markov master equation.

floquet_master_equation_steadystate (H, A)

Returns the steadystate density matrix (in the floquet basis!) for the Floquet-Markov master equation.

floquet_basis_transform ($f_modes, f_energies, rho0$)

Make a basis transform that takes $rho0$ from the floquet basis to the computational basis.

floquet_markov_mesolve ($R, ekets, rho0, tlist, e_ops, f_modes_table=None, options=None, floquet_basis=True$)

Solve the dynamics for the system using the Floquet-Markov master equation.

Stochastic Schrödinger Equation and Master Equation

ssesolve ($H, psi0, times, sc_ops=[], e_ops=[], _safe_mode=True, args={}, **kwargs$)

Solve stochastic schrodinger equation. Dispatch to specific solvers depending on the value of the *solver* keyword argument.

Parameters

H [`qutip.Qobj`, or time dependent system.] System Hamiltonian. Can depend on time, see `StochasticSolverOptions` help for format.

psi0 [`qutip.Qobj`] State vector (ket).

times [*list / array*] List of times for t . Must be uniformly spaced.

sc_ops [list of `qutip.Qobj`, or time dependent `Qobjs`.] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the $d1$ and $d2$ functions are defined. Can depend on time, see `StochasticSolverOptions` help for format.

e_ops [list of `qutip.Qobj`] single operator or list of operators for which to evaluate expectation values.

kwargs [dictionary] Optional keyword arguments. See `qutip.stochastic.StochasticSolverOptions`.

Returns

output: `qutip.solver.Result` An instance of the class `qutip.solver.Result`.

photocurrent_sesolve ($H, psi0, times, sc_ops=[], e_ops=[], _safe_mode=True, args={}, **kwargs$)

Solve stochastic schrodinger equation using the photocurrent method.

Parameters

H [`qutip.Qobj`, or time dependent system.] System Hamiltonian. Can depend on time, see `StochasticSolverOptions` help for format.

psi0 [*qutip.Qobj*] Initial state vector (ket).

times [*list / array*] List of times for *t*. Must be uniformly spaced.

sc_ops [list of *qutip.Qobj*, or time dependent Qobjs.] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the d1 and d2 functions are defined. Can depend on time, see `StochasticSolverOptions` help for format.

e_ops [list of *qutip.Qobj / callback function single*] single operator or list of operators for which to evaluate expectation values.

kwargs [*dictionary*] Optional keyword arguments. See `qutip.stochastic.StochasticSolverOptions`.

Returns

output: `qutip.solver.Result` An instance of the class `qutip.solver.Result`.

smepdpsolve (*H, rho0, times, c_ops, e_ops, **kwargs*)

A stochastic (piecewise deterministic process) PDP solver for density matrix evolution.

Parameters

H [*qutip.Qobj*] System Hamiltonian.

rho0 [*qutip.Qobj*] Initial density matrix.

times [*list / array*] List of times for *t*. Must be uniformly spaced.

c_ops [list of *qutip.Qobj*] Deterministic collapse operator which will contribute with a standard Lindblad type of dissipation.

sc_ops [list of *qutip.Qobj*] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the d1 and d2 functions are defined.

e_ops [list of *qutip.Qobj / callback function single*] single operator or list of operators for which to evaluate expectation values.

kwargs [*dictionary*] Optional keyword arguments. See `qutip.stochastic.StochasticSolverOptions`.

Returns

output: `qutip.solver.Result` An instance of the class `qutip.solver.Result`.

smesolve (*H, rho0, times, c_ops=[], sc_ops=[], e_ops=[], _safe_mode=True, args={}, **kwargs*)

Solve stochastic master equation. Dispatch to specific solvers depending on the value of the `solver` keyword argument.

Parameters

H [*qutip.Qobj*, or time dependent system.] System Hamiltonian. Can depend on time, see `StochasticSolverOptions` help for format.

rho0 [*qutip.Qobj*] Initial density matrix or state vector (ket).

times [*list / array*] List of times for *t*. Must be uniformly spaced.

c_ops [list of *qutip.Qobj*, or time dependent Qobjs.] Deterministic collapse operator which will contribute with a standard Lindblad type of dissipation. Can depend on time, see `StochasticSolverOptions` help for format.

sc_ops [list of *qutip.Qobj*, or time dependent Qobjs.] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the d1 and d2 functions are defined. Can depend on time, see `StochasticSolverOptions` help for format.

e_ops [list of *qutip.Qobj*] single operator or list of operators for which to evaluate expectation values.

kwargs [*dictionary*] Optional keyword arguments. See *qutip.stochastic.StochasticSolverOptions*.

Returns

output: *qutip.solver.Result* An instance of the class *qutip.solver.Result*.

photocurrent_mesolve (*H, rho0, times, c_ops=[], sc_ops=[], e_ops=[], _safe_mode=True, args={}, **kwargs*)

Solve stochastic master equation using the photocurrent method.

Parameters

H [*qutip.Qobj*, or time dependent system.] System Hamiltonian. Can depend on time, see *StochasticSolverOptions* help for format.

rho0 [*qutip.Qobj*] Initial density matrix or state vector (ket).

times [*list / array*] List of times for *t*. Must be uniformly spaced.

c_ops [*list of qutip.Qobj*, or time dependent Qobjs.] Deterministic collapse operator which will contribute with a standard Lindblad type of dissipation. Can depend on time, see *StochasticSolverOptions* help for format.

sc_ops [*list of qutip.Qobj*, or time dependent Qobjs.] List of stochastic collapse operators. Each stochastic collapse operator will give a deterministic and stochastic contribution to the equation of motion according to how the d1 and d2 functions are defined. Can depend on time, see *StochasticSolverOptions* help for format.

e_ops [*list of qutip.Qobj / callback function single*] single operator or list of operators for which to evaluate expectation values.

kwargs [*dictionary*] Optional keyword arguments. See *qutip.stochastic.StochasticSolverOptions*.

Returns

output: *qutip.solver.Result* An instance of the class *qutip.solver.Result*.

ssepdpsolve (*H, psi0, times, c_ops, e_ops, **kwargs*)

A stochastic (piecewise deterministic process) PDP solver for wavefunction evolution. For most purposes, use *qutip.mcsolve* instead for quantum trajectory simulations.

Parameters

H [*qutip.Qobj*] System Hamiltonian.

psi0 [*qutip.Qobj*] Initial state vector (ket).

times [*list / array*] List of times for *t*. Must be uniformly spaced.

c_ops [*list of qutip.Qobj*] Deterministic collapse operator which will contribute with a standard Lindblad type of dissipation.

e_ops [*list of qutip.Qobj / callback function single*] single operator or list of operators for which to evaluate expectation values.

kwargs [*dictionary*] Optional keyword arguments. See *qutip.stochastic.StochasticSolverOptions*.

Returns

output: *qutip.solver.Result* An instance of the class *qutip.solver.Result*.

stochastic_solvers ()

Available solvers for ssesolve and smesolve

euler-maruyama: A simple generalization of the Euler method for ordinary differential equations to stochastic differential equations. Only solver which could take non-commuting *sc_ops*. *not tested*
 -Order 0.5 -Code: 'euler-maruyama', 'euler', 0.5

milstein, Order 1.0 strong Taylor scheme: Better approximate numerical solution to stochastic differential equations. -Order strong 1.0 -Code: ‘milstein’, 1.0 Numerical Solution of Stochastic Differential Equations Chapter 10.3 Eq. (3.1), By Peter E. Kloeden, Eckhard Platen

milstein-imp, Order 1.0 implicit strong Taylor scheme: Implicit milstein scheme for the numerical simulation of stiff stochastic differential equations. -Order strong 1.0 -Code: ‘milstein-imp’ Numerical Solution of Stochastic Differential Equations Chapter 12.2 Eq. (2.9), By Peter E. Kloeden, Eckhard Platen

predictor-corrector: Generalization of the trapezoidal method to stochastic differential equations. More stable than explicit methods. -Order strong 0.5, weak 1.0 Only the stochastic part is corrected.

(alpha = 0, eta = 1/2) -Code: ‘pred-corr’, ‘predictor-corrector’, ‘pc-euler’

Both the deterministic and stochastic part corrected. (alpha = 1/2, eta = 1/2) -Code: ‘pc-euler-imp’, ‘pc-euler-2’, ‘pred-corr-2’

Numerical Solution of Stochastic Differential Equations Chapter 15.5 Eq. (5.4), By Peter E. Kloeden, Eckhard Platen

platen: Explicit scheme, create the milstein using finite difference instead of derivatives. Also contain some higher order terms, thus converge better than milstein while staying strong order 1.0. Do not require derivatives, therefore usable for *qutip.stochastic.general_stochastic* -Order strong 1.0, weak 2.0 -Code: ‘platen’, ‘platen1’, ‘explicit1’ The Theory of Open Quantum Systems Chapter 7 Eq. (7.47), H.-P Breuer, F. Petruccione

rouchon: Scheme keeping the positivity of the density matrix. (smesolve only) -Order strong 1.0? -Code: ‘rouchon’, ‘Rouchon’ Eq. 4 of arXiv:1410.5345 with eta=1 Efficient Quantum Filtering for Quantum Feedback Control Pierre Rouchon, Jason F. Ralph arXiv:1410.5345 [quant-ph] Phys. Rev. A 91, 012118, (2015)

taylor1.5, Order 1.5 strong Taylor scheme: Solver with more terms of the Ito-Taylor expansion. Default solver for smesolve and ssesolve. -Order strong 1.5 -Code: ‘taylor1.5’, ‘taylor15’, 1.5, None Numerical Solution of Stochastic Differential Equations Chapter 10.4 Eq. (4.6), By Peter E. Kloeden, Eckhard Platen

taylor1.5-imp, Order 1.5 implicit strong Taylor scheme: implicit Taylor 1.5 (alpha = 1/2, beta = doesn’t matter) -Order strong 1.5 -Code: ‘taylor1.5-imp’, ‘taylor15-imp’ Numerical Solution of Stochastic Differential Equations Chapter 12.2 Eq. (2.18), By Peter E. Kloeden, Eckhard Platen

explicit1.5, Explicit Order 1.5 Strong Schemes: Reproduce the order 1.5 strong Taylor scheme using finite difference instead of derivatives. Slower than taylor15 but usable by *qutip.stochastic.general_stochastic* -Order strong 1.5 -Code: ‘explicit1.5’, ‘explicit15’, ‘platen15’ Numerical Solution of Stochastic Differential Equations Chapter 11.2 Eq. (2.13), By Peter E. Kloeden, Eckhard Platen

taylor2.0, Order 2 strong Taylor scheme: Solver with more terms of the Stratonovich expansion. -Order strong 2.0 -Code: ‘taylor2.0’, ‘taylor20’, 2.0 Numerical Solution of Stochastic Differential Equations Chapter 10.5 Eq. (5.2), By Peter E. Kloeden, Eckhard Platen

—All solvers, except taylor2.0, are usable in both smesolve and ssesolve and for both heterodyne and homodyne. taylor2.0 only work for 1 stochastic operator not dependent of time with the homodyne method. The *qutip.stochastic.general_stochastic* only accept derivatives free solvers: [‘euler’, ‘platen’, ‘explicit1.5’].

Available solver for photocurrent_solve and photocurrent_mesolve:

Photocurrent use ordinary differential equations between stochastic “jump/collapse”.

euler: Euler method for ordinary differential equations between jumps. Only 1 jumps per time interval. Default solver -Order 1.0 -Code: ‘euler’ Quantum measurement and control Chapter 4, Eq 4.19, 4.40, By Howard M. Wiseman, Gerard J. Milburn

predictor-corrector: predictor-corrector method (PECE) for ordinary differential equations. Use poisson distribution to obtain the number of jump at each timestep. -Order 2.0 -Code: 'pred-corr'

general_stochastic (*state0*, *times*, *d1*, *d2*, *e_ops*=[], *m_ops*=[], *_safe_mode*=True, *len_d2*=1, *args*={}, ***kwargs*)
Solve stochastic general equation. Dispatch to specific solvers depending on the value of the *solver* keyword argument.

Parameters

- state0** [*qutip.Qobj*] Initial state vector (ket) or density matrix as a vector.
- times** [*list / array*] List of times for *t*. Must be uniformly spaced.
- d1** [function, callable class] Function representing the deterministic evolution of the system.
def d1(time (double), state (as a np.array vector)): return 1d np.array
- d2** [function, callable class] Function representing the stochastic evolution of the system.
def d2(time (double), state (as a np.array vector)): return 2d np.array (N_sc_ops, len(state0))
- len_d2** [int] Number of output vector produced by d2
- e_ops** [list of *qutip.Qobj*] single operator or list of operators for which to evaluate expectation values. Must be a superoperator if the state vector is a density matrix.
- kwargs** [*dictionary*] Optional keyword arguments. See *qutip.stochastic.StochasticSolverOptions*.

Returns

output: *qutip.solver.Result* An instance of the class *qutip.solver.Result*.

Correlation Functions

correlation (*H*, *state0*, *tlist*, *taulist*, *c_ops*, *a_op*, *b_op*, *solver*='me', *reverse*=False, *args*={}, *options*=<*qutip.solver.Options* object at 0x1a2152f940>)
Calculate the two-operator two-time correlation function: $\langle A(t + \tau)B(t) \rangle$ along two time axes using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

- H** [*Qobj*] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.
- state0** [*Qobj*] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.
- tlist** [*array_like*] list of times for *t*. tlist must be positive and contain the element 0. When taking steady-steady correlations only one tlist value is necessary, i.e. when $t \rightarrow \infty$; here tlist is automatically set, ignoring user input.
- taulist** [*array_like*] list of times for τ . taulist must be positive and contain the element 0.
- c_ops** [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.
- a_op** [*Qobj*] operator A.
- b_op** [*Qobj*] operator B.
- reverse** [*bool*] If *True*, calculate $\langle A(t)B(t + \tau) \rangle$ instead of $\langle A(t + \tau)B(t) \rangle$.
- solver** [*str*] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_mat [array] An 2-dimensional array (matrix) of correlation values for the times specified by *tlist* (first index) and *taulist* (second index). If *tlist* is *None*, then a 1-dimensional array of correlation values is returned instead.

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_ss (*H*, *taulist*, *c_ops*, *a_op*, *b_op*, *solver*='me', *reverse*=False, *args*={}, *options*=<quTip.solver.Options object at 0x1a2152f908>)

Calculate the two-operator two-time correlation function:

$$\lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle$$

along one time axis (given steady-state initial conditions) using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

H [Qobj] system Hamiltonian.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators.

a_op [Qobj] operator A.

b_op [Qobj] operator B.

reverse [bool] If *True*, calculate $\lim_{t \rightarrow \infty} \langle A(t)B(t + \tau) \rangle$ instead of $\lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle$.

solver [str] choice of solver (*me* for master-equation and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_vec [array] An array of correlation values for the times specified by *tlist*.

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_2op_1t (*H*, *state0*, *taulist*, *c_ops*, *a_op*, *b_op*, *solver*='me', *reverse*=False, *args*={}, *options*=<quTip.solver.Options object at 0x1a2152f7b8>)

Calculate the two-operator two-time correlation function: $\langle A(t + \tau)B(t) \rangle$ along one time axis using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

state0 [Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.
a_op [Qobj] operator A.
b_op [Qobj] operator B.
reverse [bool {False, True}] If *True*, calculate $\langle A(t)B(t + \tau) \rangle$ instead of $\langle A(t + \tau)B(t) \rangle$.
solver [str {'me', 'mc', 'es'}] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).
options [Options] Solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_vec [ndarray] An array of correlation values for the times specified by *tlist*.

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_2op_2t (*H*, *state0*, *tlist*, *taulist*, *c_ops*, *a_op*, *b_op*, *solver*='me', *reverse*=False, *args*={}, *options*=<quTip.solver.Options object at 0x1a2152f7f0>)

Calculate the two-operator two-time correlation function: $\langle A(t + \tau)B(t) \rangle$ along two time axes using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.
state0 [Qobj] Initial state density matrix ρ_0 or state vector ψ_0 . If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.
tlist [array_like] list of times for *t*. *tlist* must be positive and contain the element 0. When taking steady-steady correlations only one *tlist* value is necessary, i.e. when $t \rightarrow \infty$; here *tlist* is automatically set, ignoring user input.
taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.
c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.
a_op [Qobj] operator A.
b_op [Qobj] operator B.
reverse [bool {False, True}] If *True*, calculate $\langle A(t)B(t + \tau) \rangle$ instead of $\langle A(t + \tau)B(t) \rangle$.
solver [str] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).
options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_mat [ndarray] An 2-dimensional array (matrix) of correlation values for the times specified by *tlist* (first index) and *taulist* (second index). If *tlist* is *None*, then a 1-dimensional array of correlation values is returned instead.

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_3op_1t (*H*, *state0*, *taulist*, *c_ops*, *a_op*, *b_op*, *c_op*, *solver*='me', *args*={}, *options*=<quTip.solver.Options object at 0x1a2152f828>)

Calculate the three-operator two-time correlation function: $\langle A(t)B(t + \tau)C(t) \rangle$ along one time axis using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Note: it is not possible to calculate a physically meaningful correlation of this form where $\tau < 0$.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

rho0 [Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

b_op [Qobj] operator B.

c_op [Qobj] operator C.

solver [str] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_vec [array] An array of correlation values for the times specified by *taulist*

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_3op_2t (*H*, *state0*, *tlist*, *taulist*, *c_ops*, *a_op*, *b_op*, *c_op*, *solver*='me', *args*={}, *options*=<quTip.solver.Options object at 0x1a2152f860>)

Calculate the three-operator two-time correlation function: $\langle A(t)B(t + \tau)C(t) \rangle$ along two time axes using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Note: it is not possible to calculate a physically meaningful correlation of this form where $\tau < 0$.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

rho0 [Qobj] Initial state density matrix ρ_0 or state vector ψ_0 . If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.

tlist [array_like] list of times for *t*. *tlist* must be positive and contain the element 0. When taking steady-state correlations only one *tlist* value is necessary, i.e. when $t \rightarrow \infty$; here *tlist* is automatically set, ignoring user input.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

b_op [Qobj] operator B.

c_op [Qobj] operator C.

solver [str] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_mat [array] An 2-dimensional array (matrix) of correlation values for the times specified by *tlist* (first index) and *taulist* (second index). If *tlist* is *None*, then a 1-dimensional array of correlation values is returned instead.

References

See, Gardiner, Quantum Noise, Section 5.2.

correlation_4op_1t (*H*, *state0*, *taulist*, *c_ops*, *a_op*, *b_op*, *c_op*, *d_op*, *solver*='me', *args*={}, *options*=<qutip.solver.Options object at 0x1a2152f978>)

Calculate the four-operator two-time correlation function: $\langle A(t)B(t + \tau)C(t + \tau)D(t) \rangle$ along one time axis using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Note: it is not possible to calculate a physically meaningful correlation of this form where $\tau < 0$.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

rho0 [Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

b_op [Qobj] operator B.

c_op [Qobj] operator C.

d_op [Qobj] operator D.

solver [str] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_vec [array] An array of correlation values for the times specified by *taulist*.

References

See, Gardiner, Quantum Noise, Section 5.2.

Note: Deprecated in QuTiP 3.1 Use `correlation_3op_1t()` instead.

correlation_4op_2t (*H*, *state0*, *tlist*, *taulist*, *c_ops*, *a_op*, *b_op*, *c_op*, *d_op*, *solver*='me', *args*={}, *options*=<quutip.solver.Options object at 0x1a2152f9b0>)

Calculate the four-operator two-time correlation function: $\langle A(t)B(t+\tau)C(t+\tau)D(t) \rangle$ along two time axes using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Note: it is not possible to calculate a physically meaningful correlation of this form where $\tau < 0$.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

rho0 [Qobj] Initial state density matrix ρ_0 or state vector ψ_0 . If 'state0' is 'None', then the steady state will be used as the initial state. The 'steady-state' is only implemented for the *me* and *es* solvers.

tlist [array_like] list of times for *t*. *tlist* must be positive and contain the element 0. When taking steady-state correlations only one *tlist* value is necessary, i.e. when $t \rightarrow \infty$; here *tlist* is automatically set, ignoring user input.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

b_op [Qobj] operator B.

c_op [Qobj] operator C.

d_op [Qobj] operator D.

solver [str] choice of solver (*me* for master-equation, *mc* for Monte Carlo, and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

corr_mat [array] An 2-dimensional array (matrix) of correlation values for the times specified by *tlist* (first index) and *taulist* (second index). If *tlist* is *None*, then a 1-dimensional array of correlation values is returned instead.

References

See, Gardiner, Quantum Noise, Section 5.2.

spectrum (*H*, *wlist*, *c_ops*, *a_op*, *b_op*, *solver*='es', *use_pinv*=False)

Calculate the spectrum of the correlation function $\lim_{t \rightarrow \infty} \langle A(t+\tau)B(t) \rangle$, i.e., the Fourier transform of the correlation function:

$$S(\omega) = \int_{-\infty}^{\infty} \lim_{t \rightarrow \infty} \langle A(t+\tau)B(t) \rangle e^{-i\omega\tau} d\tau.$$

using the solver indicated by the *solver* parameter. Note: this spectrum is only defined for stationary statistics (uses steady state rho0)

Parameters

H [qutip.qobj] system Hamiltonian.
wlist [array_like] list of frequencies for ω .
c_ops [list] list of collapse operators.
a_op [Qobj] operator A.
b_op [Qobj] operator B.
solver [str] choice of solver (*es* for exponential series and *pi* for psuedo-inverse).
use_pinv [bool] For use with the *pi* solver: if *True* use numpy's *pinv* method, otherwise use a generic solver.

Returns

spectrum [array] An array with spectrum $S(\omega)$ for the frequencies specified in *wlist*.

spectrum_ss (*H, wlist, c_ops, a_op, b_op*)

Calculate the spectrum of the correlation function $\lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle$, i.e., the Fourier transform of the correlation function:

$$S(\omega) = \int_{-\infty}^{\infty} \lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle e^{-i\omega\tau} d\tau.$$

using an *eseries* based solver Note: this spectrum is only defined for stationary statistics (uses steady state *rho0*).

Parameters

H [qutip.qobj] system Hamiltonian.
wlist [array_like] list of frequencies for ω .
c_ops [list of qutip.qobj] list of collapse operators.
a_op [qutip.qobj] operator A.
b_op [qutip.qobj] operator B.
use_pinv [bool] If *True* use numpy's *pinv* method, otherwise use a generic solver.

Returns

spectrum [array] An array with spectrum $S(\omega)$ for the frequencies specified in *wlist*.

spectrum_pi (*H, wlist, c_ops, a_op, b_op, use_pinv=False*)

Calculate the spectrum of the correlation function $\lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle$, i.e., the Fourier transform of the correlation function:

$$S(\omega) = \int_{-\infty}^{\infty} \lim_{t \rightarrow \infty} \langle A(t + \tau)B(t) \rangle e^{-i\omega\tau} d\tau.$$

using a psuedo-inverse method. Note: this spectrum is only defined for stationary statistics (uses steady state *rho0*)

Parameters

H [qutip.qobj] system Hamiltonian.
wlist [array_like] list of frequencies for ω .
c_ops [list of qutip.qobj] list of collapse operators.
a_op [qutip.qobj] operator A.
b_op [qutip.qobj] operator B.
use_pinv [bool] If *True* use numpy's *pinv* method, otherwise use a generic solver.

Returns

spectrum [array] An array with spectrum $S(\omega)$ for the frequencies specified in *wlist*.

spectrum_correlation_fft (*tlist*, *y*, *inverse=False*)

Calculate the power spectrum corresponding to a two-time correlation function using FFT.

Parameters

tlist [array_like] list/array of times *t* which the correlation function is given.

y [array_like] list/array of correlations corresponding to time delays *t*.

inverse: boolean boolean parameter for using a positive exponent in the Fourier Transform instead. Default is False.

Returns

w, S [tuple] Returns an array of angular frequencies ‘w’ and the corresponding two-sided power spectrum ‘S(w)’.

coherence_function_g1 (*H*, *state0*, *taulist*, *c_ops*, *a_op*, *solver='me'*, *args={}*, *options=<qutip.solver.Options object at 0x1a2152f898>*)

Calculate the normalized first-order quantum coherence function:

$$g^{(1)}(\tau) = \frac{\langle A^\dagger(\tau)A(0) \rangle}{\sqrt{\langle A^\dagger(\tau)A(\tau) \rangle \langle A^\dagger(0)A(0) \rangle}}$$

using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

state0 [Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If ‘state0’ is ‘None’, then the steady state will be used as the initial state. The ‘steady-state’ is only implemented for the *me* and *es* solvers.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

solver [str] choice of solver (*me* for master-equation and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

g1, G1 [tuple] The normalized and unnormalized second-order coherence function.

coherence_function_g2 (*H*, *state0*, *taulist*, *c_ops*, *a_op*, *solver='me'*, *args={}*, *options=<qutip.solver.Options object at 0x1a2152f8d0>*)

Calculate the normalized second-order quantum coherence function:

$$g^{(2)}(\tau) = \frac{\langle A^\dagger(0)A^\dagger(\tau)A(\tau)A(0) \rangle}{\langle A^\dagger(\tau)A(\tau) \rangle \langle A^\dagger(0)A(0) \rangle}$$

using the quantum regression theorem and the evolution solver indicated by the *solver* parameter.

Parameters

H [Qobj] system Hamiltonian, may be time-dependent for solver choice of *me* or *mc*.

state0 [Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$. If ‘state0’ is ‘None’, then the steady state will be used as the initial state. The ‘steady-state’ is only implemented for the *me* and *es* solvers.

taulist [array_like] list of times for τ . *taulist* must be positive and contain the element 0.

c_ops [list] list of collapse operators, may be time-dependent for solver choice of *me* or *mc*.

a_op [Qobj] operator A.

args [dict] Dictionary of arguments to be passed to solver.

solver [str] choice of solver (*me* for master-equation and *es* for exponential series).

options [Options] solver options class. *ntraj* is taken as a two-element list because the *mc* correlator calls *mcsolve()* recursively; by default, *ntraj*=[20, 100]. *mc_corr_eps* prevents divide-by-zero errors in the *mc* correlator; by default, *mc_corr_eps*=1e-10.

Returns

g2, G2 [tuple] The normalized and unnormalized second-order coherence function.

Steady-state Solvers

Module contains functions for solving for the steady state density matrix of open quantum systems defined by a Liouvillian or Hamiltonian and a list of collapse operators.

steadystate (*A*, *c_op_list*=[], *method*='direct', *solver*=None, ***kwargs*)

Calculates the steady state for quantum evolution subject to the supplied Hamiltonian or Liouvillian operator and (if given a Hamiltonian) a list of collapse operators.

If the user passes a Hamiltonian then it, along with the list of collapse operators, will be converted into a Liouvillian operator in Lindblad form.

Parameters

A [qobj] A Hamiltonian or Liouvillian operator.

c_op_list [list] A list of collapse operators.

solver [str {None, 'scipy', 'mkl'}] Selects the sparse solver to use. Default is auto-select based on the availability of the MKL library.

method [str {'direct', 'eigen', 'iterative-gmres', 'iterative-lgmres', 'iterative-bicgstab', 'svd', 'power', 'power-gmres', 'power-lgmres', 'power-bicgstab'}]
Method for solving the underlying linear equation. Direct LU solver 'direct' (default), sparse eigenvalue problem 'eigen', iterative GMRES method 'iterative-gmres', iterative LGMRES method 'iterative-lgmres', iterative BICGSTAB method 'iterative-bicgstab', SVD 'svd' (dense), or inverse-power method 'power'. The iterative power methods 'power-gmres', 'power-lgmres', 'power-bicgstab' use the same solvers as their direct counterparts.

return_info [bool, optional, default = False] Return a dictionary of solver-specific information about the solution and how it was obtained.

sparse [bool, optional, default = True] Solve for the steady state using sparse algorithms. If set to False, the underlying Liouvillian operator will be converted into a dense matrix. Use only for 'smaller' systems.

use_rcm [bool, optional, default = False] Use reverse Cuthill-Mckee reordering to minimize fill-in in the LU factorization of the Liouvillian.

use_wbm [bool, optional, default = False] Use Weighted Bipartite Matching reordering to make the Liouvillian diagonally dominant. This is useful for iterative preconditioners only, and is set to True by default when finding a preconditioner.

weight [float, optional] Sets the size of the elements used for adding the unity trace condition to the linear solvers. This is set to the average abs value of the Liouvillian elements if not specified by the user.

max_iter_refine [int {10}] MKL ONLY. Max. number of iterative refinements to perform.

- scaling_vectors** [bool {True, False}] MKL ONLY. Scale matrix to unit norm columns and rows.
- weighted_matching** [bool {True, False}] MKL ONLY. Use weighted matching to better condition diagonal.
- x0** [ndarray, optional] ITERATIVE ONLY. Initial guess for solution vector.
- maxiter** [int, optional, default=1000] ITERATIVE ONLY. Maximum number of iterations to perform.
- tol** [float, optional, default=1e-12] ITERATIVE ONLY. Tolerance used for terminating solver.
- mtol** [float, optional, default=None] ITERATIVE ‘power’ methods ONLY. Tolerance for lu solve method. If None given then $\max(0.1 * tol, 1e-15)$ is used
- matol** [float, optional, default=1e-15] ITERATIVE ONLY. Absolute tolerance for lu solve method.
- permc_spec** [str, optional, default='COLAMD'] ITERATIVE ONLY. Column ordering used internally by superLU for the ‘direct’ LU decomposition method. Options include ‘COLAMD’ and ‘NATURAL’. If using RCM then this is set to ‘NATURAL’ automatically unless explicitly specified.
- use_precond** [bool optional, default = False] ITERATIVE ONLY. Use an incomplete sparse LU decomposition as a preconditioner for the ‘iterative’ GMRES and BICG solvers. Speeds up convergence time by orders of magnitude in many cases.
- M** [{sparse matrix, dense matrix, LinearOperator}, optional] ITERATIVE ONLY. Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning can dramatically improve the rate of convergence for iterative methods. If no preconditioner is given and `use_precond = True`, then one is generated automatically.
- fill_factor** [float, optional, default = 100] ITERATIVE ONLY. Specifies the fill ratio upper bound (≥ 1) of the iLU preconditioner. Lower values save memory at the cost of longer execution times and a possible singular factorization.
- drop_tol** [float, optional, default = 1e-4] ITERATIVE ONLY. Sets the threshold for the magnitude of preconditioner elements that should be dropped. Can be reduced for a courser factorization at the cost of an increased number of iterations, and a possible singular factorization.
- diag_pivot_thresh** [float, optional, default = None] ITERATIVE ONLY. Sets the threshold between [0,1] for which diagonal elements are considered acceptable pivot points when using a preconditioner. A value of zero forces the pivot to be the diagonal element.
- ILU_MILU** [str, optional, default = ‘smilu_2’] ITERATIVE ONLY. Selects the incomplete LU decomposition method algorithm used in creating the preconditioner. Should only be used by advanced users.

Returns

- dm** [qobj] Steady state density matrix.
- info** [dict, optional] Dictionary containing solver-specific information about the solution.

Notes

The SVD method works only for dense operators (i.e. small systems).

build_preconditioner (*A*, *c_op_list*=[], ***kwargs*)

Constructs a iLU preconditioner necessary for solving for the steady state density matrix using the iterative linear solvers in the ‘steadystate’ function.

Parameters

A [qobj] A Hamiltonian or Liouvillian operator.

c_op_list [list] A list of collapse operators.

return_info [bool, optional, default = False] Return a dictionary of solver-specific information about the solution and how it was obtained.

use_rcm [bool, optional, default = False] Use reverse Cuthill-McKee reordering to minimize fill-in in the LU factorization of the Liouvillian.

use_wbm [bool, optional, default = False] Use Weighted Bipartite Matching reordering to make the Liouvillian diagonally dominant. This is useful for iterative preconditioners only, and is set to `True` by default when finding a preconditioner.

weight [float, optional] Sets the size of the elements used for adding the unity trace condition to the linear solvers. This is set to the average abs value of the Liouvillian elements if not specified by the user.

method [str, default = ‘iterative’] Tells the preconditioner what type of Liouvillian to build for iLU factorization. For direct iterative methods use ‘iterative’. For power iterative methods use ‘power’.

permc_spec [str, optional, default=‘COLAMD’] Column ordering used internally by SuperLU for the ‘direct’ LU decomposition method. Options include ‘COLAMD’ and ‘NATURAL’. If using RCM then this is set to ‘NATURAL’ automatically unless explicitly specified.

fill_factor [float, optional, default = 100] Specifies the fill ratio upper bound (≥ 1) of the iLU preconditioner. Lower values save memory at the cost of longer execution times and a possible singular factorization.

drop_tol [float, optional, default = $1e-4$] Sets the threshold for the magnitude of preconditioner elements that should be dropped. Can be reduced for a coarser factorization at the cost of an increased number of iterations, and a possible singular factorization.

diag_pivot_thresh [float, optional, default = None] Sets the threshold between [0,1] for which diagonal elements are considered acceptable pivot points when using a preconditioner. A value of zero forces the pivot to be the diagonal element.

ILU_MILU [str, optional, default = ‘smilu_2’] Selects the incomplete LU decomposition method algorithm used in creating the preconditioner. Should only be used by advanced users.

Returns

lu [object] Returns a SuperLU object representing iLU preconditioner.

info [dict, optional] Dictionary containing solver-specific information.

Propagators

propagator (*H*, *t*, *c_op_list*=[], *args*={}, *options*=None, *unitary_mode*='batch', *parallel*=False, *progress_bar*=None, *_safe_mode*=True, ***kwargs*)

Calculate the propagator $U(t)$ for the density matrix or wave function such that $\psi(t) = U(t)\psi(0)$ or $\rho_{vec}(t) = U(t)\rho_{vec}(0)$ where ρ_{vec} is the vector representation of the density matrix.

Parameters

H [qobj or list] Hamiltonian as a Qobj instance of a nested list of Qobjs and coefficients in the list-string or list-function format for time-dependent Hamiltonians (see description in *qutip.mesolve*).

t [float or array-like] Time or list of times for which to evaluate the propagator.

c_op_list [list] List of qobj collapse operators.

args [list/array/dictionary] Parameters to callback functions for time-dependent Hamiltonians and collapse operators.

options [*qutip.Options*] with options for the ODE solver.

unitary_mode = str ('batch', 'single') Solve all basis vectors simultaneously ('batch') or individually ('single').

parallel [bool {False, True}] Run the propagator in parallel mode. This will override the *unitary_mode* settings if set to True.

progress_bar: BaseProgressBar Optional instance of BaseProgressBar, or a subclass thereof, for showing the progress of the simulation. By default no progress bar is used, and if set to True a TextProgressBar will be used.

Returns

a [qobj] Instance representing the propagator $U(t)$.

propagator_steadystate (*U*)

Find the steady state for successive applications of the propagator U .

Parameters

U [qobj] Operator representing the propagator.

Returns

a [qobj] Instance representing the steady-state density matrix.

Time-dependent problems

rhs_generate (*H*, *c_ops*, *args*={}, *options*=<*qutip.solver.Options* object at 0xd20dfd390>, *name*=None, *cleanup*=True)

Generates the Cython functions needed for solving the dynamics of a given system using the *mesolve* function inside a *parfor* loop.

Parameters

H [qobj] System Hamiltonian.

c_ops [list] list of collapse operators.

args [dict] Arguments for time-dependent Hamiltonian and collapse operator terms.

options [*Options*] Instance of ODE solver options.

name: str Name of generated RHS

cleanup: bool Whether the generated cython file should be automatically removed or not.

Notes

Using this function with any solver other than the mesolve function will result in an error.

`rhs_clear()`

Resets the string-format time-dependent Hamiltonian parameters.

Returns

Nothing, just clears data from internal config module.

Scattering in Quantum Optical Systems

Photon scattering in quantum optical systems

This module includes a collection of functions for numerically computing photon scattering in driven arbitrary systems coupled to some configuration of output waveguides. The implementation of these functions closely follows the mathematical treatment given in K.A. Fischer, et. al., Scattering of Coherent Pulses from Quantum Optical Systems (2017, arXiv:1710.02875).

`temporal_basis_vector(waveguide_emission_indices, n_time_bins)`

Generate a temporal basis vector for emissions at specified time bins into specified waveguides.

Parameters

waveguide_emission_indices [list or tuple] List of indices where photon emission occurs for each waveguide, e.g. [[t1_wg1], [t1_wg2, t2_wg2], [], [t1_wg4, t2_wg4, t3_wg4]].

n_time_bins [int] Number of time bins; the range over which each index can vary.

Returns

temporal_basis_vector [:class: qutip.Qobj] A basis vector representing photon scattering at the specified indices. If there are W waveguides, T times, and N photon emissions, then the basis vector has dimensionality $(W*T)^N$.

`temporal_scattered_state(H, psi0, n_emissions, c_ops, tlist, system_zero_state=None, construct_effective_hamiltonian=True)`

Compute the scattered n -photon state projected onto the temporal basis.

Parameters

H [:class: qutip.Qobj or list] System-waveguide(s) Hamiltonian or effective Hamiltonian in Qobj or list-callback format. If `construct_effective_hamiltonian` is not specified, an effective Hamiltonian is constructed from H and c_ops .

psi0 [:class: qutip.Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$.

n_emissions [int] Number of photon emissions to calculate.

c_ops [list] List of collapse operators for each waveguide; these are assumed to include spontaneous decay rates, e.g. $\sigma = \sqrt{\gamma} \cdot a$

tlist [array_like] List of times for τ_i . `tlist` should contain 0 and exceed the pulse duration / temporal region of interest.

system_zero_state [:class: qutip.Qobj] State representing zero excitations in the system. Defaults to $\psi(t_0)$

construct_effective_hamiltonian [bool] Whether an effective Hamiltonian should be constructed from H and c_ops : $H_{eff} = H - \frac{i}{2} \sum_n \sigma_n^\dagger \sigma_n$ Default: True.

Returns

phi_n [:class: qutip.Qobj] The scattered bath state projected onto the temporal basis given by `tlist`. If there are W waveguides, T times, and N photon emissions, then the state is a tensor product state with dimensionality $T^{(W*N)}$.

scattering_probability (*H*, *psi0*, *n_emissions*, *c_ops*, *tlist*, *system_zero_state=None*, *construct_effective_hamiltonian=True*)

Compute the integrated probability of scattering *n* photons in an arbitrary system. This function accepts a nonlinearly spaced array of times.

Parameters

H [:class: qutip.Qobj or list] System-waveguide(s) Hamiltonian or effective Hamiltonian in Qobj or list-callback format. If *construct_effective_hamiltonian* is not specified, an effective Hamiltonian is constructed from *H* and *c_ops*.

psi0 [:class: qutip.Qobj] Initial state density matrix $\rho(t_0)$ or state vector $\psi(t_0)$.

n_emissions [int] Number of photons emitted by the system (into any combination of waveguides).

c_ops [list] List of collapse operators for each waveguide; these are assumed to include spontaneous decay rates, e.g. $\sigma = \sqrt{\gamma} \cdot a$.

tlist [array_like] List of times for τ_i . *tlist* should contain 0 and exceed the pulse duration / temporal region of interest; *tlist* need not be linearly spaced.

system_zero_state [:class: qutip.Qobj] State representing zero excitations in the system. Defaults to *basis(systemDims, 0)*.

construct_effective_hamiltonian [bool] Whether an effective Hamiltonian should be constructed from *H* and *c_ops*: $H_{eff} = H - \frac{i}{2} \sum_n \sigma_n^\dagger \sigma_n$ Default: True.

Returns

scattering_prob [float] The probability of scattering *n* photons from the system over the time range specified.

Permutational Invariance

Permutational Invariant Quantum Solver (PIQS)

This module calculates the Liouvillian for the dynamics of ensembles of identical two-level systems (TLS) in the presence of local and collective processes by exploiting permutational symmetry and using the Dicke basis. It also allows to characterize nonlinear functions of the density matrix.

num_dicke_ladders (*N*)

Calculate the total number of ladders in the Dicke space.

For a collection of *N* two-level systems it counts how many different “j” exist or the number of blocks in the block-diagonal matrix.

Parameters

N: int The number of two-level systems.

Returns

Nj: int The number of Dicke ladders.

num_tls (*nds*)

Calculate the number of two-level systems.

Parameters

nds: int The number of Dicke states.

Returns

N: int The number of two-level systems.

isdiagonal (*mat*)

Check if the input matrix is diagonal.

Parameters

mat: ndarray/Qobj A 2D numpy array

Returns

diag: bool True/False depending on whether the input matrix is diagonal.

dicke_blocks (*rho*)

Create the list of blocks for block-diagonal density matrix in the Dicke basis.

Parameters

rho [*qutip.Qobj*] A 2D block-diagonal matrix of ones with dimension (nds,nds), where nds is the number of Dicke states for N two-level systems.

Returns

square_blocks: list of np.array Give back the blocks list.

dicke_blocks_full (*rho*)

Give the full (2^N -dimensional) list of blocks for a Dicke-basis matrix.

Parameters

rho [*qutip.Qobj*] A 2D block-diagonal matrix of ones with dimension (nds,nds), where nds is the number of Dicke states for N two-level systems.

Returns

full_blocks [list] The list of blocks expanded in the 2^N space for N qubits.

dicke_function_trace (*f, rho*)

Calculate the trace of a function on a Dicke density matrix. :param f: A Taylor-expandable function of *rho*. :type f: function :param rho: A density matrix in the Dicke basis. :type rho: *qutip.Qobj*

Returns

res [float] Trace of a nonlinear function on *rho*.

purity_dicke (*rho*)

Calculate purity of a density matrix in the Dicke basis. It accounts for the degenerate blocks in the density matrix.

Parameters

rho [*qutip.Qobj*] Density matrix in the Dicke basis of *qutip.piqs.jspin(N)*, for N spins.

Returns

purity [float] The purity of the quantum state. It's 1 for pure states, $0 \leq \text{purity} < 1$ for mixed states.

entropy_vn_dicke (*rho*)

Von Neumann Entropy of a Dicke-basis density matrix.

Parameters

rho [*qutip.Qobj*] A 2D block-diagonal matrix of ones with dimension (nds,nds), where nds is the number of Dicke states for N two-level systems.

Returns

entropy_dm: float Entropy. Use degeneracy to multiply each block.

state_degeneracy (*N, j*)

Calculate the degeneracy of the Dicke state.

Each state $|j, m\rangle$ includes $D(N, j)$ irreducible representations $|j, m, \alpha\rangle$.

Uses Decimals to calculate higher numerator and denominators numbers.

Parameters

N: int The number of two-level systems.

j: float Total spin eigenvalue (cooperativity).

Returns

degeneracy: int The state degeneracy.

m_degeneracy (N, m)

Calculate the number of Dicke states $|j, m\rangle$ with same energy.

Parameters

N: int The number of two-level systems.

m: float Total spin z-axis projection eigenvalue (proportional to the total energy).

Returns

degeneracy: int The m-degeneracy.

energy_degeneracy (N, m)

Calculate the number of Dicke states with same energy.

The use of the *Decimals* class allows to explore $N > 1000$, unlike the built-in function *scipy.special.binom*

Parameters

N: int The number of two-level systems.

m: float Total spin z-axis projection eigenvalue. This is proportional to the total energy.

Returns

degeneracy: int The energy degeneracy

ap (j, m)

Calculate the coefficient *ap* by applying J_+ to $|j, m\rangle$.

The action of *ap* is given by: $J_+|j, m\rangle = A_+(j, m)|j, m + 1\rangle$

Parameters

j, m: float The value for j and m in the dicke basis $|j, m\rangle$.

Returns

a_plus: float The value of a_+ .

am (j, m)

Calculate the operator *am* used later.

The action of *ap* is given by: $J_-|j, m\rangle = A_-(j, m)|j, m - 1\rangle$

Parameters

j: float The value for j.

m: float The value for m.

Returns

a_minus: float The value of a_- .

spin_algebra ($N, op=None$)

Create the list [sx, sy, sz] with the spin operators.

The operators are constructed for a collection of N two-level systems (TLSs). Each element of the list, i.e., *sx*, is a vector of *qutip.Qobj* objects (spin matrices), as it contains the list of the SU(2) Pauli matrices for the N TLSs. Each TLS operator *sx*[i], with $i = 0, \dots, (N-1)$, is placed in a 2^N -dimensional Hilbert space.

Parameters

N: int The number of two-level systems.

Returns

spin_operators: list or :class: **qutip.Qobj** A list of *qutip.Qobj* operators - [sx, sy, sz] or the requested operator.

Notes

$sx[i]$ is $\frac{\sigma_x}{2}$ in the composite Hilbert space.

jspin (*N, op=None, basis='dicke'*)

Calculate the list of collective operators of the total algebra.

The Dicke basis $|j, m\rangle\langle j, m'|$ is used by default. Otherwise with “uncoupled” the operators are in a 2^N space.

Parameters

N: int Number of two-level systems.

op: str The operator to return ‘x’, ‘y’, ‘z’, ‘+’, ‘-’. If no operator given, then output is the list of operators for [‘x’, ‘y’, ‘z’].

basis: str The basis of the operators - “dicke” or “uncoupled” default: “dicke”.

Returns

j_alg: list or :class: **qutip.Qobj** A list of *qutip.Qobj* representing all the operators in the “dicke” or “uncoupled” basis or a single operator requested.

collapse_uncoupled (*N, emission=0.0, dephasing=0.0, pumping=0.0, collective_emission=0.0, collective_dephasing=0.0, collective_pumping=0.0*)

Create the collapse operators (*c_ops*) of the Lindbladian in the uncoupled basis

These operators are in the uncoupled basis of the two-level system (TLS) SU(2) Pauli matrices.

Parameters

N: int The number of two-level systems.

emission: float Incoherent emission coefficient (also nonradiative emission). default: 0.0

dephasing: float Local dephasing coefficient. default: 0.0

pumping: float Incoherent pumping coefficient. default: 0.0

collective_emission: float Collective (superradiant) emission coefficient. default: 0.0

collective_pumping: float Collective pumping coefficient. default: 0.0

collective_dephasing: float Collective dephasing coefficient. default: 0.0

Returns

c_ops: list The list of collapse operators as *qutip.Qobj* for the system.

Notes

The collapse operator list can be given to *qutip.mesolve*. Notice that the operators are placed in a Hilbert space of dimension 2^N . Thus the method is suitable only for small N (of the order of 10).

dicke_basis (*N, jmm1=None*)

Initialize the density matrix of a Dicke state for several (j, m, m1).

This function can be used to build arbitrary states in the Dicke basis $|j, m\rangle\langle j, m'|$. We create coefficients for each (j, m, m1) value in the dictionary *jmm1*. The mapping for the (i, k) index of the density matrix to the $|j, m\rangle$ values is given by the cythonized function *jmm1_dictionary*. A density matrix is created from the given dictionary of coefficients for each (j, m, m1).

Parameters

N: int The number of two-level systems.

jmm1: dict A dictionary of $\{(j, m, m1): p\}$ that gives a density p for the $(j, m, m1)$ matrix element.

Returns

rho: :class: qutip.Qobj The density matrix in the Dicke basis.

dicke (N, j, m)

Generate a Dicke state as a pure density matrix in the Dicke basis.

For instance, the superradiant state given by $|j, m\rangle = |1, 0\rangle$ for $N = 2$, and the state is represented as a density matrix of size (nds, nds) or $(4, 4)$, with the $(1, 1)$ element set to 1.

Parameters

N: int The number of two-level systems.

j: float The eigenvalue j of the Dicke state (j, m) .

m: float The eigenvalue m of the Dicke state (j, m) .

Returns

rho: :class: qutip.Qobj The density matrix.

excited ($N, basis='dicke'$)

Generate the density matrix for the excited state.

This state is given by $(N/2, N/2)$ in the default Dicke basis. If the argument *basis* is “uncoupled” then it generates the state in a $2^{*}N$ dim Hilbert space.

Parameters

N: int The number of two-level systems.

basis: str The basis to use. Either “dicke” or “uncoupled”.

Returns

state: :class: qutip.Qobj The excited state density matrix in the requested basis.

superradiant ($N, basis='dicke'$)

Generate the density matrix of the superradiant state.

This state is given by $(N/2, 0)$ or $(N/2, 0.5)$ in the Dicke basis. If the argument *basis* is “uncoupled” then it generates the state in a $2^{*}N$ dim Hilbert space.

Parameters

N: int The number of two-level systems.

basis: str The basis to use. Either “dicke” or “uncoupled”.

Returns

state: :class: qutip.Qobj The superradiant state density matrix in the requested basis.

css ($N, x=0.7071067811865475, y=0.7071067811865475, basis='dicke', coordinates='cartesian'$)

Generate the density matrix of the Coherent Spin State (CSS).

It can be defined as, $|CSS\rangle = \prod_i^N (a|1\rangle_i + b|0\rangle_i)$ with $a = \sin(\frac{\theta}{2})$, $b = e^{i\phi} \cos(\frac{\theta}{2})$. The default basis is that of Dicke space $|j, m\rangle\langle j, m'|$. The default state is the symmetric CSS, $|CSS\rangle = |+\rangle$.

Parameters

N: int The number of two-level systems.

x, y: float The coefficients of the CSS state.

basis: str The basis to use. Either “dicke” or “uncoupled”.

coordinates: str Either “cartesian” or “polar”. If polar then the coefficients are constructed as $\sin(x/2), \cos(x/2)e^{iy}$.

Returns

rho: :class: qutip.Qobj The CSS state density matrix.

ghz (*N, basis='dicke'*)

Generate the density matrix of the GHZ state.

If the argument *basis* is “uncoupled” then it generates the state in a 2^N -dimensional Hilbert space.

Parameters

N: int The number of two-level systems.

basis: str The basis to use. Either “dicke” or “uncoupled”.

Returns

state: :class: qutip.Qobj The GHZ state density matrix in the requested basis.

ground (*N, basis='dicke'*)

Generate the density matrix of the ground state.

This state is given by $(N/2, -N/2)$ in the Dicke basis. If the argument *basis* is “uncoupled” then it generates the state in a 2^N -dimensional Hilbert space.

Parameters

N: int The number of two-level systems.

basis: str The basis to use. Either “dicke” or “uncoupled”

Returns

state: :class: qutip.Qobj The ground state density matrix in the requested basis.

identity_uncoupled (*N*)

Generate the identity in a 2^N -dimensional Hilbert space.

The identity matrix is formed from the tensor product of N TLSs.

Parameters

N: int The number of two-level systems.

Returns

identity: :class: qutip.Qobj The identity matrix.

block_matrix (*N, elements='ones'*)

Construct the block-diagonal matrix for the Dicke basis.

Parameters

N [int] Number of two-level systems.

elements [str { 'ones' (default), 'degeneracy' }]

Returns

block_matr [ndarray] A 2D block-diagonal matrix with dimension (nds,nds), where nds is the number of Dicke states for N two-level systems. Filled with ones or the value of degeneracy at each matrix element.

tau_column (*tau, k, j*)

Determine the column index for the non-zero elements of the matrix for a particular row *k* and the value of *j* from the Dicke space.

Parameters

tau: str The tau function to check for this *k* and *j*.

k: int The row of the matrix M for which the non zero elements have to be calculated.

j: float The value of *j* for this row.

5.2.4 Lattice

Lattice Properties

cell_structures (*val_s=None, val_t=None, val_u=None*)

Returns two matrices `H_cell` and `cell_T` to help the user form the inputs for defining an instance of `Lattice1d` and `Lattice2d` classes. The two matrices are the intra and inter cell Hamiltonians with the tensor structure of the specified site numbers and/or degrees of freedom defined by the user.

Parameters

val_s [list of str/str] The first list of str's specifying the sites/degrees of freedom in the unitcell

val_t [list of str/str] The second list of str's specifying the sites/degrees of freedom in the unitcell

val_u [list of str/str] The third list of str's specifying the sites/degrees of freedom in the unitcell

Returns

H_cell_s [list of list of str] tensor structure of the cell Hamiltonian elements

T_inter_cell_s [list of list of str] tensor structure of the inter cell Hamiltonian elements

H_cell [Qobj] A Qobj initiated with all 0s with proper shape for an input as `Hamiltonian_of_cell` in `Lattice1d.__init__()`

T_inter_cell [Qobj] A Qobj initiated with all 0s with proper shape for an input as `inter_hop` in `Lattice1d.__init__()`

Topology

berry_curvature (*eigfs*)

Computes the discretized Berry curvature on the two dimensional grid of parameters. The function works well for cases with no band mixing.

Parameters

eigfs [numpy ndarray] 4 dimensional numpy ndarray where the first two indices are for the two discrete values of the two parameters and the third is the index of the occupied bands. The fourth dimension holds the eigenfunctions.

Returns

b_curv [numpy ndarray] A two dimensional array of the discretized Berry curvature defined for the values of the two parameters defined in the `eigfs`.

plot_berry_curvature (*eigfs*)

Plots the discretized Berry curvature on the two dimensional grid of parameters. The function works well for cases with no band mixing.

5.2.5 Visualization

Pseudoprobability Functions

qfunc (*state, xvec, yvec, g=1.4142135623730951*)

Q-function of a given state vector or density matrix at points $xvec + i * yvec$.

Parameters

state [qobj] A state vector or density matrix.

xvec [array_like] x-coordinates at which to calculate the Wigner function.

yvec [array_like] y-coordinates at which to calculate the Wigner function.

g [float] Scaling factor for $a = 0.5 * g * (x + iy)$, default $g = \sqrt{2}$. The value of g is related to the value of \hbar in the commutation relation $[x, y] = Ij * \hbar$ via $\hbar = 2/g^2$ giving the default value $\hbar = 1$.

Returns

Q [array] Values representing the Q-function calculated over the specified range [xvec,yvec].

spin_q_function (*rho, theta, phi*)

Husimi Q-function for spins.

Parameters

state [qobj] A state vector or density matrix for a spin-j quantum system.

theta [array_like] theta-coordinates at which to calculate the Q function.

phi [array_like] phi-coordinates at which to calculate the Q function.

Returns

Q, THETA, PHI [2d-array] Values representing the spin Q function at the values specified by THETA and PHI.

spin_wigner (*rho, theta, phi*)

Wigner function for spins on the Bloch sphere.

Parameters

state [qobj] A state vector or density matrix for a spin-j quantum system.

theta [array_like] theta-coordinates at which to calculate the Q function.

phi [array_like] phi-coordinates at which to calculate the Q function.

Returns

W, THETA, PHI [2d-array] Values representing the spin Wigner function at the values specified by THETA and PHI.

Notes

Experimental.

wigner (*psi, xvec, yvec, method='clenshaw', g=1.4142135623730951, sparse=False, parfor=False*)

Wigner function for a state vector or density matrix at points $xvec + i * yvec$.

Parameters

state [qobj] A state vector or density matrix.

xvec [array_like] x-coordinates at which to calculate the Wigner function.

yvec [array_like] y-coordinates at which to calculate the Wigner function. Does not apply to the 'fft' method.

g [float] Scaling factor for $a = 0.5 * g * (x + iy)$, default $g = \text{sqrt}(2)$. The value of g is related to the value of \hbar in the commutation relation $[x, y] = i * \hbar$ via $\hbar = 2/g^2$ giving the default value $\hbar = 1$.

method [string {'clenshaw', 'iterative', 'laguerre', 'fft'}] Select method 'clenshaw' 'iterative', 'laguerre', or 'fft', where 'clenshaw' and 'iterative' use an iterative method to evaluate the Wigner functions for density matrices $|m\rangle\langle n|$, while 'laguerre' uses the Laguerre polynomials in `scipy` for the same task. The 'fft' method evaluates the Fourier transform of the density matrix. The 'iterative' method is default, and in general recommended, but the 'laguerre' method is more efficient for very sparse density matrices (e.g., superpositions of Fock states in a large Hilbert space). The 'clenshaw' method is the preferred method for dealing with density matrices that have a large number of excitations (>50). 'clenshaw' is a fast and numerically stable method.

sparse [bool {False, True}] Tells the default solver whether or not to keep the input density matrix in sparse format. As the dimensions of the density matrix grow, setting this flag can result in increased performance.

parfor [bool {False, True}] Flag for calculating the Laguerre polynomial based Wigner function `method='laguerre'` in parallel using the `parfor` function.

Returns

W [array] Values representing the Wigner function calculated over the specified range `[xvec,yvec]`.

yvec [array] FFT ONLY. Returns the y-coordinate values calculated via the Fourier transform.

Notes

The 'fft' method accepts only an `xvec` input for the x-coordinate. The y-coordinates are calculated internally.

References

Ulf Leonhardt, *Measuring the Quantum State of Light*, (Cambridge University Press, 1997)

Graphs and Visualization

Functions for visualizing results of quantum dynamics simulations, visualizations of quantum states and processes.

hinton (*rho, xlabel=None, ylabel=None, title=None, ax=None, cmap=None, label_top=True*)

Draws a Hinton diagram for visualizing a density matrix or superoperator.

Parameters

rho [qobj] Input density matrix or superoperator.

xlabels [list of strings or False] list of x labels

ylabels [list of strings or False] list of y labels

title [string] title of the plot (optional)

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

cmap [a matplotlib colormap instance] Color map to use when plotting.

label_top [bool] If True, x-axis labels will be placed on top, otherwise they will appear below the plot.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

Raises

ValueError Input argument is not a quantum object.

matrix_histogram (*M*, *xlabels=None*, *ylabels=None*, *title=None*, *limits=None*, *colorbar=True*, *fig=None*, *ax=None*)

Draw a histogram for the matrix *M*, with the given x and y labels and title.

Parameters

M [Matrix of Qobj] The matrix to visualize

xlabels [list of strings] list of x labels

ylabels [list of strings] list of y labels

title [string] title of the plot (optional)

limits [list/array with two float numbers] The z-axis limits [min, max] (optional)

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

Raises

ValueError Input argument is not valid.

matrix_histogram_complex (*M*, *xlabels=None*, *ylabels=None*, *title=None*, *limits=None*, *phase_limits=None*, *colorbar=True*, *fig=None*, *ax=None*, *threshold=None*)

Draw a histogram for the amplitudes of matrix *M*, using the argument of each element for coloring the bars, with the given x and y labels and title.

Parameters

M [Matrix of Qobj] The matrix to visualize

xlabels [list of strings] list of x labels

ylabels [list of strings] list of y labels

title [string] title of the plot (optional)

limits [list/array with two float numbers] The z-axis limits [min, max] (optional)

phase_limits [list/array with two float numbers] The phase-axis (colorbar) limits [min, max] (optional)

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

threshold: float (None) Threshold for when bars of smaller height should be transparent. If not set, all bars are colored according to the color map.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

Raises

ValueError Input argument is not valid.

plot_energy_levels (*H_list*, *N=0*, *labels=None*, *show_ylabels=False*, *figsize=(8, 12)*, *fig=None*, *ax=None*)

Plot the energy level diagrams for a list of Hamiltonians. Include up to *N* energy levels. For each element in *H_list*, the energy levels diagram for the cumulative Hamiltonian $\text{sum}(H_list[0:n])$ is plotted, where *n* is the index of an element in *H_list*.

Parameters

H_list [List of Qobj]

A list of Hamiltonians.

labels [List of string] A list of labels for each Hamiltonian

show_ylabels [Bool (default False)] Show y labels to the left of energy levels of the initial Hamiltonian.

N [int] The number of energy levels to plot

figsize [tuple (int,int)] The size of the figure (width, height).

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

Raises

ValueError Input argument is not valid.

plot_fock_distribution (*rho*, *offset=0*, *fig=None*, *ax=None*, *figsize=(8, 6)*, *title=None*, *unit_y_range=True*)

Plot the Fock distribution for a density matrix (or ket) that describes an oscillator mode.

Parameters

rho [qutip.qobj.Qobj] The density matrix (or ket) of the state to visualize.

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

title [string] An optional title for the figure.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_wigner_fock_distribution (*rho*, *fig=None*, *axes=None*, *figsize=(8, 4)*, *cmap=None*, *alpha_max=7.5*, *colorbar=False*, *method='iterative'*, *projection='2d'*)

Plot the Fock distribution and the Wigner function for a density matrix (or ket) that describes an oscillator mode.

Parameters

rho [qutip.qobj.Qobj] The density matrix (or ket) of the state to visualize.

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

axes [a list of two matplotlib axes instances] The axes context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

cmap [a matplotlib cmap instance] The colormap.

alpha_max [float] The span of the x and y coordinates (both [-alpha_max, alpha_max]).

colorbar [bool] Whether (True) or not (False) a colorbar should be attached to the Wigner function graph.

method [string {'iterative', 'laguerre', 'fft'}] The method used for calculating the wigner function. See the documentation for `qutip.wigner` for details.

projection: string {'2d', '3d'} Specify whether the Wigner function is to be plotted as a contour graph ('2d') or surface plot ('3d').

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_wigner (*rho*, *fig=None*, *ax=None*, *figsize=(6, 6)*, *cmap=None*, *alpha_max=7.5*, *colorbar=False*, *method='clenshaw'*, *projection='2d'*)

Plot the the Wigner function for a density matrix (or ket) that describes an oscillator mode.

Parameters

rho [`qutip.qobj.Qobj`] The density matrix (or ket) of the state to visualize.

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

cmap [a matplotlib cmap instance] The colormap.

alpha_max [float] The span of the x and y coordinates (both [-alpha_max, alpha_max]).

colorbar [bool] Whether (True) or not (False) a colorbar should be attached to the Wigner function graph.

method [string {'clenshaw', 'iterative', 'laguerre', 'fft'}] The method used for calculating the wigner function. See the documentation for `qutip.wigner` for details.

projection: string {'2d', '3d'} Specify whether the Wigner function is to be plotted as a contour graph ('2d') or surface plot ('3d').

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

sphereplot (*theta*, *phi*, *values*, *fig=None*, *ax=None*, *save=False*)

Plots a matrix of values on a sphere

Parameters

theta [float] Angle with respect to z-axis

phi [float] Angle in x-y plane

values [array] Data set to be plotted

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

ax [a matplotlib axes instance] The axes context in which the plot will be drawn.

save [bool {False, True}] Whether to save the figure or not

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_schmidt (*ket*, *splitting=None*, *labels_iteration=(3, 2)*, *theme='light'*, *fig=None*, *ax=None*, *fig-size=(6, 6)*)

Plotting scheme related to Schmidt decomposition. Converts a state into a matrix ($A_{ij} \rightarrow A_i^j$), where rows are first particles and columns - last.

See also: `plot_qubism` with `how='before_after'` for a similar plot.

Parameters

ket [`Qobj`] Pure state for plotting.

splitting [int] Plot for a number of first particles versus the rest. If not given, it is (number of particles + 1) // 2.

theme ['light' (default) or 'dark'] Set coloring theme for mapping complex values into colors. See: `complex_array_to_rgb`.

labels_iteration [int or pair of ints (default (3,2))] Number of particles to be shown as tick labels, for first (vertical) and last (horizontal) particles, respectively.

fig [a matplotlib figure instance] The figure canvas on which the plot will be drawn.

ax [a matplotlib axis instance] The axis context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_qubism (*ket*, *theme='light'*, *how='pairs'*, *grid_iteration=1*, *legend_iteration=0*, *fig=None*, *ax=None*, *figsize=(6, 6)*)

Qubism plot for pure states of many qudits. Works best for spin chains, especially with even number of particles of the same dimension. Allows to see entanglement between first $2*k$ particles and the rest.

More information:

J. Rodriguez-Laguna, P. Migdal, M. Ibanez Berganza, M. Lewenstein, G. Sierra, "Qubism: self-similar visualization of many-body wavefunctions", *New J. Phys.* 14 053028 (2012), arXiv:1112.3560, <http://dx.doi.org/10.1088/1367-2630/14/5/053028> (open access)

Parameters

ket [Qobj] Pure state for plotting.

theme ['light' (default) or 'dark'] Set coloring theme for mapping complex values into colors. See: `complex_array_to_rgb`.

how ['pairs' (default), 'pairs_skewed' or 'before_after'] Type of Qubism plotting. Options: 'pairs' - typical coordinates, 'pairs_skewed' - for ferromagnetic/antriferromagnetic plots, 'before_after' - related to Schmidt plot (see also: `plot_schmidt`).

grid_iteration [int (default 1)] Helper lines to be drawn on plot. Show tiles for $2*grid_iteration$ particles vs all others.

legend_iteration [int (default 0) or 'grid_iteration' or 'all'] Show labels for first $2*legend_iteration$ particles. Option 'grid_iteration' sets the same number of particles as for `grid_iteration`.

Option 'all' makes label for all particles. Typically it should be 0, 1, 2 or perhaps 3.

fig [a matplotlib figure instance] The figure canvas on which the plot will be drawn.

ax [a matplotlib axis instance] The axis context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_expectation_values (*results*, *ylabels=[]*, *title=None*, *show_legend=False*, *fig=None*, *axes=None*, *figsize=(8, 4)*)

Visualize the results (expectation values) for an evolution solver. *results* is assumed to be an instance of `Result`, or a list of `Result` instances.

Parameters

results [(list of *qutip.solver.Result*)] List of results objects returned by any of the QuTiP evolution solvers.

ylabels [list of strings] The y-axis labels. List should be of the same length as *results*.

title [string] The title of the figure.

show_legend [bool] Whether or not to show the legend.

fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.

axes [a matplotlib axes instance] The axes context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_spin_distribution_2d (*P, THETA, PHI, fig=None, ax=None, figsize=(8, 8)*)

Plot a spin distribution function (given as meshgrid data) with a 2D projection where the surface of the unit sphere is mapped on the unit disk.

Parameters

P [matrix] Distribution values as a meshgrid matrix.

THETA [matrix] Meshgrid matrix for the theta coordinate.

PHI [matrix] Meshgrid matrix for the phi coordinate.

fig [a matplotlib figure instance] The figure canvas on which the plot will be drawn.

ax [a matplotlib axis instance] The axis context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_spin_distribution_3d (*P, THETA, PHI, fig=None, ax=None, figsize=(8, 6)*)

Plots a matrix of values on a sphere

Parameters

P [matrix] Distribution values as a meshgrid matrix.

THETA [matrix] Meshgrid matrix for the theta coordinate.

PHI [matrix] Meshgrid matrix for the phi coordinate.

fig [a matplotlib figure instance] The figure canvas on which the plot will be drawn.

ax [a matplotlib axis instance] The axis context in which the plot will be drawn.

figsize [(width, height)] The size of the matplotlib figure (in inches) if it is to be created (that is, if no 'fig' and 'ax' arguments are passed).

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

plot_wigner_sphere (*fig, ax, wigner, reflections*)

Plots a coloured Bloch sphere.

Parameters

fig

An instance of matplotlib.pyplot.figure.

ax An axes instance in fig.
wigner [list of float] the wigner transformation at *steps* different theta and phi.
reflections [bool] If the reflections of the sphere should be plotted as well.

Notes

Special thanks to Russell P Rundle for writing this function.

sphereplot (*theta, phi, values, fig=None, ax=None, save=False*)
 Plots a matrix of values on a sphere

Parameters

theta [float] Angle with respect to z-axis
phi [float] Angle in x-y plane
values [array] Data set to be plotted
fig [a matplotlib Figure instance] The Figure canvas in which the plot will be drawn.
ax [a matplotlib axes instance] The axes context in which the plot will be drawn.
save [bool {False, True}] Whether to save the figure or not

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

orbital (*theta, phi, *args*)

Calculates an angular wave function on a sphere. $\psi = \text{orbital}(\text{theta}, \text{phi}, \text{ket1}, \text{ket2}, \dots)$ calculates the angular wave function on a sphere at the mesh of points defined by theta and phi which is $\sum_{lm} c_{lm} Y_{lm}(\text{theta}, \text{phi})$ where C_{lm} are the coefficients specified by the list of kets. Each ket has $2l+1$ components for some integer l .

Parameters

theta [list/array] Polar angles
phi [list/array] Azimuthal angles
args [list/array] list of ket vectors.

Returns

array for angular wave function

Quantum Process Tomography

qpt (*U, op_basis_list*)

Calculate the quantum process tomography chi matrix for a given (possibly nonunitary) transformation matrix U, which transforms a density matrix in vector form according to:

$$\text{vec}(\rho) = U * \text{vec}(\rho_0)$$

or

$$\rho = \text{vec2mat}(U * \text{mat2vec}(\rho_0))$$

U can be calculated for an open quantum system using the QuTiP propagator function.

Parameters

U [Qobj] Transformation operator. Can be calculated using QuTiP propagator function.
op_basis_list [list] A list of Qobj's representing the basis states.

Returns

chi [array] QPT chi matrix

qpt_plot (*chi, lbls_list, title=None, fig=None, axes=None*)

Visualize the quantum process tomography chi matrix. Plot the real and imaginary parts separately.

Parameters

chi [array] Input QPT chi matrix.

lbls_list [list] List of labels for QPT plot axes.

title [string] Plot title.

fig [figure instance] User defined figure instance used for generating QPT plot.

axes [list of figure axis instance] User defined figure axis instance (list of two axes) used for generating QPT plot.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

qpt_plot_combined (*chi, lbls_list, title=None, fig=None, ax=None, figsize=(8, 6), threshold=None*)

Visualize the quantum process tomography chi matrix. Plot bars with height and color corresponding to the absolute value and phase, respectively.

Parameters

chi [array] Input QPT chi matrix.

lbls_list [list] List of labels for QPT plot axes.

title [string] Plot title.

fig [figure instance] User defined figure instance used for generating QPT plot.

ax [figure axis instance] User defined figure axis instance used for generating QPT plot (alternative to the fig argument).

threshold: float (None) Threshold for when bars of smaller height should be transparent. If not set, all bars are colored according to the color map.

Returns

fig, ax [tuple] A tuple of the matplotlib figure and axes instances used to produce the figure.

5.2.6 Quantum Information Processing

Gates

rx (*phi, N=None, target=0*)

Single-qubit rotation for operator sigmax with angle phi.

Returns

result [qobj] Quantum object for operator describing the rotation.

ry (*phi, N=None, target=0*)

Single-qubit rotation for operator sigmay with angle phi.

Returns

result [qobj] Quantum object for operator describing the rotation.

rz (*phi, N=None, target=0*)

Single-qubit rotation for operator sigmaz with angle phi.

Returns

result [qobj] Quantum object for operator describing the rotation.

sqrtnot (*N=None, target=0*)

Single-qubit square root NOT gate.

Returns

result [qobj] Quantum object for operator describing the square root NOT gate.

snot (*N=None, target=0*)

Quantum object representing the SNOT (Hadamard) gate.

Returns

snot_gate [qobj] Quantum object representation of SNOT gate.

Examples

```
>>> snot ()
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = True
Qobj data =
[[ 0.70710678+0.j  0.70710678+0.j]
 [ 0.70710678+0.j -0.70710678+0.j]]
```

phasegate (*theta, N=None, target=0*)

Returns quantum object representing the phase shift gate.

Parameters

theta [float] Phase rotation angle.

Returns

phase_gate [qobj] Quantum object representation of phase shift gate.

Examples

```
>>> phasegate(pi/4)
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = False
Qobj data =
[[ 1.00000000+0.j          0.00000000+0.j          ]
 [ 0.00000000+0.j          0.70710678+0.70710678j]]
```

cphase (*theta, N=2, control=0, target=1*)

Returns quantum object representing the controlled phase shift gate.

Parameters

theta [float] Phase rotation angle.

N [integer] The number of qubits in the target space.

control [integer] The index of the control qubit.

target [integer] The index of the target qubit.

Returns

U [qobj] Quantum object representation of controlled phase gate.

cnnot (*N=None, control=0, target=1*)

Quantum object representing the CNOT gate.

Returns

cnnot_gate [qobj] Quantum object representation of CNOT gate

Examples

```
>>> cnot()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j]]
```

csign (*N=None, control=0, target=1*)

Quantum object representing the CSIGN gate.

Returns

csign_gate [qobj] Quantum object representation of CSIGN gate

Examples

```
>>> csign()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j -1.+0.j]]
```

berkeley (*N=None, targets=[0, 1]*)

Quantum object representing the Berkeley gate.

Returns

berkeley_gate [qobj] Quantum object representation of Berkeley gate

Examples

```
>>> berkeley()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪True
Qobj data =
[[ cos(pi/8).+0.j  0.+0.j  0.+0.j  0.+sin(pi/8).j]
 [ 0.+0.j  cos(3pi/8).+0.j  0.+sin(3pi/8).j  0.+0.j]
 [ 0.+0.j  0.+sin(3pi/8).j  cos(3pi/8).+0.j  0.+0.j]
 [ 0.+sin(pi/8).j  0.+0.j  0.+0.j  cos(pi/8).+0.j]]
```

swapalpha (*alpha, N=None, targets=[0, 1]*)

Quantum object representing the SWAPalpha gate.

Returns

swapalpha_gate [qobj] Quantum object representation of SWAPalpha gate

Examples

```
>>> swalphalpha(alpha)
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.5*(1 + exp(j*pi*alpha))  0.5*(1 - exp(j*pi*alpha))  0.+0.j]
 [ 0.+0.j  0.5*(1 - exp(j*pi*alpha))  0.5*(1 + exp(j*pi*alpha))  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j]]
```

swap ($N=None$, $targets=[0, 1]$)

Quantum object representing the SWAP gate.

Returns

swap_gate [qobj] Quantum object representation of SWAP gate

Examples

```
>>> swap()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j]]
```

iswap ($N=None$, $targets=[0, 1]$)

Quantum object representing the iSWAP gate.

Returns

iswap_gate [qobj] Quantum object representation of iSWAP gate

Examples

```
>>> iswap()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm = 
↪False
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+1.j  0.+0.j]
 [ 0.+0.j  0.+1.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j]]
```

sqrtswap ($N=None$, $targets=[0, 1]$)

Quantum object representing the square root SWAP gate.

Returns

sqrtswap_gate [qobj] Quantum object representation of square root SWAP gate

sqrtiswap ($N=None$, $targets=[0, 1]$)

Quantum object representing the square root iSWAP gate.

Returns

sqrtiswap_gate [qobj] Quantum object representation of square root iSWAP gate

Examples

```
>>> sqrtiswap()
Quantum object: dims = [[2, 2], [2, 2]], shape = [4, 4], type = oper, isHerm =
↪False
Qobj data =
[[ 1.00000000+0.j  0.00000000+0.j  0.00000000+0.j  0.
↪00000000+0.j]
 [ 0.00000000+0.j  0.70710678+0.j  0.00000000-0.70710678j  0.
↪00000000+0.j]
 [ 0.00000000+0.j  0.00000000-0.70710678j  0.70710678+0.j  0.
↪00000000+0.j]
 [ 0.00000000+0.j  0.00000000+0.j  0.00000000+0.j  1.
↪00000000+0.j]]
```

fredkin ($N=None$, $control=0$, $targets=[1, 2]$)

Quantum object representing the Fredkin gate.

Returns

fredkin_gate [qobj] Quantum object representation of Fredkin gate.

Examples

```
>>> fredkin()
Quantum object: dims = [[2, 2, 2], [2, 2, 2]], shape = [8, 8], type = oper,
↪isHerm = True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j]]
```

toffoli ($N=None$, $controls=[0, 1]$, $target=2$)

Quantum object representing the Toffoli gate.

Returns

toff_gate [qobj] Quantum object representation of Toffoli gate.

Examples

```
>>> toffoli()
Quantum object: dims = [[2, 2, 2], [2, 2, 2]], shape = [8, 8], type = oper,
↪isHerm = True
Qobj data =
[[ 1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j  0.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j  0.+0.j]
 [ 0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  0.+0.j  1.+0.j]]
```

rotation (op , phi , $N=None$, $target=0$)

Single-qubit rotation for operator op with angle phi .

Returns

result [qobj] Quantum object for operator describing the rotation.

controlled_gate (*U, N=2, control=0, target=1, control_value=1*)

Create an N-qubit controlled gate from a single-qubit gate U with the given control and target qubits.

Parameters

U [Qobj] Arbitrary single-qubit gate.

N [integer] The number of qubits in the target space.

control [integer] The index of the first control qubit.

target [integer] The index of the target qubit.

control_value [integer (1)] The state of the control qubit that activates the gate U.

Returns

result [qobj] Quantum object representing the controlled-U gate.

globalphase (*theta, N=1*)

Returns quantum object representing the global phase shift gate.

Parameters

theta [float] Phase rotation angle.

Returns

phase_gate [qobj] Quantum object representation of global phase shift gate.

Examples

```
>>> phasegate(pi/4)
Quantum object: dims = [[2], [2]], shape = [2, 2], type = oper, isHerm = False
Qobj data =
[[ 0.70710678+0.70710678j          0.00000000+0.j]
 [ 0.00000000+0.j              0.70710678+0.70710678j]]
```

hadamard_transform (*N=1*)

Quantum object representing the N-qubit Hadamard gate.

Returns

q [qobj] Quantum object representation of the N-qubit Hadamard gate.

gate_sequence_product (*U_list, left_to_right=True*)

Calculate the overall unitary matrix for a given list of unitary operations

Parameters

U_list [list] List of gates implementing the quantum circuit.

left_to_right [Boolean] Check if multiplication is to be done from left to right.

Returns

U_overall [qobj] Overall unitary matrix of a given quantum circuit.

gate_expand_1toN (*U, N, target*)

Create a Qobj representing a one-qubit gate that act on a system with N qubits.

Parameters

U [Qobj] The one-qubit gate

N [integer] The number of qubits in the target space.

target [integer] The index of the target qubit.

Returns

gate [qobj] Quantum object representation of N-qubit gate.

gate_expand_2toN (*U, N, control=None, target=None, targets=None*)

Create a Qobj representing a two-qubit gate that act on a system with N qubits.

Parameters

U [Qobj] The two-qubit gate

N [integer] The number of qubits in the target space.

control [integer] The index of the control qubit.

target [integer] The index of the target qubit.

targets [list] List of target qubits.

Returns

gate [qobj] Quantum object representation of N-qubit gate.

gate_expand_3toN (*U, N, controls=[0, 1], target=2*)

Create a Qobj representing a three-qubit gate that act on a system with N qubits.

Parameters

U [Qobj] The three-qubit gate

N [integer] The number of qubits in the target space.

controls [list] The list of the control qubits.

target [integer] The index of the target qubit.

Returns

gate [qobj] Quantum object representation of N-qubit gate.

expand_operator (*oper, N, targets, dims=None, cyclic_permutation=False*)

Expand a qubits operator to one that acts on a N-qubit system.

Parameters

oper [*qutip.Qobj*] An operator acts on qubits, the type of the *qutip.Qobj* has to be an operator and the dimension matches the tensored qubit Hilbert space e.g. `dims = [[2, 2, 2], [2, 2, 2]]`

N [int] The number of qubits in the system.

targets [int or list of int] The indices of qubits that are acted on.

dims [list, optional] A list of integer for the dimension of each composite system. E.g. `[2, 2, 2, 2, 2]` for 5 qubits system. If None, qubits system will be the default option.

cyclic_permutation [boolean, optional] Expand for all cyclic permutation of the targets. E.g. if `N=3` and *oper* is a 2-qubit operator, the result will be a list of three operators, each acting on qubits 0 and 1, 1 and 2, 2 and 0.

Returns

expanded_oper [*qutip.Qobj*] The expanded qubits operator acting on a system with N qubits.

Notes

This is equivalent to `gate_expand_1toN`, `gate_expand_2toN`, `gate_expand_3toN` in `qutip.qip.gate.py`, but works for any dimension.

Qubits

qubit_states ($N=1$, $states=[0]$)

Function to define initial state of the qubits.

Parameters

N [Integer] Number of qubits in the register.

states [List] Initial state of each qubit.

Returns

qstates [Qobj] List of qubits.

Algorithms

This module provides the circuit implementation for Quantum Fourier Transform.

qft ($N=1$)

Quantum Fourier Transform operator on N qubits.

Parameters

N [int] Number of qubits.

Returns

QFT: qobj Quantum Fourier transform operator.

qft_steps ($N=1$, $swapping=True$)

Quantum Fourier Transform operator on N qubits returning the individual steps as unitary matrices operating from left to right.

Parameters

N: int Number of qubits.

swap: boolean Flag indicating sequence of swap gates to be applied at the end or not.

Returns

U_step_list: list of qobj List of Hadamard and controlled rotation gates implementing QFT.

qft_gate_sequence ($N=1$, $swapping=True$)

Quantum Fourier Transform operator on N qubits returning the gate sequence.

Parameters

N: int Number of qubits.

swap: boolean Flag indicating sequence of swap gates to be applied at the end or not.

Returns

qc: instance of QubitCircuit Gate sequence of Hadamard and controlled rotation gates implementing QFT.

Noisy Devices

5.2.7 Non-Markovian Solvers

This module contains an implementation of the non-Markovian transfer tensor method (TTM), introduced in [1].

[1] Javier Cerrillo and Jianshu Cao, Phys. Rev. Lett 112, 110401 (2014)

ttmsolve (*dynmaps*, *rho0*, *times*, *e_ops*=[], *learningtimes*=None, *tensors*=None, ***kwargs*)

Solve time-evolution using the Transfer Tensor Method, based on a set of precomputed dynamical maps.

Parameters

dynmaps [list of *qutip.Qobj*] List of precomputed dynamical maps (superoperators), or a callback function that returns the superoperator at a given time.

rho0 [*qutip.Qobj*] Initial density matrix or state vector (ket).

times [array_like] list of times t_n at which to compute $\rho(t_n)$. Must be uniformly spaced.

e_ops [list of *qutip.Qobj* / callback function] single operator or list of operators for which to evaluate expectation values.

learningtimes [array_like] list of times t_k for which we have knowledge of the dynamical maps $E(t_k)$.

tensors [array_like] optional list of precomputed tensors T_k

kwargs [dictionary] Optional keyword arguments. See *qutip.nonmarkov.ttm.TTMSolverOptions*.

Returns

output: *qutip.solver.Result* An instance of the class *qutip.solver.Result*.

5.2.8 Optimal control

Wrapper functions that will manage the creation of the objects, build the configuration, and execute the algorithm required to optimise a set of ctrl pulses for a given (quantum) system. The fidelity error is some measure of distance of the system evolution from the given target evolution in the time allowed for the evolution. The functions minimise this fidelity error wrt the piecewise control amplitudes in the timeslots

There are currently two quantum control pulse optimisations algorithms implemented in this library. There are accessible through the methods in this module. Both the algorithms use the *scipy.optimize* methods to minimise the fidelity error with respect to variables that define the pulse.

GRAPE

The default algorithm (as it was implemented here first) is GRAPE GRAdient Ascent Pulse Engineering [1][2]. It uses a gradient based method such as BFGS to minimise the fidelity error. This makes convergence very quick when an exact gradient can be calculated, but this limits the factors that can taken into account in the fidelity.

CRAB

The CRAB [3][4] algorithm was developed at the University of Ulm. In full it is the Chopped RANdom Basis algorithm. The main difference is that it reduces the number of optimisation variables by defining the control pulses by expansions of basis functions, where the variables are the coefficients. Typically a Fourier series is chosen, i.e. the variables are the Fourier coefficients. Therefore it does not need to compute an explicit gradient. By default it uses the Nelder-Mead method for fidelity error minimisation.

References

1. N Khaneja et. al. Optimal control of coupled spin dynamics: Design of NMR pulse sequences by gradient ascent algorithms. *J. Magn. Reson.* 172, 296–305 (2005).
2. Shai Machnes et.al DYNAMO - Dynamic Framework for Quantum Optimal Control arXiv.1011.4874
3. Doria, P., Calarco, T. & Montangero, S. Optimal Control Technique for Many-Body Quantum Dynamics. *Phys. Rev. Lett.* 106, 1–4 (2011).
4. Caneva, T., Calarco, T. & Montangero, S. Chopped random-basis quantum optimization. *Phys. Rev. A - At. Mol. Opt. Phys.* 84, (2011).

optimize_pulse (*drift*, *ctrls*, *initial*, *target*, *num_tslots=None*, *evo_time=None*, *tau=None*, *amp_lbound=None*, *amp_ubound=None*, *fid_err_targ=1e-10*, *min_grad=1e-10*, *max_iter=500*, *max_wall_time=180*, *alg='GRAPE'*, *alg_params=None*, *optim_params=None*, *optim_method='DEF'*, *method_params=None*, *optim_alg=None*, *max_metric_corr=None*, *accuracy_factor=None*, *dyn_type='GEN_MAT'*, *dyn_params=None*, *prop_type='DEF'*, *prop_params=None*, *fid_type='DEF'*, *fid_params=None*, *phase_option=None*, *fid_err_scale_factor=None*, *tslot_type='DEF'*, *tslot_params=None*, *amp_update_mode=None*, *init_pulse_type='DEF'*, *init_pulse_params=None*, *pulse_scaling=1.0*, *pulse_offset=0.0*, *ramping_pulse_type=None*, *ramping_pulse_params=None*, *log_level=0*, *out_file_ext=None*, *gen_stats=False*)

Optimise a control pulse to minimise the fidelity error. The dynamics of the system in any given timeslot are governed by the combined dynamics generator, i.e. the sum of the drift+ctrl_amp[j]*ctrls[j] The control pulse is an [n_ts, n_ctrls] array of piecewise amplitudes Starting from an intital (typically random) pulse, a multivariable optimisation algorithm attempts to determines the optimal values for the control pulse to minimise the fidelity error The fidelity error is some measure of distance of the system evolution from the given target evolution in the time allowed for the evolution.

Parameters

- drift** [Qobj or list of Qobj] the underlying dynamics generator of the system can provide list (of length num_tslots) for time dependent drift
- ctrls** [List of Qobj or array like [num_tslots, evo_time]] a list of control dynamics generators. These are scaled by the amplitudes to alter the overall dynamics Array like input can be provided for time dependent control generators
- initial** [Qobj] starting point for the evolution. Typically the identity matrix
- target** [Qobj] target transformation, e.g. gate or state, for the time evolution
- num_tslots** [integer or None] number of timeslots. None implies that timeslots will be given in the tau array
- evo_time** [float or None] total time for the evolution None implies that timeslots will be given in the tau array
- tau** [array[num_tslots] of floats or None] durations for the timeslots. if this is given then num_tslots and evo_time are derived from it None implies that timeslot durations will be equal and calculated as evo_time/num_tslots
- amp_lbound** [float or list of floats] lower boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control

- amp_ubound** [float or list of floats] upper boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control
- fid_err_targ** [float] Fidelity error target. Pulse optimisation will terminate when the fidelity error falls below this value
- mim_grad** [float] Minimum gradient. When the sum of the squares of the gradients wrt to the control amplitudes falls below this value, the optimisation terminates, assuming local minima
- max_iter** [integer] Maximum number of iterations of the optimisation algorithm
- max_wall_time** [float] Maximum allowed elapsed time for the optimisation algorithm
- alg** [string] Algorithm to use in pulse optimisation. Options are:
 ‘GRAPE’ (default) - GRAdient Ascent Pulse Engineering ‘CRAB’ - Chopped RANdom Basis
- alg_params** [Dictionary] options that are specific to the algorithm see above
- optim_params** [Dictionary] The key value pairs are the attribute name and value used to set attribute values Note: attributes are created if they do not exist already, and are overwritten if they do. Note: method_params are applied afterwards and so may override these
- optim_method** [string] a scipy.optimize.minimize method that will be used to optimise the pulse for minimum fidelity error Note that FMIN, FMIN_BFGS & FMIN_L_BFGS_B will all result in calling these specific scipy.optimize methods Note the LBFGSB is equivalent to FMIN_L_BFGS_B for backwards capatibility reasons. Supplying DEF will given alg dependent result:
 GRAPE - Default optim_method is FMIN_L_BFGS_B CRAB - Default optim_method is FMIN
- method_params** [dict] Parameters for the optim_method. Note that where there is an attribute of the Optimizer object or the termination_conditions matching the key that attribute. Otherwise, and in some case also, they are assumed to be method_options for the scipy.optimize.minimize method.
- optim_alg** [string] Deprecated. Use optim_method.
- max_metric_corr** [integer] Deprecated. Use method_params instead
- accuracy_factor** [float] Deprecated. Use method_params instead
- dyn_type** [string] Dynamics type, i.e. the type of matrix used to describe the dynamics. Options are UNIT, GEN_MAT, SYMPL (see Dynamics classes for details)
- dyn_params** [dict] Parameters for the Dynamics object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- prop_type** [string] Propagator type i.e. the method used to calculate the propagtors and propagator gradient for each timeslot options are DEF, APPROX, DIAG, FRECHET, AUG_MAT DEF will use the default for the specific dyn_type (see PropagatorComputer classes for details)
- prop_params** [dict] Parameters for the PropagatorComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- fid_type** [string] Fidelity error (and fidelity error gradient) computation method Options are DEF, UNIT, TRACEDIFF, TD_APPROX DEF will use the default for the specific dyn_type (See FidelityComputer classes for details)
- fid_params** [dict] Parameters for the FidelityComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- phase_option** [string] Deprecated. Pass in fid_params instead.

- fid_err_scale_factor** [float] Deprecated. Use `scale_factor` key in `fid_params` instead.
- tslot_type** [string] Method for computing the dynamics generators, propagators and evolution in the timeslots. Options: `DEF`, `UPDATE_ALL`, `DYNAMIC UPDATE_ALL` is the only one that currently works (See `TimeslotComputer` classes for details)
- tslot_params** [dict] Parameters for the `TimeslotComputer` object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- amp_update_mode** [string] Deprecated. Use `tslot_type` instead.
- init_pulse_type** [string] type / shape of pulse(s) used to initialise the the control amplitudes. Options (GRAPE) include:
RND, LIN, ZERO, SINE, SQUARE, TRIANGLE, SAW
DEF is RND (see `PulseGen` classes for details) For the CRAB the this the `guess_pulse_type`.
- init_pulse_params** [dict] Parameters for the initial / guess pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- pulse_scaling** [float] Linear scale factor for generated initial / guess pulses By default initial pulses are generated with amplitudes in the range (-1.0, 1.0). These will be scaled by this parameter
- pulse_offset** [float] Linear offset for the pulse. That is this value will be added to any initial / guess pulses generated.
- ramping_pulse_type** [string] Type of pulse used to modulate the control pulse. It's intended use for a ramping modulation, which is often required in experimental setups. This is only currently implemented in CRAB. `GAUSSIAN_EDGE` was added for this purpose.
- ramping_pulse_params** [dict] Parameters for the ramping pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- log_level** [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively 'quiet' execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`
- out_file_ext** [string or None] files containing the initial and final control pulse amplitudes are saved to the current directory. The default name will be postfixed with this extension Setting this to `None` will suppress the output of files
- gen_stats** [boolean] if set to `True` then statistics for the optimisation run will be generated - accessible through attributes of the stats object

Returns

- opt** [OptimResult] Returns instance of `OptimResult`, which has attributes giving the reason for termination, final fidelity error, final evolution final amplitudes, statistics etc

optimize_pulse_unitary (*H_d, H_c, U_0, U_targ, num_tslots=None, evo_time=None, tau=None, amp_lbound=None, amp_ubound=None, fid_err_targ=1e-10, min_grad=1e-10, max_iter=500, max_wall_time=180, alg='GRAPE', alg_params=None, optim_params=None, optim_method='DEF', method_params=None, optim_alg=None, max_metric_corr=None, accuracy_factor=None, phase_option='PSU', dyn_params=None, prop_params=None, fid_params=None, tslot_type='DEF', tslot_params=None, amp_update_mode=None, init_pulse_type='DEF', init_pulse_params=None, pulse_scaling=1.0, pulse_offset=0.0, ramping_pulse_type=None, ramping_pulse_params=None, log_level=0, out_file_ext=None, gen_stats=False*)

Optimise a control pulse to minimise the fidelity error, assuming that the dynamics of the system are generated by unitary operators. This function is simply a wrapper for `optimize_pulse`, where the appropriate options for unitary dynamics are chosen and the parameter names are in the format familiar to unitary dynamics. The dynamics of the system in any given timeslot are governed by the combined Hamiltonian, i.e. the sum of the $H_d + \text{ctrl_amp}[j]*H_c[j]$. The control pulse is an $[n_ts, n_ctrls]$ array of piecewise amplitudes. Starting from an initial (typically random) pulse, a multivariable optimisation algorithm attempts to determine the optimal values for the control pulse to minimise the fidelity error. The maximum fidelity for a unitary system is 1, i.e. when the time evolution resulting from the pulse is equivalent to the target. And therefore the fidelity error is $1 - \text{fidelity}$.

Parameters

H_d [Qobj or list of Qobj] Drift (aka system) the underlying Hamiltonian of the system can provide list (of length `num_tslots`) for time dependent drift

H_c [List of Qobj or array like $[num_tslots, evo_time]$] a list of control Hamiltonians. These are scaled by the amplitudes to alter the overall dynamics. Array like input can be provided for time dependent control generators

U_0 [Qobj] starting point for the evolution. Typically the identity matrix

U_targ [Qobj] target transformation, e.g. gate or state, for the time evolution

num_tslots [integer or None] number of timeslots. None implies that timeslots will be given in the `tau` array

evo_time [float or None] total time for the evolution. None implies that timeslots will be given in the `tau` array

tau [array $[num_tslots]$ of floats or None] durations for the timeslots. if this is given then `num_tslots` and `evo_time` are derived from it. None implies that timeslot durations will be equal and calculated as `evo_time/num_tslots`

amp_lbound [float or list of floats] lower boundaries for the control amplitudes. Can be a scalar value applied to all controls or a list of bounds for each control

amp_ubound [float or list of floats] upper boundaries for the control amplitudes. Can be a scalar value applied to all controls or a list of bounds for each control

fid_err_targ [float] Fidelity error target. Pulse optimisation will terminate when the fidelity error falls below this value

min_grad [float] Minimum gradient. When the sum of the squares of the gradients wrt to the control amplitudes falls below this value, the optimisation terminates, assuming local minima

max_iter [integer] Maximum number of iterations of the optimisation algorithm

max_wall_time [float] Maximum allowed elapsed time for the optimisation algorithm

alg [string] Algorithm to use in pulse optimisation. Options are:

‘GRAPE’ (default) - GRAdient Ascent Pulse Engineering ‘CRAB’ - Chopped RANdom Basis

alg_params [Dictionary] options that are specific to the algorithm see above

optim_params [Dictionary] The key value pairs are the attribute name and value used to set attribute values Note: attributes are created if they do not exist already, and are overwritten if they do. Note: method_params are applied afterwards and so may override these

optim_method [string] a scipy.optimize.minimize method that will be used to optimise the pulse for minimum fidelity error Note that FMIN, FMIN_BFGS & FMIN_L_BFGS_B will all result in calling these specific scipy.optimize methods Note the LBFGSB is equivalent to FMIN_L_BFGS_B for backwards compatibility reasons. Supplying DEF will given alg dependent result:

GRAPE - Default optim_method is FMIN_L_BFGS_B CRAB - Default optim_method is FMIN

method_params [dict] Parameters for the optim_method. Note that where there is an attribute of the Optimizer object or the termination_conditions matching the key that attribute. Otherwise, and in some case also, they are assumed to be method_options for the scipy.optimize.minimize method.

optim_alg [string] Deprecated. Use optim_method.

max_metric_corr [integer] Deprecated. Use method_params instead

accuracy_factor [float] Deprecated. Use method_params instead

phase_option [string] determines how global phase is treated in fidelity calculations (fid_type='UNIT' only). Options:

PSU - global phase ignored SU - global phase included

dyn_params [dict] Parameters for the Dynamics object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

prop_params [dict] Parameters for the PropagatorComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

fid_params [dict] Parameters for the FidelityComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

tslot_type [string] Method for computing the dynamics generators, propagators and evolution in the timeslots. Options: DEF, UPDATE_ALL, DYNAMIC UPDATE_ALL is the only one that currently works (See TimeslotComputer classes for details)

tslot_params [dict] Parameters for the TimeslotComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

amp_update_mode [string] Deprecated. Use tslot_type instead.

init_pulse_type [string] type / shape of pulse(s) used to initialise the the control amplitudes. Options (GRAPE) include:

RND, LIN, ZERO, SINE, SQUARE, TRIANGLE, SAW DEF is RND

(see PulseGen classes for details) For the CRAB the this the guess_pulse_type.

init_pulse_params [dict] Parameters for the initial / guess pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

pulse_scaling [float] Linear scale factor for generated initial / guess pulses By default initial pulses are generated with amplitudes in the range (-1.0, 1.0). These will be scaled by this parameter

pulse_offset [float] Linear offset for the pulse. That is this value will be added to any initial / guess pulses generated.

ramping_pulse_type [string] Type of pulse used to modulate the control pulse. It's intended use for a ramping modulation, which is often required in experimental setups.

This is only currently implemented in CRAB. GAUSSIAN_EDGE was added for this purpose.

ramping_pulse_params [dict] Parameters for the ramping pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively 'quiet' execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

out_file_ext [string or None] files containing the initial and final control pulse amplitudes are saved to the current directory. The default name will be postfixed with this extension Setting this to `None` will suppress the output of files

gen_stats [boolean] if set to `True` then statistics for the optimisation run will be generated - accessible through attributes of the stats object

Returns

opt [OptimResult] Returns instance of `OptimResult`, which has attributes giving the reason for termination, final fidelity error, final evolution final amplitudes, statistics etc

create_pulse_optimizer (*drift, ctrls, initial, target, num_tslots=None, evo_time=None, tau=None, amp_lbound=None, amp_ubound=None, fid_err_targ=1e-10, min_grad=1e-10, max_iter=500, max_wall_time=180, alg='GRAPE', alg_params=None, optim_params=None, optim_method='DEF', method_params=None, optim_alg=None, max_metric_corr=None, accuracy_factor=None, dyn_type='GEN_MAT', dyn_params=None, prop_type='DEF', prop_params=None, fid_type='DEF', fid_params=None, phase_option=None, fid_err_scale_factor=None, tslot_type='DEF', tslot_params=None, amp_update_mode=None, init_pulse_type='DEF', init_pulse_params=None, pulse_scaling=1.0, pulse_offset=0.0, ramping_pulse_type=None, ramping_pulse_params=None, log_level=0, gen_stats=False*)

Generate the objects of the appropriate subclasses required for the pulse optimisation based on the parameters given Note this method may be preferable to calling `optimize_pulse` if more detailed configuration is required before running the optimisation algorithm, or the algorithm will be run many times, for instances when trying to finding global the optimum or minimum time optimisation

Parameters

drift [Qobj or list of Qobj] the underlying dynamics generator of the system can provide list (of length `num_tslots`) for time dependent drift

ctrls [List of Qobj or array like [num_tslots, evo_time]] a list of control dynamics generators. These are scaled by the amplitudes to alter the overall dynamics Array like input can be provided for time dependent control generators

initial [Qobj] starting point for the evolution. Typically the identity matrix

target [Qobj] target transformation, e.g. gate or state, for the time evolution

num_tslots [integer or None] number of timeslots. `None` implies that timeslots will be given in the `tau` array

evo_time [float or None] total time for the evolution `None` implies that timeslots will be given in the `tau` array

tau [array[num_tslots] of floats or None] durations for the timeslots. if this is given then `num_tslots` and `evo_time` are derived from it `None` implies that timeslot durations will be equal and calculated as `evo_time/num_tslots`

amp_lbound [float or list of floats] lower boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control

amp_ubound [float or list of floats] upper boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control

fid_err_targ [float] Fidelity error target. Pulse optimisation will terminate when the fidelity error falls below this value

mim_grad [float] Minimum gradient. When the sum of the squares of the gradients wrt to the control amplitudes falls below this value, the optimisation terminates, assuming local minima

max_iter [integer] Maximum number of iterations of the optimisation algorithm

max_wall_time [float] Maximum allowed elapsed time for the optimisation algorithm

alg [string] Algorithm to use in pulse optimisation. Options are:

‘GRAPE’ (default) - GRAdient Ascent Pulse Engineering ‘CRAB’ - Chopped RANdom Basis

alg_params [Dictionary] options that are specific to the algorithm see above

optim_params [Dictionary] The key value pairs are the attribute name and value used to set attribute values Note: attributes are created if they do not exist already, and are over-written if they do. Note: method_params are applied afterwards and so may override these

optim_method [string] a scipy.optimize.minimize method that will be used to optimise the pulse for minimum fidelity error Note that FMIN, FMIN_BFGS & FMIN_L_BFGS_B will all result in calling these specific scipy.optimize methods Note the LBFGSB is equivalent to FMIN_L_BFGS_B for backwards capatibility reasons. Supplying DEF will given alg dependent result:

- GRAPE - Default optim_method is FMIN_L_BFGS_B
- CRAB - Default optim_method is Nelder-Mead

method_params [dict] Parameters for the optim_method. Note that where there is an attribute of the Optimizer object or the termination_conditions matching the key that attribute. Otherwise, and in some case also, they are assumed to be method_options for the scipy.optimize.minimize method.

optim_alg [string] Deprecated. Use optim_method.

max_metric_corr [integer] Deprecated. Use method_params instead

accuracy_factor [float] Deprecated. Use method_params instead

dyn_type [string] Dynamics type, i.e. the type of matrix used to describe the dynamics. Options are UNIT, GEN_MAT, SYMPL (see Dynamics classes for details)

dyn_params [dict] Parameters for the Dynamics object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

prop_type [string] Propagator type i.e. the method used to calculate the propagtors and propagator gradient for each timeslot options are DEF, APPROX, DIAG, FRECHET, AUG_MAT DEF will use the default for the specific dyn_type (see PropagatorComputer classes for details)

prop_params [dict] Parameters for the PropagatorComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

fid_type [string] Fidelity error (and fidelity error gradient) computation method Options are DEF, UNIT, TRACEDIFF, TD_APPROX DEF will use the default for the specific dyn_type (See FidelityComputer classes for details)

- fid_params** [dict] Parameters for the FidelityComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- phase_option** [string] Deprecated. Pass in fid_params instead.
- fid_err_scale_factor** [float] Deprecated. Use scale_factor key in fid_params instead.
- tslot_type** [string] Method for computing the dynamics generators, propagators and evolution in the timeslots. Options: DEF, UPDATE_ALL, DYNAMIC UPDATE_ALL is the only one that currently works (See TimeslotComputer classes for details)
- tslot_params** [dict] Parameters for the TimeslotComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- amp_update_mode** [string] Deprecated. Use tslot_type instead.
- init_pulse_type** [string] type / shape of pulse(s) used to initialise the the control amplitudes. Options (GRAPE) include:
RND, LIN, ZERO, SINE, SQUARE, TRIANGLE, SAW DEF is RND
(see PulseGen classes for details) For the CRAB the this the guess_pulse_type.
- init_pulse_params** [dict] Parameters for the initial / guess pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- pulse_scaling** [float] Linear scale factor for generated initial / guess pulses By default initial pulses are generated with amplitudes in the range (-1.0, 1.0). These will be scaled by this parameter
- pulse_offset** [float] Linear offset for the pulse. That is this value will be added to any initial / guess pulses generated.
- ramping_pulse_type** [string] Type of pulse used to modulate the control pulse. It's intended use for a ramping modulation, which is often required in experimental setups. This is only currently implemented in CRAB. GAUSSIAN_EDGE was added for this purpose.
- ramping_pulse_params** [dict] Parameters for the ramping pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- log_level** [integer] level of messaging output from the logger. Options are attributes of qutip.logging_utils, in decreasing levels of messaging, are: DEBUG_INTENSE, DEBUG_VERBOSE, DEBUG, INFO, WARN, ERROR, CRITICAL Anything WARN or above is effectively 'quiet' execution, assuming everything runs as expected. The default NOTSET implies that the level will be taken from the QuTiP settings file, which by default is WARN
- gen_stats** [boolean] if set to True then statistics for the optimisation run will be generated - accessible through attributes of the stats object

Returns

- opt** [Optimizer] Instance of an Optimizer, through which the Config, Dynamics, PulseGen, and TerminationConditions objects can be accessed as attributes. The PropagatorComputer, FidelityComputer and TimeslotComputer objects can be accessed as attributes of the Dynamics object, e.g. optimizer.dynamics.fid_computer The optimisation can be run through the optimizer.run_optimization

```

opt_pulse_crab (drift, ctrls, initial, target, num_tslots=None, evo_time=None,
tau=None, amp_lbound=None, amp_ubound=None, fid_err_targ=1e-05,
max_iter=500, max_wall_time=180, alg_params=None, num_coeffs=None,
init_coeff_scaling=1.0, optim_params=None, optim_method='fmin',
method_params=None, dyn_type='GEN_MAT', dyn_params=None,
prop_type='DEF', prop_params=None, fid_type='DEF', fid_params=None,
tslot_type='DEF', tslot_params=None, guess_pulse_type=None,
guess_pulse_params=None, guess_pulse_scaling=1.0, guess_pulse_offset=0.0,
guess_pulse_action='MODULATE', ramping_pulse_type=None,
ramping_pulse_params=None, log_level=0, out_file_ext=None, gen_stats=False)
    
```

Optimise a control pulse to minimise the fidelity error. The dynamics of the system in any given timeslot are governed by the combined dynamics generator, i.e. the sum of the drift+ctrl_amp[j]*ctrls[j]. The control pulse is an [n_ts, n_ctrls] array of piecewise amplitudes. The CRAB algorithm uses basis function coefficients as the variables to optimise. It does NOT use any gradient function. A multivariable optimisation algorithm attempts to determine the optimal values for the control pulse to minimise the fidelity error. The fidelity error is some measure of distance of the system evolution from the given target evolution in the time allowed for the evolution.

Parameters

- drift** [Qobj or list of Qobj] the underlying dynamics generator of the system can provide list (of length num_tslots) for time dependent drift
- ctrls** [List of Qobj or array like [num_tslots, evo_time]] a list of control dynamics generators. These are scaled by the amplitudes to alter the overall dynamics. Array like input can be provided for time dependent control generators
- initial** [Qobj] starting point for the evolution. Typically the identity matrix
- target** [Qobj] target transformation, e.g. gate or state, for the time evolution
- num_tslots** [integer or None] number of timeslots. None implies that timeslots will be given in the tau array
- evo_time** [float or None] total time for the evolution. None implies that timeslots will be given in the tau array
- tau** [array[num_tslots] of floats or None] durations for the timeslots. If this is given then num_tslots and evo_time are derived from it. None implies that timeslot durations will be equal and calculated as evo_time/num_tslots
- amp_lbound** [float or list of floats] lower boundaries for the control amplitudes. Can be a scalar value applied to all controls or a list of bounds for each control
- amp_ubound** [float or list of floats] upper boundaries for the control amplitudes. Can be a scalar value applied to all controls or a list of bounds for each control
- fid_err_targ** [float] Fidelity error target. Pulse optimisation will terminate when the fidelity error falls below this value
- max_iter** [integer] Maximum number of iterations of the optimisation algorithm
- max_wall_time** [float] Maximum allowed elapsed time for the optimisation algorithm
- alg_params** [Dictionary] options that are specific to the algorithm see above
- optim_params** [Dictionary] The key value pairs are the attribute name and value used to set attribute values. Note: attributes are created if they do not exist already, and are overwritten if they do. Note: method_params are applied afterwards and so may override these
- coeff_scaling** [float] Linear scale factor for the random basis coefficients. By default these range from -1.0 to 1.0. Note this is overridden by alg_params (if given there)
- num_coeffs** [integer] Number of coefficients used for each basis function. Note this is calculated automatically based on the dimension of the dynamics if not given. It is crucial

to the performance of the algorithm that it is set as low as possible, while still giving high enough frequencies. Note this is overridden by `alg_params` (if given there)

optim_method [string] Multi-variable optimisation method The only tested options are 'fmin' and 'Nelder-mead' In theory any non-gradient method implemented in `scipy.optimize.minimize` could be used.

method_params [dict] Parameters for the `optim_method`. Note that where there is an attribute of the `Optimizer` object or the `termination_conditions` matching the key that attribute. Otherwise, and in some case also, they are assumed to be `method_options` for the `scipy.optimize.minimize` method. The commonly used parameter are:

`xtol` - limit on variable change for convergence `ftol` - limit on fidelity error change for convergence

dyn_type [string] Dynamics type, i.e. the type of matrix used to describe the dynamics. Options are `UNIT`, `GEN_MAT`, `SYMPL` (see `Dynamics` classes for details)

dyn_params [dict] Parameters for the `Dynamics` object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

prop_type [string] Propagator type i.e. the method used to calculate the propagators and propagator gradient for each timeslot options are `DEF`, `APPROX`, `DIAG`, `FRECHET`, `AUG_MAT` `DEF` will use the default for the specific `dyn_type` (see `PropagatorComputer` classes for details)

prop_params [dict] Parameters for the `PropagatorComputer` object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

fid_type [string] Fidelity error (and fidelity error gradient) computation method Options are `DEF`, `UNIT`, `TRACEDIFF`, `TD_APPROX` `DEF` will use the default for the specific `dyn_type` (See `FidelityComputer` classes for details)

fid_params [dict] Parameters for the `FidelityComputer` object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

tslot_type [string] Method for computing the dynamics generators, propagators and evolution in the timeslots. Options: `DEF`, `UPDATE_ALL`, `DYNAMIC` `UPDATE_ALL` is the only one that currently works (See `TimeslotComputer` classes for details)

tslot_params [dict] Parameters for the `TimeslotComputer` object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

guess_pulse_type [string] type / shape of pulse(s) used modulate the control amplitudes. Options include:

`RND`, `LIN`, `ZERO`, `SINE`, `SQUARE`, `TRIANGLE`, `SAW`, `GAUSSIAN`

Default is `None`

guess_pulse_params [dict] Parameters for the guess pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

guess_pulse_action [string] Determines how the guess pulse is applied to the pulse generated by the basis expansion. Options are: `MODULATE`, `ADD` Default is `MODULATE`

pulse_scaling [float] Linear scale factor for generated guess pulses By default initial pulses are generated with amplitudes in the range (-1.0, 1.0). These will be scaled by this parameter

pulse_offset [float] Linear offset for the pulse. That is this value will be added to any guess pulses generated.

ramping_pulse_type [string] Type of pulse used to modulate the control pulse. It's intended use for a ramping modulation, which is often required in experimental setups. This is only currently implemented in `CRAB`. `GAUSSIAN_EDGE` was added for this purpose.

ramping_pulse_params [dict] Parameters for the ramping pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created

log_level [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: `DEBUG_INTENSE`, `DEBUG_VERBOSE`, `DEBUG`, `INFO`, `WARN`, `ERROR`, `CRITICAL` Anything `WARN` or above is effectively 'quiet' execution, assuming everything runs as expected. The default `NOTSET` implies that the level will be taken from the QuTiP settings file, which by default is `WARN`

out_file_ext [string or None] files containing the initial and final control pulse amplitudes are saved to the current directory. The default name will be postfixed with this extension Setting this to `None` will suppress the output of files

gen_stats [boolean] if set to `True` then statistics for the optimisation run will be generated - accessible through attributes of the stats object

Returns

opt [OptimResult] Returns instance of `OptimResult`, which has attributes giving the reason for termination, final fidelity error, final evolution final amplitudes, statistics etc

opt_pulse_crab_unitary (*H_d*, *H_c*, *U_0*, *U_targ*, *num_slots=None*, *evo_time=None*, *tau=None*, *amp_lbound=None*, *amp_ubound=None*, *fid_err_targ=1e-05*, *max_iter=500*, *max_wall_time=180*, *alg_params=None*, *num_coeffs=None*, *init_coeff_scaling=1.0*, *optim_params=None*, *optim_method='fmin'*, *method_params=None*, *phase_option='PSU'*, *dyn_params=None*, *prop_params=None*, *fid_params=None*, *tslot_type='DEF'*, *tslot_params=None*, *guess_pulse_type=None*, *guess_pulse_params=None*, *guess_pulse_scaling=1.0*, *guess_pulse_offset=0.0*, *guess_pulse_action='MODULATE'*, *ramping_pulse_type=None*, *ramping_pulse_params=None*, *log_level=0*, *out_file_ext=None*, *gen_stats=False*)

Optimise a control pulse to minimise the fidelity error, assuming that the dynamics of the system are generated by unitary operators. This function is simply a wrapper for `optimize_pulse`, where the appropriate options for unitary dynamics are chosen and the parameter names are in the format familiar to unitary dynamics The dynamics of the system in any given timeslot are governed by the combined Hamiltonian, i.e. the sum of the $H_d + \text{ctrl_amp}[j]*H_c[j]$ The control pulse is an $[n_ts, n_ctrls]$ array of piecewise amplitudes

The CRAB algorithm uses basis function coefficients as the variables to optimise. It does NOT use any gradient function. A multivariable optimisation algorithm attempts to determines the optimal values for the control pulse to minimise the fidelity error The fidelity error is some measure of distance of the system evolution from the given target evolution in the time allowed for the evolution.

Parameters

H_d [Qobj or list of Qobj] Drift (aka system) the underlying Hamiltonian of the system can provide list (of length `num_slots`) for time dependent drift

H_c [List of Qobj or array like $[num_slots, evo_time]$] a list of control Hamiltonians. These are scaled by the amplitudes to alter the overall dynamics Array like input can be provided for time dependent control generators

U_0 [Qobj] starting point for the evolution. Typically the identity matrix

U_targ [Qobj] target transformation, e.g. gate or state, for the time evolution

num_slots [integer or None] number of timeslots. `None` implies that timeslots will be given in the `tau` array

evo_time [float or None] total time for the evolution `None` implies that timeslots will be given in the `tau` array

- tau** [array[num_tslots] of floats or None] durations for the timeslots. if this is given then num_tslots and evo_time are derived from it None implies that timeslot durations will be equal and calculated as evo_time/num_tslots
- amp_lbound** [float or list of floats] lower boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control
- amp_ubound** [float or list of floats] upper boundaries for the control amplitudes Can be a scalar value applied to all controls or a list of bounds for each control
- fid_err_targ** [float] Fidelity error target. Pulse optimisation will terminate when the fidelity error falls below this value
- max_iter** [integer] Maximum number of iterations of the optimisation algorithm
- max_wall_time** [float] Maximum allowed elapsed time for the optimisation algorithm
- alg_params** [Dictionary] options that are specific to the algorithm see above
- optim_params** [Dictionary] The key value pairs are the attribute name and value used to set attribute values Note: attributes are created if they do not exist already, and are overwritten if they do. Note: method_params are applied afterwards and so may override these
- coeff_scaling** [float] Linear scale factor for the random basis coefficients By default these range from -1.0 to 1.0 Note this is overridden by alg_params (if given there)
- num_coeffs** [integer] Number of coefficients used for each basis function Note this is calculated automatically based on the dimension of the dynamics if not given. It is crucial to the performane of the algorithm that it is set as low as possible, while still giving high enough frequencies. Note this is overridden by alg_params (if given there)
- optim_method** [string] Multi-variable optimisation method The only tested options are 'fmin' and 'Nelder-mead' In theory any non-gradient method implemented in scipy.optimize.minimize could be used.
- method_params** [dict] Parameters for the optim_method. Note that where there is an attribute of the Optimizer object or the termination_conditions matching the key that attribute. Otherwise, and in some case also, they are assumed to be method_options for the scipy.optimize.minimize method. The commonly used parameter are:
- xtol - limit on variable change for convergence ftol - limit on fidelity error change for convergence
- phase_option** [string] determines how global phase is treated in fidelity calculations (fid_type='UNIT' only). Options:
- PSU - global phase ignored SU - global phase included
- dyn_params** [dict] Parameters for the Dynamics object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- prop_params** [dict] Parameters for the PropagatorComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- fid_params** [dict] Parameters for the FidelityComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- tslot_type** [string] Method for computing the dynamics generators, propagators and evolution in the timeslots. Options: DEF, UPDATE_ALL, DYNAMIC UPDATE_ALL is the only one that currently works (See TimeslotComputer classes for details)
- tslot_params** [dict] Parameters for the TimeslotComputer object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- guess_pulse_type** [string] type / shape of pulse(s) used modulate the control amplitudes. Options include:
- RND, LIN, ZERO, SINE, SQUARE, TRIANGLE, SAW, GAUSSIAN

Default is None

- guess_pulse_params** [dict] Parameters for the guess pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- guess_pulse_action** [string] Determines how the guess pulse is applied to the pulse generated by the basis expansion. Options are: MODULATE, ADD Default is MODULATE
- pulse_scaling** [float] Linear scale factor for generated guess pulses By default initial pulses are generated with amplitudes in the range (-1.0, 1.0). These will be scaled by this parameter
- pulse_offset** [float] Linear offset for the pulse. That is this value will be added to any guess pulses generated.
- ramping_pulse_type** [string] Type of pulse used to modulate the control pulse. It's intended use for a ramping modulation, which is often required in experimental setups. This is only currently implemented in CRAB. GAUSSIAN_EDGE was added for this purpose.
- ramping_pulse_params** [dict] Parameters for the ramping pulse generator object The key value pairs are assumed to be attribute name value pairs They applied after the object is created
- log_level** [integer] level of messaging output from the logger. Options are attributes of `qutip.logging_utils`, in decreasing levels of messaging, are: DEBUG_INTENSE, DEBUG_VERBOSE, DEBUG, INFO, WARN, ERROR, CRITICAL Anything WARN or above is effectively 'quiet' execution, assuming everything runs as expected. The default NOTSET implies that the level will be taken from the QuTiP settings file, which by default is WARN
- out_file_ext** [string or None] files containing the initial and final control pulse amplitudes are saved to the current directory. The default name will be postfixed with this extension Setting this to None will suppress the output of files
- gen_stats** [boolean] if set to True then statistics for the optimisation run will be generated - accessible through attributes of the stats object

Returns

- opt** [OptimResult] Returns instance of OptimResult, which has attributes giving the reason for termination, final fidelity error, final evolution final amplitudes, statistics etc

Pulse generator - Generate pulses for the timeslots Each class defines a `gen_pulse` function that produces a float array of size `num_tslots`. Each class produces a differ type of pulse. See the class and `gen_pulse` function descriptions for details

create_pulse_gen (*pulse_type='RND', dyn=None, pulse_params=None*)

Create and return a pulse generator object matching the given type. The pulse generators each produce a different type of pulse, see the `gen_pulse` function description for details. These are the random pulse options:

- RND - Independent random value in each timeslot
- RNDFOURIER - Fourier series with random coefficients
- RNDWAVES - Summation of random waves
- RNDWALK1 - Random change in amplitude each timeslot
- RNDWALK2 - Random change in amp gradient each timeslot

These are the other non-periodic options:

- LIN - Linear, i.e. constant gradient over the time
- ZERO - special case of the LIN pulse, where the gradient is 0

These are the periodic options

- SINE - Sine wave
- SQUARE - Square wave
- SAW - Saw tooth wave
- TRIANGLE - Triangular wave

If a Dynamics object is passed in then this is used in instantiate the PulseGen, meaning that some timeslot and amplitude properties are copied over.

5.2.9 Utility Functions

Graph Theory Routines

This module contains a collection of graph theory routines used mainly to reorder matrices for iterative steady state solvers.

breadth_first_search (*A*, *start*)

Breadth-First-Search (BFS) of a graph in CSR or CSC matrix format starting from a given node (row). Takes Qobjs and CSR or CSC matrices as inputs.

This function requires a matrix with symmetric structure. Use $A+\text{trans}(A)$ if original matrix is not symmetric or not sure.

Parameters

A [*csc_matrix*, *csr_matrix*] Input graph in CSC or CSR matrix format

start [*int*] Starting node for BFS traversal.

Returns

order [*array*] Order in which nodes are traversed from starting node.

levels [*array*] Level of the nodes in the order that they are traversed.

graph_degree (*A*)

Returns the degree for the nodes (rows) of a symmetric graph in sparse CSR or CSC format, or a qobj.

Parameters

A [*qobj*, *csr_matrix*, *csc_matrix*] Input quantum object or *csr_matrix*.

Returns

degree [*array*] Array of integers giving the degree for each node (row).

reverse_cuthill_mckee (*A*, *sym=False*)

Returns the permutation array that orders a sparse CSR or CSC matrix in Reverse-Cuthill McKee ordering. Since the input matrix must be symmetric, this routine works on the matrix $A+\text{Trans}(A)$ if the *sym* flag is set to *False* (Default).

It is assumed by default (*sym=False*) that the input matrix is not symmetric. This is because it is faster to do $A+\text{Trans}(A)$ than it is to check for symmetry for a generic matrix. If you are guaranteed that the matrix is symmetric in structure (values of matrix element do not matter) then set *sym=True*

Parameters

A [*csc_matrix*, *csr_matrix*] Input sparse CSC or CSR sparse matrix format.

sym [*bool* {*False*, *True*}] Flag to set whether input matrix is symmetric.

Returns

perm [*array*] Array of permuted row and column indices.

Notes

This routine is used primarily for internal reordering of Lindblad superoperators for use in iterative solver routines.

References

E. Cuthill and J. McKee, “Reducing the Bandwidth of Sparse Symmetric Matrices”, ACM ‘69 Proceedings of the 1969 24th national conference, (1969).

maximum_bipartite_matching (*A*, *perm_type*='row')

Returns an array of row or column permutations that removes nonzero elements from the diagonal of a nonsingular square CSC sparse matrix. Such a permutation is always possible provided that the matrix is nonsingular. This function looks at the structure of the matrix only.

The input matrix will be converted to CSC matrix format if necessary.

Parameters

A [sparse matrix] Input matrix

perm_type [str { 'row', 'column' }] Type of permutation to generate.

Returns

perm [array] Array of row or column permutations.

Notes

This function relies on a maximum cardinality bipartite matching algorithm based on a breadth-first search (BFS) of the underlying graph[1].

References

I. S. Duff, K. Kaya, and B. Ucar, “Design, Implementation, and Analysis of Maximum Transversal Algorithms”, ACM Trans. Math. Softw. 38, no. 2, (2011).

weighted_bipartite_matching (*A*, *perm_type*='row')

Returns an array of row permutations that attempts to maximize the product of the ABS values of the diagonal elements in a nonsingular square CSC sparse matrix. Such a permutation is always possible provided that the matrix is nonsingular.

This function looks at both the structure and ABS values of the underlying matrix.

Parameters

A [csc_matrix] Input matrix

perm_type [str { 'row', 'column' }] Type of permutation to generate.

Returns

perm [array] Array of row or column permutations.

Notes

This function uses a weighted maximum cardinality bipartite matching algorithm based on breadth-first search (BFS). The columns are weighted according to the element of max ABS value in the associated rows and are traversed in descending order by weight. When performing the BFS traversal, the row associated to a given column is the one with maximum weight. Unlike other techniques[1], this algorithm does not guarantee the product of the diagonal is maximized. However, this limitation is offset by the substantially faster runtime of this method.

References

I. S. Duff and J. Koster, “The design and use of algorithms for permuting large entries to the diagonal of sparse matrices”, SIAM J. Matrix Anal. and Applies. 20, no. 4, 889 (1997).

Utility Functions

This module contains utility functions that are commonly needed in other qutip modules.

n_thermal (*w*, *w_th*)

Return the number of photons in thermal equilibrium for an harmonic oscillator mode with frequency ‘w’, at the temperature described by ‘w_th’ where $\omega_{th} = k_B T / \hbar$.

Parameters

w [*float* or *array*] Frequency of the oscillator.

w_th [*float*] The temperature in units of frequency (or the same units as *w*).

Returns

n_avg [*float* or *array*] Return the number of average photons in thermal equilibrium for a an oscillator with the given frequency and temperature.

linspace_with (*start*, *stop*, *num=50*, *elems=[]*)

Return an array of numbers sampled over specified interval with additional elements added.

Returns *num* spaced array with elements from *elems* inserted if not already included in set.

Returned sample array is not evenly spaced if additional elements are added.

Parameters

start [*int*] The starting value of the sequence.

stop [*int*] The stopping values of the sequence.

num [*int*, optional] Number of samples to generate.

elems [*list/ndarray*, optional] Requested elements to include in array

Returns

samples [*ndarray*] Original equally spaced sample array with additional elements added.

clebsch (*j1*, *j2*, *j3*, *m1*, *m2*, *m3*)

Calculates the Clebsch-Gordon coefficient for coupling (*j1*,*m1*) and (*j2*,*m2*) to give (*j3*,*m3*).

Parameters

j1 [*float*] Total angular momentum 1.

j2 [*float*] Total angular momentum 2.

j3 [*float*] Total angular momentum 3.

m1 [*float*] z-component of angular momentum 1.

m2 [*float*] z-component of angular momentum 2.

m3 [*float*] z-component of angular momentum 3.

Returns

cg_coeff [*float*] Requested Clebsch-Gordan coefficient.

convert_unit (*value*, *orig='meV'*, *to='GHz'*)

Convert an energy from unit *orig* to unit *to*.

Parameters

value [*float / array*] The energy in the old unit.

orig [string] The name of the original unit (“J”, “eV”, “meV”, “GHz”, “mK”)

to [string] The name of the new unit (“J”, “eV”, “meV”, “GHz”, “mK”)

Returns

value_new_unit [float / array] The energy in the new unit.

File I/O Functions

file_data_read (*filename, sep=None*)

Retrieves an array of data from the requested file.

Parameters

filename [str] Name of file containing requested data.

sep [str] Separator used to store data.

Returns

data [array_like] Data from selected file.

file_data_store (*filename, data, numtype='complex', numformat='decimal', sep=','*)

Stores a matrix of data to a file to be read by an external program.

Parameters

filename [str] Name of data file to be stored, including extension.

data: array_like Data to be written to file.

numtype [str {‘complex’, ‘real’}] Type of numerical data.

numformat [str {‘decimal’, ‘exp’}] Format for written data.

sep [str] Single-character field separator. Usually a tab, space, comma, or semicolon.

qload (*name*)

Loads data file from file named ‘filename.qu’ in current directory.

Parameters

name [str] Name of data file to be loaded.

Returns

qobject [instance / array_like] Object retrieved from requested file.

qsave (*data, name='qutip_data'*)

Saves given data to file named ‘filename.qu’ in current directory.

Parameters

data [instance/array_like] Input Python object to be stored.

filename [str] Name of output data file.

Parallelization

This function provides functions for parallel execution of loops and function mappings, using the builtin Python module multiprocessing.

parfor (*func*, **args*, ***kwargs*)

Executes a multi-variable function in parallel on the local machine.

Parallel execution of a for-loop over function *func* for multiple input arguments and keyword arguments.

Note: From QuTiP 3.1, we recommend to use `qutip.parallel_map` instead of this function.

Parameters

func [function_type] A function to run in parallel on the local machine. The function ‘func’ accepts a series of arguments that are passed to the function as variables. In general, the function can have multiple input variables, and these arguments must be passed in the same order as they are defined in the function definition. In addition, the user can pass multiple keyword arguments to the function.

The following keyword argument is reserved:

num_cpus [int] Number of CPU’s to use. Default uses maximum number of CPU’s. Performance degrades if num_cpus is larger than the physical CPU count of your machine.

Returns

result [list] A list with length equal to number of input parameters containing the output from *func*.

parallel_map (*task*, *values*, *task_args*=(), *task_kwargs*={}, ***kwargs*)

Parallel execution of a mapping of *values* to the function *task*. This is functionally equivalent to:

```
result = [task(value, *task_args, **task_kwargs) for value in values]
```

Parameters

task [a Python function] The function that is to be called for each value in *task_vec*.

values [array / list] The list or array of values for which the *task* function is to be evaluated.

task_args [list / dictionary] The optional additional argument to the *task* function.

task_kwargs [list / dictionary] The optional additional keyword argument to the *task* function.

progress_bar [ProgressBar] Progress bar class instance for showing progress.

Returns

result [list] The result list contains the value of `task(value, *task_args, **task_kwargs)` for each value in *values*.

serial_map (*task*, *values*, *task_args*=(), *task_kwargs*={}, ***kwargs*)

Serial mapping function with the same call signature as `parallel_map`, for easy switching between serial and parallel execution. This is functionally equivalent to:

```
result = [task(value, *task_args, **task_kwargs) for value in values]
```

This function work as a drop-in replacement of `qutip.parallel_map`.

Parameters

task [a Python function] The function that is to be called for each value in *task_vec*.

values [array / list] The list or array of values for which the `task` function is to be evaluated.

task_args [list / dictionary] The optional additional argument to the `task` function.

task_kwargs [list / dictionary] The optional additional keyword argument to the `task` function.

progress_bar [ProgressBar] Progress bar class instance for showing progress.

Returns

result [list] The result list contains the value of `task(value, *task_args, **task_kwargs)` for each value in `values`.

Semidefinite Programming

This module implements internal-use functions for semidefinite programming.

IPython Notebook Tools

This module contains utility functions for using QuTiP with IPython notebooks.

parfor (*task*, *task_vec*, *args=None*, *client=None*, *view=None*, *show_scheduling=False*, *show_progressbar=False*)

Call the function `task` for each value in `task_vec` using a cluster of IPython engines. The function `task` should have the signature `task(value, args)` or `task(value)` if `args=None`.

The `client` and `view` are the `IPython.parallel` client and load-balanced view that will be used in the `parfor` execution. If these are `None`, new instances will be created.

Parameters

task: a Python function The function that is to be called for each value in `task_vec`.

task_vec: array / list The list or array of values for which the `task` function is to be evaluated.

args: list / dictionary The optional additional argument to the `task` function. For example a dictionary with parameter values.

client: IPython.parallel.Client The `IPython.parallel` Client instance that will be used in the `parfor` execution.

view: a IPython.parallel.Client view The view that is to be used in scheduling the tasks on the IPython cluster. Preferably a load-balanced view, which is obtained from the `IPython.parallel.Client` instance `client` by calling `view = client.load_balanced_view()`.

show_scheduling: bool {False, True}, default False Display a graph showing how the tasks (the evaluation of `task` for for the value in `task_vec[1]`) was scheduled on the IPython engine cluster.

show_progressbar: bool {False, True}, default False Display a HTML-based progress bar during the execution of the `parfor` loop.

Returns

result [list] The result list contains the value of `task(value, args)` for each value in `task_vec`, that is, it should be equivalent to `[task(v, args) for v in task_vec]`.

parallel_map (*task*, *values*, *task_args=None*, *task_kwargs=None*, *client=None*, *view=None*, *progress_bar=None*, *show_scheduling=False*, ***kwargs*)

Call the function `task` for each value in `values` using a cluster of IPython engines. The function `task` should have the signature `task(value, *args, **kwargs)`.

The `client` and `view` are the `IPython.parallel` client and load-balanced view that will be used in the `parfor` execution. If these are `None`, new instances will be created.

Parameters

- task: a Python function** The function that is to be called for each value in `task_vec`.
- values: array / list** The list or array of values for which the `task` function is to be evaluated.
- task_args: list / dictionary** The optional additional argument to the `task` function.
- task_kwargs: list / dictionary** The optional additional keyword argument to the `task` function.
- client: IPython.parallel.Client** The `IPython.parallel` Client instance that will be used in the `parfor` execution.
- view: a IPython.parallel.Client view** The view that is to be used in scheduling the tasks on the `IPython` cluster. Preferably a load-balanced view, which is obtained from the `IPython.parallel.Client` instance `client` by calling, `view = client.load_balanced_view()`.
- show_scheduling: bool {False, True}, default False** Display a graph showing how the tasks (the evaluation of `task` for for the value in `task_vec[1]`) was scheduled on the `IPython` engine cluster.
- show_progressbar: bool {False, True}, default False** Display a HTML-based progress bar during the execution of the `parfor` loop.

Returns

- result [list]** The result list contains the value of `task(value, task_args, task_kwargs)` for each value in `values`.

version_table (*verbose=False*)

Print an HTML-formatted table with version numbers for QuTiP and its dependencies. Use it in a `IPython` notebook to show which versions of different packages that were used to run the notebook. This should make it possible to reproduce the environment and the calculation later on.

Returns

- version_table: string** Return an HTML-formatted string containing version information for QuTiP dependencies.

Miscellaneous

about ()

About box for QuTiP. Gives version numbers for QuTiP, NumPy, SciPy, Cython, and Matplotlib.

simdiag (*ops, evals=True*)

Simultaneous diagonalization of commuting Hermitian matrices.

Parameters

- ops [list/array]** list or array of qobjs representing commuting Hermitian operators.

Returns

- eigs [tuple]** Tuple of arrays representing eigvecs and eigvals of quantum objects corresponding to simultaneous eigenvectors and eigenvalues for each operator.

Chapter 6

Change Log

6.1 Version 4.5.0 (January 31, 2020)

6.1.1 Improvements

- **MAJOR FEATURE:** Added *qip.noise*, a module with pulse level description of quantum circuits allowing to model various types of noise and devices (by **Boxi Li**).
- **MAJOR FEATURE:** Added *qip.lattice*, a module for the study of lattice dynamics in 1D (by **Saumya Biswas**).
- Migrated testing from Nose to PyTest (by **Tarun Raheja**).
- Optimized testing for PyTest and removed duplicated test runners (by **Jake Lishman**).
- Deprecated importing *qip* functions to the qutip namespace (by **Boxi Li**).
- Added the possibility to define non-square superoperators relevant for quantum circuits (by **Arne Grimsmo** and **Josh Combes**).
- Implicit tensor product for *qeye*, *qzero* and *basis* (by **Jake Lishman**).
- QObjEvo no longer requires Cython for string coefficient (by **Eric Giguère**).
- Added marked tests for faster tests in *testing.run()* and made faster OpenMP benchmarking in CI (by **Eric Giguère**).
- Added entropy and purity for Dicke density matrices, refactored into more general *dicke_trace* (by **Nathan Shammah**).
- Added option for specifying resolution in Bloch.save function (by **Tarun Raheja**).
- Added information related to the value of \hbar in *wigner* and *continuous_variables* (by **Nicolas Quesada**).
- Updated requirements for *scipy 1.4* (by **Eric Giguère**).
- Added previous lead developers to the qutip.about() message (by **Nathan Shammah**).
- Added improvements to *Qobj* introducing the *inv* method and making the partial trace, *ptrace*, faster, keeping both sparse and dense methods (by **Eric Giguère**).
- Allowed general callable objects to define a time-dependent Hamiltonian (by **Eric Giguère**).
- Added feature so that *QobjEvo* no longer requires Cython for string coefficients (by **Eric Giguère**).
- Updated authors list on Github and added *my binder* link (by **Nathan Shammah**).

6.1.2 Bug Fixes

- Fixed *PolyDataMapper* construction for *Bloch3d* (by **Sam Griffiths**).
- Fixed error checking for null matrix in *essolve* (by **Nathan Shammah**).
- Fixed name collision for parallel propagator (by **Nathan Shammah**).
- Fixed dimensional incongruence in *propagator* (by **Nathan Shammah**).
- Fixed bug by rewriting *clebsch* function based on long integer fraction (by **Eric Giguère**).
- Fixed bugs in *QobjEvo*'s args depending on state and added solver tests using them (by **Eric Giguère**).
- Fixed bug in *sesolve* calculation of average states when summing the timeslot states (by **Alex Pitchford**).
- Fixed bug in *steadystate* solver by removing separate arguments for MKL and Scipy (by **Tarun Raheja**).
- Fixed *Bloch.add_points* by setting *edgecolor = None* in *plot_points* (by **Nathan Shammah**).
- Fixed error checking for null matrix in *essolve* solver affecting also *ode2es* (by **Peter Kirton**).
- Removed unnecessary shebangs in *.pyx* and *.pxd* files (by **Samesh Lakhotia**).
- Fixed *sesolve* and import of *os* in *codegen* (by **Alex Pitchford**).
- Updated *plot_fock_distribution* by removing the offset value 0.4 in the plot (by **Rajiv-B**).

6.2 Version 4.4.1 (August 29, 2019)

6.2.1 Improvements

- *QobjEvo* do not need to start from 0 anymore (by **Eric Giguère**).
- Add a quantum object purity function (by **Nathan Shammah** and **Shahnawaz Ahmed**).
- Add step function interpolation for array time-coefficient (by **Boxi Li**).
- Generalize *expand_oper* for arbitrary dimensions, and new method for cyclic permutations of given target cubits (by **Boxi Li**).

6.2.2 Bug Fixes

- Fixed the pickling but that made solver unable to run in parallel on Windows (Thank **lrunze** for reporting).
- Removed warning when *mesolve* fall back on *sesolve* (by **Michael Goerz**).
- Fixed dimension check and confusing documentation in *random ket* (by **Yariv Yanay**).
- Fixed *Qobj* *isherm* not working after using *Qobj.permute* (Thank **llorz1207** for reporting).
- Correlation functions call now properly handle multiple time dependant functions (Thank **taw181** for reporting).
- Removed mutable default values in *mesolve/sesolve* (by **Michael Goerz**).
- Fixed *simdiag* bug (Thank **Croydon-Brixton** for reporting).
- Better support of constant *QobjEvo* (by **Boxi Li**).
- Fixed potential cyclic import in the control module (by **Alexander Pitchford**).

6.3 Version 4.4.0 (July 03, 2019)

6.3.1 Improvements

- **MAJOR FEATURE:** Added methods and techniques to the stochastic solvers (by **Eric Giguère**) which allows to use a much broader set of solvers and much more efficiently.
- **MAJOR FEATURE:** Optimization of the montecarlo solver (by **Eric Giguère**). Computation are faster in many cases. Collapse information available to time dependant information.
- Added the QObjEvo class and methods (by **Eric Giguère**), which is used behind the scenes by the dynamical solvers, making the code more efficient and tidier. More built-in function available to string coefficients.
- The coefficients can be made from interpolated array with variable timesteps and can obtain state information more easily. Time-dependant collapse operator can have multiple terms.
- New wigner_transform and plot_wigner_sphere function. (by **Nithin Ramu**).
- ptrace is faster and work on bigger systems, from 15 Qbits to 30 Qbits.
- QIP module: added the possibility for user-defined gates, added the possibility to remove or add gates in any point of an already built circuit, added the molmer_sorensen gate, and fixed some bugs (by **Boxi Li**).
- Added the quantum Hellinger distance to qutip.metrics (by **Wojciech Rzadkowski**).
- Implemented possibility of choosing a random seed (by **Marek Marekyygdrasil**).
- Added a code of conduct to Github.

6.3.2 Bug Fixes

- Fixed bug that made QuTiP incompatible with SciPy 1.3.

6.4 Version 4.3.0 (July 14, 2018)

6.4.1 Improvements

- **MAJOR FEATURE:** Added the Permutational Invariant Quantum Solver (PIQS) module (by **Nathan Shammah** and **Shahnawaz Ahmed**) which allows the simulation of large TLSs ensembles including collective and local Lindblad dissipation. Applications range from superradiance to spin squeezing.
- **MAJOR FEATURE:** Added a photon scattering module (by **Ben Bartlett**) which can be used to study scattering in arbitrary driven systems coupled to some configuration of output waveguides.
- Cubic_Spline functions as time-dependent arguments for the collapse operators in mesolve are now allowed.
- Added a faster version of bloch_redfield_tensor, using components from the time-dependent version. About 3x+ faster for secular tensors, and 10x+ faster for non-secular tensors.
- Computing Q.overlap() [inner product] is now ~30x faster.
- Added projector method to Qobj class.
- Added fast projector method, `Q.proj()`.
- Computing matrix elements, `Q.matrix_element` is now ~10x faster.
- Computing expectation values for ket vectors using `expect` is now ~10x faster.
- `Q.tr()` is now faster for small Hilbert space dimensions.
- Unitary operator evolution added to sesolve
- Use OPENMP for tidyup if installed.

6.4.2 Bug Fixes

- Fixed bug that stopped simdiag working for python 3.
- Fixed semidefinite cvxpy Variable and Parameter.
- Fixed iterative lu solve atol keyword issue.
- Fixed unitary op evolution rhs matrix in ssesolve.
- Fixed interpolating function to return zero outside range.
- Fixed dnorm complex casting bug.
- Fixed control.io path checking issue.
- Fixed ENR fock dimension.
- Fixed hard coded options in propagator 'batch' mode
- Fixed bug in trace-norm for non-Hermitian operators.
- Fixed bug related to args not being passed to coherence_function_g2
- Fixed MKL error checking dict key error

6.5 Version 4.2.0 (July 28, 2017)

6.5.1 Improvements

- **MAJOR FEATURE:** Initial implementation of time-dependent Bloch-Redfield Solver.
- Qobj tidyup is now an order of magnitude faster.
- Time-dependent codegen now generates output NumPy arrays faster.
- Improved calculation for analytic coefficients in coherent states (Sebastian Kramer).
- Input array to correlation FFT method now checked for validity.
- Function-based time-dependent mesolve and sesolve routines now faster.
- Codegen now makes sure that division is done in C, as opposed to Python.
- Can now set different controls for a each timeslot in quantum optimization.

This allows time-varying controls to be used in pulse optimisation.

6.5.2 Bug Fixes

- resolve importing old Odeoptions Class rather than Options.
- Non-int issue in spin Q and Wigner functions.
- Qobj's should tidyup before determining isherm.
- Fixed time-dependent RHS function loading on Win.
- Fixed several issues with compiling with Cython 0.26.
- Liouvillian superoperators were hard setting isherm=True by default.
- Fixed an issue with the solver safety checks when inputing a list

with Python functions as time-dependence.

- Fixed non-int issue in Wigner_cmap.
- MKL solver error handling not working properly.

6.6 Version 4.1.0 (March 10, 2017)

6.6.1 Improvements

Core libraries

- **MAJOR FEATURE:** QuTiP now works for Python 3.5+ on Windows using Visual Studio 2015.
- **MAJOR FEATURE:** Cython and other low level code switched to C++ for MS Windows compatibility.
- **MAJOR FEATURE:** Can now use interpolating cubic splines as time-dependent coefficients.
- **MAJOR FEATURE:** Sparse matrix - vector multiplication now parallel using OPENMP.
- Automatic tuning of OPENMP threading threshold.
- Partial trace function is now up to 100x+ faster.
- Hermitian verification now up to 100x+ faster.
- Internal Qobj objects now created up to 60x faster.
- Inplace conversion from COO -> CSR sparse formats (e.g. Memory efficiency improvement.)
- Faster reverse Cuthill-Mckee and sparse one and inf norms.

6.6.2 Bug Fixes

- Cleanup of temp. Cython files now more robust and working under Windows.

6.7 Version 4.0.2 (January 5, 2017)

6.7.1 Bug Fixes

- td files no longer left behind by correlation tests
- Various fast sparse fixes

6.8 Version 4.0.0 (December 22, 2016)

6.8.1 Improvements

Core libraries

- **MAJOR FEATURE:** Fast sparse: New subclass of `csr_matrix` added that overrides commonly used methods to avoid certain checks that incur execution cost. All `Qobj.data` now `fast_csr_matrix`
- HEOM performance enhancements
- `spmv` now faster
- `mcsolve` codegen further optimised

Control modules

- Time dependent drift (through list of pwc dynamics generators)
- memory optimisation options provided for `control.dynamics`

6.8.2 Bug Fixes

- recompilation of pyx files on first import removed
- tau array in control.pulseoptim funcs now works

6.9 Version 3.2.0 (Never officially released)

6.9.1 New Features

Core libraries

- **MAJOR FEATURE:** Non-Markovian solvers: Hierarchy (**Added by Neill Lambert**), Memory-Cascade, and Transfer-Tensor methods.
- **MAJOR FEATURE:** Default steady state solver now up to 100x faster using the Intel Pardiso library under the Anaconda and Intel Python distributions.
- The default Wigner function now uses a Clenshaw summation algorithm to evaluate a polynomial series that is applicable for any number of excitations (previous limitation was ~50 quanta), and is ~3x faster than before. (**Added by Denis Vasilyev**)
- Can now define a given eigen spectrum for random Hermitian and density operators.
- The `Qobj.expm` method now uses the equivalent SciPy routine, and performs a much faster `exp` operation if the matrix is diagonal.
- One can now build zero operators using the `qzero` function.

Control modules

- **MAJOR FEATURE:** CRAB algorithm added This is an alternative to the GRAPE algorithm, which allows for analytical control functions, which means that experimental constraints can more easily be added into optimisation. See tutorial notebook for full information.

6.9.2 Improvements

Core libraries

- Two-time correlation functions can now be calculated for fully time-dependent Hamiltonians and collapse operators. (**Added by Kevin Fischer**)
- The code for the inverse-power method for the steady state solver has been simplified.
- Bloch-Redfield tensor creation is now up to an order of magnitude faster. (**Added by Johannes Feist**)
- `Q.transform` now works properly for arrays directly from `sp_eigs` (or `eig`).
- `Q.groundstate` now checks for degeneracy.
- Added `sinm` and `cosm` methods to the `Qobj` class.
- Added `charge` and `tunneling` operators.
- Time-dependent Cython code is now easier to read and debug.

Control modules

- The internal state / quantum operator data type can now be either `Qobj` or `ndarray` Previous only `ndarray` was possible. This now opens up possibility of using `Qobj` methods in fidelity calculations The attributes and functions that return these operators are now preceded by an underscore, to indicate that the data type could change depending on the configuration options. In most cases these functions were for internal processing only anyway, and should have been 'private'. Accessors to the properties that could be useful outside of the library have been added. These always return `Qobj`. If the internal operator data type is not `Qobj`, then there could be significant overhead in the conversion, and so this should be avoided during

pulse optimisation. If custom sub-classes are developed that use Qobj properties and methods (e.g. partial trace), then it is very likely that it will be more efficient to set the internal data type to Qobj. The internal operator data will be chosen automatically based on the size and sparsity of the dynamics generator. It can be forced by setting `dynamics.oper_dtype = <type>` Note this can be done by passing `dyn_params={'oper_dtype': <type>}` in any of the pulseoptim functions.

Some other properties and methods were renamed at the same time. A full list is given here.

- All modules - function: `set_log_level` -> property: `log_level`
- dynamics functions
 - * `_init_lists` now `_init_evo`
 - * `get_num_ctrls` now property: `num_ctrls`
 - * `get_owd_evo_target` now property: `onto_evo_target`
 - * `combine_dyn_gen` now `_combine_dyn_gen` (no longer returns a value)
 - * `get_dyn_gen` now `_get_phased_dyn_gen`
 - * `get_ctrl_den_gen` now `_get_phased_ctrl_dyn_gen`
 - * `ensure_decomp_curr` now `_ensure_decomp_curr`
 - * `spectral_decomp` now `_spectral_decomp`
- dynamics properties
 - * `evo_init2t` now `_fwd_evo` (fwd_evo as Qobj)
 - * `evo_t2end` now `_onwd_evo` (onwd_evo as Qobj)
 - * `evo_t2targ` now `_onto_evo` (onto_evo as Qobj)
- fidcomp properties
 - * `uses_evo_t2end` now `uses_onwd_evo`
 - * `uses_evo_t2targ` now `uses_onto_evo`
 - * `set_phase_option` function now property `phase_option`
- propcomp properties
 - * `grad_exact` (now read only)
- propcomp functions
 - * `compute_propagator` now `_compute_propagator`
 - * `compute_diff_prop` now `_compute_diff_prop`
 - * `compute_prop_grad` now `_compute_prop_grad`
- tslotcomp functions
 - * `get_timeslot_for_fidelity_calc` now `_get_timeslot_for_fidelity_calc`

Miscellaneous

- QuTiP Travis CI tests now use the Anaconda distribution.
- The `about` box and `ipy nb version_table` now display addition system information.
- Updated Cython cleanup to remove depreciation warning in `sysconfig`.
- Updated `ipy nb_parallel` to look for `ipyparallel` module in V4 of the notebooks.

6.9.3 Bug Fixes

- Fixes for countstat and psuedo-inverse functions
- Fixed Qobj division tests on 32-bit systems.
- Removed extra call to Python in time-dependent Cython code.
- Fixed issue with repeated Bloch sphere saving.
- Fixed T₀ triplet state not normalized properly. **(Fixed by Eric Hontz)**
- Simplified compiler flags (support for ARM systems).
- Fixed a decoding error in `qload`.
- Fixed issue using `complex.h` math and `np.kind_t` variables.
- Corrected output states mismatch for `ntraj=1` in the `mcf90` solver.
- Qobj data is now copied by default to avoid a bug in multiplication. **(Fixed by Richard Brierley)**
- Fixed bug overwriting `hardware_info` in `__init__`. **(Fixed by Johannes Feist)**
- Restored ability to explicitly set `Q.isherm`, `Q.type`, and `Q.superrep`.
- Fixed integer depreciation warnings from NumPy.
- `Qobj * (dense vec)` would result in a recursive loop.
- Fixed `args=None` -> `args={}` in correlation functions to be compatible with `mesolve`.
- Fixed depreciation warnings in `mcsolve`.
- Fixed neagtive only real parts in `rand_ket`.
- Fixed a complicated list-cast-map-list antipattern in super operator reps. **(Fixed by Stefan Krastanov)**
- Fixed incorrect `isherm` for `sigmam` spin operator.
- Fixed the dims when using `final_state_output` in `mesolve` and `sesolve`.

6.10 Version 3.1.0 (January 1, 2015):

6.10.1 New Features

- **MAJOR FEATURE:** New module for quantum control (`qutip.control`).
- **NAMESPACE CHANGE:** QuTiP no longer exports symbols from NumPy and matplotlib, so those modules must now be explicitly imported when required.
- New module for counting statistics.
- Stochastic solvers now run trajectories in parallel.
- New superoperator and tensor manipulation functions (`super_tensor`, `composite`, `tensor_contract`).
- New logging module for debugging (`qutip.logging`).
- New user-available API for parallelization (`parallel_map`).
- New enhanced (optional) text-based progressbar (`qutip.ui.EnhancedTextProgressBar`)
- Faster Python based monte carlo solver (`mcsolve`).
- Support for progress bars in propagator function.
- Time-dependent Cython code now calls complex `cmath` functions.
- Random numbers seeds can now be reused for successive calls to `mcsolve`.
- The Bloch-Redfield master equation solver now supports optional Lindblad type collapse operators.

- Improved handling of ODE integration errors in `mesolve`.
- Improved correlation function module (for example, improved support for time-dependent problems).
- Improved parallelization of `mcsolve` (can now be interrupted easily, support for `IPython.parallel`, etc.)
- Many performance improvements, and much internal code restructuring.

6.10.2 Bug Fixes

- Cython build files for time-dependent string format now removed automatically.
- Fixed incorrect solution time from inverse-power method steady state solver.
- `mcsolve` now supports `Options(store_states=True)`
- Fixed bug in `hadamard` gate function.
- Fixed compatibility issues with NumPy 1.9.0.
- Progressbar in `mcsolve` can now be suppressed.
- Fixed bug in `gate_expand_3toN`.
- Fixed bug for time-dependent problem (list string format) with multiple terms in coefficient to an operator.

6.11 Version 3.0.1 (Aug 5, 2014):

6.11.1 Bug Fixes

- Fix bug in `create()`, which returned a `Qobj` with CSC data instead of CSR.
- Fix several bugs in `mcsolve`: Incorrect storing of collapse times and collapse operator records. Incorrect averaging of expectation values for different trajectories when using only 1 CPU.
- Fix bug in parsing of time-dependent Hamiltonian/collapse operator arguments that occurred when the `args` argument is not a dictionary.
- Fix bug in internal `_version2int` function that cause a failure when parsing the version number of the Cython package.
-

6.12 Version 3.0.0 (July 17, 2014):

6.12.1 New Features

- New module `qutip.stochastic` with stochastic master equation and stochastic Schrödinger equation solvers.
- Expanded steady state solvers. The function `steady` has been deprecated in favor of `steadystate`. The `steadystate` solver no longer use `umfpack` by default. New pre-processing methods for reordering and balancing the linear equation system used in direct solution of the steady state.
- New module `qutip.qip` with utilities for quantum information processing, including pre-defined quantum gates along with functions for expanding arbitrary 1, 2, and 3 qubit gates to N qubit registers, circuit representations, library of quantum algorithms, and basic physical models for some common QIP architectures.
- New module `qutip.distributions` with unified API for working with distribution functions.
- New format for defining time-dependent Hamiltonians and collapse operators, using a pre-calculated numpy array that specifies the values of the `Qobj`-coefficients for each time step.

- New functions for working with different superoperator representations, including Kraus and Chi representation.
- New functions for visualizing quantum states using Qubism and Schimdt plots: `plot_qubism` and `plot_schmidt`.
- Dynamics solver now support taking argument `e_ops` (expectation value operators) in dictionary form.
- Public plotting functions from the `qutip.visualization` module are now prefixed with `plot_` (e.g., `plot_fock_distribution`). The `plot_wigner` and `plot_wigner_fock_distribution` now supports 3D views in addition to contour views.
- New API and new functions for working with spin operators and states, including for example `spin_Jx`, `spin_Jy`, `spin_Jz` and `spin_state`, `spin_coherent`.
- The `expect` function now supports a list of operators, in addition to the previously supported list of states.
- Simplified creation of qubit states using `ket` function.
- The module `qutip.cyQ` has been renamed to `qutip.cy` and the sparse matrix-vector functions `spmv` and `spmvld` has been combined into one function `spmv`. New functions for operating directly on the underlying sparse CSR data have been added (e.g., `spmv_csr`). Performance improvements. New and improved Cython functions for calculating expectation values for state vectors, density matrices in matrix and vector form.
- The `concurrence` function now supports both pure and mixed states. Added function for calculating the entangling power of a two-qubit gate.
- Added function for generating (generalized) Lindblad dissipator superoperators.
- New functions for generating Bell states, and singlet and triplet states.
- QuTiP no longer contains the demos GUI. The examples are now available on the QuTiP web site. The `qutip.gui` module has been renamed to `qutip.ui` and does no longer contain graphical UI elements. New text-based and HTML-based progressbar classes.
- Support for harmonic oscillator operators/states in a Fock state basis that does not start from zero (e.g., in the range $[M, N+1]$). Support for eliminating and extracting states from `Qobj` instances (e.g., removing one state from a two-qubit system to obtain a three-level system).
- Support for time-dependent Hamiltonian and Liouvillian callback functions that depend on the instantaneous state, which for example can be used for solving master equations with mean field terms.

6.12.2 Improvements

- Restructured and optimized implementation of `Qobj`, which now has significantly lower memory footprint due to avoiding excessive copying of internal matrix data.
- The classes `OdeData`, `Odeoptions`, `Odeconfig` are now called `Result`, `Options`, and `Config`, respectively, and are available in the module `qutip.solver`.
- The `squeez` function has been renamed to `squeeze`.
- Better support for sparse matrices when calculating propagators using the `propagator` function.
- Improved Bloch sphere.
- Restructured and improved the module `qutip.sparse`, which now only operates directly on sparse matrices (not on `Qobj` instances).
- Improved and simplified implement of the `tensor` function.
- Improved performance, major code cleanup (including namespace changes), and numerous bug fixes.
- Benchmark scripts improved and restructured.
- QuTiP is now using continuous integration tests (TravisCI).

6.13 Version 2.2.0 (March 01, 2013):

6.13.1 New Features

- **Added Support for Windows**
- New Bloch3d class for plotting 3D Bloch spheres using Mayavi.
- Bloch sphere vectors now look like arrows.
- Partial transpose function.
- Continuous variable functions for calculating correlation and covariance matrices, the Wigner covariance matrix and the logarithmic negativity for multimode fields in Fock basis.
- The master-equation solver (mesolve) now accepts pre-constructed Liouvillian terms, which makes it possible to solve master equations that are not on the standard Lindblad form.
- Optional Fortran Monte Carlo solver (mcsolve_f90) by Arne Grimsmo.
- A module of tools for using QuTiP in IPython notebooks.
- Increased performance of the steady state solver.
- New Wigner colormap for highlighting negative values.
- More graph styles to the visualization module.

6.13.2 Bug Fixes:

- Function based time-dependent Hamiltonians now keep the correct phase.
- mcsolve no longer prints to the command line if ntraj=1.

6.14 Version 2.1.0 (October 05, 2012):

6.14.1 New Features

- New method for generating Wigner functions based on Laguerre polynomials.
- coherent(), coherent_dm(), and thermal_dm() can now be expressed using analytic values.
- Unittests now use nose and can be run after installation.
- Added iswap and sqrt-iswap gates.
- Functions for quantum process tomography.
- Window icons are now set for Ubuntu application launcher.
- The propagator function can now take a list of times as argument, and returns a list of corresponding propagators.

6.14.2 Bug Fixes:

- mesolver now correctly uses the user defined rhs_filename in Odeoptions().
- rhs_generate() now handles user defined filenames properly.
- Density matrix returned by propagator_steadystate is now Hermitian.
- eseries_value returns real list if all imag parts are zero.
- mcsolver now gives correct results for strong damping rates.
- Odeoptions now prints mc_avg correctly.
- Do not check for PyObj in mcsolve when gui=False.
- Eseries now correctly handles purely complex rates.
- thermal_dm() function now uses truncated operator method.
- Cython based time-dependence now Python 3 compatible.
- Removed call to NSAutoPool on mac systems.
- Progress bar now displays the correct number of CPU's used.
- Qobj.diag() returns reals if operator is Hermitian.
- Text for progress bar on Linux systems is no longer cutoff.

6.15 Version 2.0.0 (June 01, 2012):

The second version of QuTiP has seen many improvements in the performance of the original code base, as well as the addition of several new routines supporting a wide range of functionality. Some of the highlights of this release include:

6.15.1 New Features

- QuTiP now includes solvers for both Floquet and Bloch-Redfield master equations.
- The Lindblad master equation and Monte Carlo solvers allow for time-dependent collapse operators.
- It is possible to automatically compile time-dependent problems into c-code using Cython (if installed).
- Python functions can be used to create arbitrary time-dependent Hamiltonians and collapse operators.
- Solvers now return Odedata objects containing all simulation results and parameters, simplifying the saving of simulation results.

Important: This breaks compatibility with QuTiP version 1.x.

- mesolve and mcsolve can reuse Hamiltonian data when only the initial state, or time-dependent arguments, need to be changed.
- QuTiP includes functions for creating random quantum states and operators.
- The generation and manipulation of quantum objects is now more efficient.
- Quantum objects have basis transformation and matrix element calculations as built-in methods.
- The quantum object eigensolver can use sparse solvers.
- The partial-trace (ptrace) function is up to 20x faster.
- The Bloch sphere can now be used with the Matplotlib animation function, and embedded as a subplot in a figure.

- QuTiP has built-in functions for saving quantum objects and data arrays.
- The steady-state solver has been further optimized for sparse matrices, and can handle much larger system Hamiltonians.
- The steady-state solver can use the iterative bi-conjugate gradient method instead of a direct solver.
- There are three new entropy functions for concurrence, mutual information, and conditional entropy.
- Correlation functions have been combined under a single function.
- The operator norm can now be set to trace, Frobius, one, or max norm.
- Global QuTiP settings can now be modified.
- QuTiP includes a collection of unit tests for verifying the installation.
- Demos window now lets you copy and paste code from each example.

6.16 Version 1.1.4 (May 28, 2012):

6.16.1 Bug Fixes:

- Fixed bug pointed out by Brendan Abolins.
- `Qobj.tr()` returns zero-dim ndarray instead of float or complex.
- Updated factorial import for scipy version 0.10+

6.17 Version 1.1.3 (November 21, 2011):

6.17.1 New Functions:

- Allow custom naming of Bloch sphere.

6.17.2 Bug Fixes:

- Fixed text alignment issues in AboutBox.
- Added fix for SciPy V>0.10 where factorial was moved to `scipy.misc` module.
- Added tidyup function to tensor function output.
- Removed openmp flags from `setup.py` as new Mac Xcode compiler does not recognize them.
- `Qobj.diag` method now returns real array if all imaginary parts are zero.
- Examples GUI now links to new documentation.
- Fixed zero-dimensional array output from metrics module.

6.18 Version 1.1.2 (October 27, 2011)

6.18.1 Bug Fixes

- Fixed issue where Monte Carlo states were not output properly.

6.19 Version 1.1.1 (October 25, 2011)

THIS POINT-RELEASE INCLUDES VASTLY IMPROVED TIME-INDEPENDENT MCSOLVE AND ODESOLVE PERFORMANCE

6.19.1 New Functions

- Added linear entropy function.
- Number of CPU's can now be changed.

6.19.2 Bug Fixes

- Metrics no longer use dense matrices.
- Fixed Bloch sphere grid issue with matplotlib 1.1.
- Qobj trace operation uses only sparse matrices.
- Fixed issue where GUI windows do not raise to front.

6.20 Version 1.1.0 (October 04, 2011)

THIS RELEASE NOW REQUIRES THE GCC COMPILER TO BE INSTALLED

6.20.1 New Functions

- tidyup function to remove small elements from a Qobj.
- Added concurrence function.
- Added simdiag for simultaneous diagonalization of operators.
- Added eigenstates method returning eigenstates and eigenvalues to Qobj class.
- Added fileio for saving and loading data sets and/or Qobj's.
- Added hinton function for visualizing density matrices.

6.20.2 Bug Fixes

- Switched Examples to new Signals method used in PySide 1.0.6+.
- Switched ProgressBar to new Signals method.
- Fixed memory issue in expm functions.
- Fixed memory bug in isherm.
- Made all Qobj data complex by default.
- Reduced ODE tolerance levels in Odeoptions.
- Fixed bug in ptrace where dense matrix was used instead of sparse.
- Fixed issue where PyQt4 version would not be displayed in about box.
- Fixed issue in Wigner where xvec was used twice (in place of yvec).

6.21 Version 1.0.0 (July 29, 2011)

- **Initial release.**

Chapter 7

Developers

7.1 Lead Developers

Robert Johansson (RIKEN)

Paul Nation (Korea University)

7.2 Contributors

Note: Anyone is welcome to contribute to QuTiP. If you are interested in helping, please let us know!

alexbrc (github user) - Code contributor

Alexander Pitchford (Aberystwyth University) - Code contributor

Amit Jamadagni - Bug fix

Anders Lund (Technical University of Denmark) - Bug hunting for the Monte-Carlo solver

Andre Carvalho - Bug hunter

André Xuereb (University of Hannover) - Bug hunter

Anubhav Vardhan (IIT, Kanpur) - Bug hunter, Code contributor, Documentation

Arne Grimsmo (University of Auckland) - Bug hunter, Code contributor

Ben Criger (Waterloo IQC) - Code contributor

Ben Bartlett (Stanford) - Code contributor

Bredan Abolins (Berkeley) - Bug hunter

Chris Granade - Code contributor

Claudia Degrandi (Yale University) - Documentation

Dawid Crivelli - Bug hunter

Denis Vasilyev (St. Petersburg State University) - Code contributor

Dong Zhou (Yale University) - Bug hunter

Eric Giguere (Sherbrooke University) - Code contributor

Florian Ong (Institute for Quantum Computation) - Bug hunter

Frank Schima - Macports packaging

Henri Nielsen (Technical University of Denmark) - Bug hunter

Hwajung Kang (Systems Biology Institute, Tokyo) - Suggestions for improving Bloch class

James Clemens (Miami University - Ohio) - Bug hunter

Johannes Feist - Code contributor

Jonas Hörsch - Code contributor

Jonas Neergaard-Nielsen (Technical University of Denmark) - Code contributor, Windows support

JP Hadden (University of Bristol) - Code contributor, improved Bloch sphere visualization

Kevin Fischer (Stanford) - Code contributor

Laurence Stant - Documentation

Markus Baden (Centre for Quantum Technologies, Singapore) - Code contributor, Documentation

Myung-Joong Hwang (Pohang University of Science and Technology) - Bug hunter

Nathan Shammah (RIKEN) - Code contributor

Neill Lambert (RIKEN) - Code contributor, Windows support

Nikolas Tezak (Stanford) - Code contributor

Nithin Ramu Code contributor

Per Nielsen (Technical University of Denmark) - Bug hunter, Code contributor

Piotr Migdał (ICFO) - Code contributor

Reinier Heeres (Yale University) - Code contributor

Robert Jördens (NIST) - Linux packaging

Simon Whalen - Code contributor

Shahnawaz Ahmed (RIKEN, BITS Pilani) - Code contributor, Bug hunter

W.M. Witzel - Bug hunter

Chapter 8

Bibliography

Chapter 9

Indices and tables

- genindex
- modindex
- search

Bibliography

- [R0be8dcf25d86-1] Shore, B. W., “The Theory of Coherent Atomic Excitation”, Wiley, 1990.
- [1] [http://en.wikipedia.org/wiki/Concurrence_\(quantum_computing\)](http://en.wikipedia.org/wiki/Concurrence_(quantum_computing))
- [BCSZ08] W. Bruzda, V. Cappellini, H.-J. Sommers, K. Życzkowski, *Random Quantum Operations*, Phys. Lett. A **373**, 320-324 (2009). doi:10.1016/j.physleta.2008.11.043.
- [Hav03] Havel, T. *Robust procedures for converting among Lindblad, Kraus and matrix representations of quantum dynamical semigroups*. Journal of Mathematical Physics **44** 2, 534 (2003). doi:10.1063/1.1518555.
- [Wat13] Watrous, J. *Theory of Quantum Information*, lecture notes.
- [Mez07] F. Mezzadri, *How to generate random matrices from the classical compact groups*, Notices of the AMS **54** 592-604 (2007). arXiv:math-ph/0609050.
- [Mis12] J. A. Miszczak, *Generating and using truly random quantum states in Mathematica*, Computer Physics Communications **183** 1, 118-124 (2012). doi:10.1016/j.cpc.2011.08.002.
- [Moh08] M. Mohseni, A. T. Rezakhani, D. A. Lidar, *Quantum-process tomography: Resource analysis of different strategies*, Phys. Rev. A **77**, 032322 (2008). doi:10.1103/PhysRevA.77.032322.
- [Gri98] M. Grifoni, P. Hänggi, *Driven quantum tunneling*, Physics Reports **304**, 299 (1998). doi:10.1016/S0370-1573(98)00022-2.
- [Cre03] C. E. Creffield, *Location of crossings in the Floquet spectrum of a driven two-level system*, Phys. Rev. B **67**, 165301 (2003). doi:10.1103/PhysRevB.67.165301.
- [Gar03] Gardineer and Zoller, *Quantum Noise* (Springer, 2004).
- [Bre02] H.-P. Breuer and F. Petruccione, *The Theory of Open Quantum Systems* (Oxford, 2002).
- [Coh92] C. Cohen-Tannoudji, J. Dupont-Roc, G. Grynberg, *Atom-Photon Interactions: Basic Processes and Applications*, (Wiley, 1992).
- [WBC11] C. Wood, J. Biamonte, D. G. Cory, *Tensor networks and graphical calculus for open quantum systems*. arXiv:1111.6950
- [dAless08] D. d’Alessandro, *Introduction to Quantum Control and Dynamics*, (Chapman & Hall/CRC, 2008)
- [Kha05] N. Khaneja, T. Reiss, C. Kehlet, T. Schulte-Herbruggen, and S. J. Glaser, *Optimal control of coupled spin dynamics: Design of NMR pulse sequences by gradient ascent algorithms*, J. Magn. Reson. **172**, 296 (2005). doi:10.1016/j.jmr.2004.11.004
- [Byrd95] R. H. Byrd, P. Lu, J. Nocedal, and C. Zhu, *A Limited Memory Algorithm for Bound Constrained Optimization*, SIAM J. Sci. Comput. **16**, 1190 (1995). doi:10.1137/0916069
- [Flo12] F. F. Floether, P. de Fouquieres, and S. G. Schirmer, *Robust quantum gates for open systems via optimal control: Markovian versus non-Markovian dynamics*, New J. Phys. **14**, 073023 (2012). doi:10.1088/1367-2630/14/7/073023
- [Lloyd14] S. Lloyd and S. Montangero, *Information theoretical analysis of quantum optimal control*, Phys. Rev. Lett. **113**, 010502 (2014). doi:10.1103/PhysRevLett.113.010502
- [Doria11] P. Doria, T. Calarco & S. Montangero, *Optimal Control Technique for Many-Body Quantum Dynamics*, Phys. Rev. Lett. **106**, 190501 (2011). doi:10.1103/PhysRevLett.106.190501

- [Caneva11] T. Caneva, T. Calarco, & S. Montangero, *Chopped random-basis quantum optimization*, Phys. Rev. A **84**, 022326 (2011). doi:[10.1103/PhysRevA.84.022326](https://doi.org/10.1103/PhysRevA.84.022326)
- [Rach15] N. Rach, M. M. Müller, T. Calarco, and S. Montangero, *Dressing the chopped-random-basis optimization: A bandwidth-limited access to the trap-free landscape*, Phys. Rev. A. **92**, 062343 (2015). doi:[10.1103/PhysRevA.92.062343](https://doi.org/10.1103/PhysRevA.92.062343)
- [DYNAMO] S. Machnes, U. Sander, S. J. Glaser, P. De Fouquieres, A. Gruslys, S. Schirmer, and T. Schulte-Herbrueggen, *Comparing, Optimising and Benchmarking Quantum Control Algorithms in a Unifying Programming Framework*, Phys. Rev. A. **84**, 022305 (2010). [arXiv:1011.4874](https://arxiv.org/abs/1011.4874)

Python Module Index

q

- qutip, 347
- qutip.bloch_redfield, 281
- qutip.continuous_variables, 275
- qutip.control.pulsegen, 340
- qutip.control.pulseoptim, 327
- qutip.correlation, 291
- qutip.dimensions, 268
- qutip.entropy, 272
- qutip.essolve, 280
- qutip.expect, 270
- qutip.fileio, 344
- qutip.floquet, 283
- qutip.graph, 341
- qutip.ipynbtools, 346
- qutip.lattice, 310
- qutip.mcsolve, 279
- qutip.mesolve, 278
- qutip.metrics, 273
- qutip.nonmarkov.transfertensor, 327
- qutip.operators, 253
- qutip.orbital, 318
- qutip.parallel, 345
- qutip.partial_transpose, 272
- qutip.piqs, 304
- qutip.propagator, 302
- qutip.qip.algorithms.qft, 326
- qutip.qip.device, 327
- qutip.qip.gates, 319
- qutip.qip.qubits, 326
- qutip.random_objects, 261
- qutip.rhs_generate, 302
- qutip.scattering, 303
- qutip.semidefinite, 346
- qutip.sesolve, 277
- qutip.states, 242
- qutip.steadystate, 299
- qutip.stochastic, 287
- qutip.superop_reps, 266
- qutip.superoperator, 265
- qutip.tensor, 271
- qutip.three_level_atom, 264
- qutip.tomography, 318
- qutip.topology, 310
- qutip.utilities, 343
- qutip.visualization, 312
- qutip.wigner, 311

Index

A

about () (in module *qutip*), 347
add_annotation () (Bloch method), 171
add_coherent_noise () (Pulse method), 220
add_control () (CircularSpinChain method), 212
add_control () (LinearSpinChain method), 208
add_control () (ModelProcessor method), 199
add_control () (OptPulseProcessor method), 195
add_control () (Processor method), 191
add_control () (SpinChain method), 203
add_count () (Stats method), 179
add_drift () (CircularSpinChain method), 212
add_drift () (LinearSpinChain method), 208
add_drift () (ModelProcessor method), 200
add_drift () (OptPulseProcessor method), 195
add_drift () (Processor method), 192
add_drift () (SpinChain method), 203
add_evo_comp_summary () (DynamicsDump method), 242
add_evo_dump () (DynamicsDump method), 242
add_iter_summary () (OptimDump method), 241
add_lindblad_noise () (Pulse method), 220
add_message () (Stats method), 179
add_noise () (CircularSpinChain method), 212
add_noise () (LinearSpinChain method), 208
add_noise () (ModelProcessor method), 200
add_noise () (OptPulseProcessor method), 195
add_noise () (Processor method), 192
add_noise () (SpinChain method), 204
add_points () (Bloch method), 171
add_pulse () (CircularSpinChain method), 212
add_pulse () (LinearSpinChain method), 208
add_pulse () (ModelProcessor method), 200
add_pulse () (OptPulseProcessor method), 195
add_pulse () (Processor method), 192
add_pulse () (SpinChain method), 204
add_section () (Stats method), 179
add_states () (Bloch method), 171
add_timing () (Stats method), 179
add_vectors () (Bloch method), 172
adjacent_gates () (CircularSpinChain method), 212
adjacent_gates () (LinearSpinChain method), 208
adjacent_gates () (SpinChain method), 204
am () (in module *qutip.piqs*), 306
ap () (in module *qutip.piqs*), 306
apply_method_params () (Optimizer method), 223

apply_params () (Dynamics method), 229
apply_params () (FidelityComputer method), 232
apply_params () (Optimizer method), 223
apply_params () (PropagatorComputer method), 231
apply_params () (PulseGen method), 236
apply_params () (TimeslotComputer method), 235
average_gate_fidelity () (in module *qutip.metrics*), 275

B

basis () (in module *qutip.states*), 242
basis () (Lattice1d method), 186
bell_state () (in module *qutip.states*), 243
berkeley () (in module *qutip.qip.gates*), 321
berry_curvature () (in module *qutip.topology*), 310
Bloch (class in *qutip.bloch*), 170
bloch_redfield_solve () (in module *qutip.bloch_redfield*), 282
bloch_redfield_tensor () (in module *qutip.bloch_redfield*), 282
bloch_wave_functions () (Lattice1d method), 186
block_matrix () (in module *qutip.piqs*), 309
bra () (in module *qutip.states*), 243
breadth_first_search () (in module *qutip.graph*), 341
brmesolve () (in module *qutip.bloch_redfield*), 281
build_preconditioner () (in module *qutip.steadystate*), 301
bulk_Hamiltonians () (Lattice1d method), 187
bures_angle () (in module *qutip.metrics*), 274
bures_dist () (in module *qutip.metrics*), 274

C

c_ops () (Dicke method), 182
calculate () (Stats method), 240
calculate_j_m () (Pim method), 184
calculate_k () (Pim method), 184
cell_periodic_parts () (Lattice1d method), 187
cell_structures () (in module *qutip.lattice*), 310
charge () (in module *qutip.operators*), 253
check_herm () (Qobj method), 159
check_isunitary () (Qobj method), 159
check_unitarity () (DynamicsUnitary method), 231

- `chi_to_choi()` (in module `qutip.superop_reps`), 266
`choi_to_chi()` (in module `qutip.superop_reps`), 266
`choi_to_kraus()` (in module `qutip.superop_reps`), 266
`choi_to_super()` (in module `qutip.superop_reps`), 266
`CircularSpinChain` (class in `qutip.qip.device`), 212
`clear()` (Bloch method), 172
`clear()` (FidCompUnitary method), 233
`clear()` (FidelityComputer method), 233
`clear()` (Stats method), 179
`clebsch()` (in module `qutip.utilities`), 343
`cnot()` (in module `qutip.qip.gates`), 320
`coeff()` (Pulse property), 220
`coefficient_matrix()` (Dicke method), 182
`coefficient_matrix()` (Pim method), 184
`coeffs()` (CircularSpinChain property), 213
`coeffs()` (LinearSpinChain property), 208
`coeffs()` (ModelProcessor property), 200
`coeffs()` (OptPulseProcessor property), 195
`coeffs()` (Processor property), 192
`coeffs()` (SpinChain property), 204
`coherence_function_g1()` (in module `qutip.correlation`), 298
`coherence_function_g2()` (in module `qutip.correlation`), 298
`coherent()` (in module `qutip.states`), 244
`coherent_dm()` (in module `qutip.states`), 245
`collapse_dims_oper()` (in module `qutip.dimensions`), 269
`collapse_dims_super()` (in module `qutip.dimensions`), 269
`collapse_uncoupled()` (in module `qutip.piqs`), 307
`combine_dyn_gen()` (Dynamics method), 229
`commutator()` (in module `qutip.operators`), 253
`compare_amps()` (TSlotCompUpdateAll method), 235
`composite()` (in module `qutip.tensor`), 271
`compute_evolution()` (Dynamics method), 229
`compute_fid_err_grad()` (FidCompTraceDiff method), 234
`compute_fid_err_grad()` (FidCompTraceDiffApprox method), 234
`compute_fid_grad()` (FidCompUnitary method), 233
`concurrence()` (in module `qutip.entropy`), 272
`configure()` (HEOMSolver method), 174
`configure()` (HSolverDL method), 174
`conj()` (Qobj method), 159
`ControlAmpNoise` (class in `qutip.qip.noise`), 217
`controlled_gate()` (in module `qutip.qip.gates`), 324
`convert_unit()` (in module `qutip.utilities`), 343
`copy()` (Qobj method), 159
`correlation()` (in module `qutip.correlation`), 291
`correlation_2op_1t()` (in module `qutip.correlation`), 292
`correlation_2op_2t()` (in module `qutip.correlation`), 293
`correlation_3op_1t()` (in module `qutip.correlation`), 294
`correlation_3op_2t()` (in module `qutip.correlation`), 294
`correlation_4op_1t()` (in module `qutip.correlation`), 295
`correlation_4op_2t()` (in module `qutip.correlation`), 296
`correlation_matrix()` (in module `qutip.continuous_variables`), 275
`correlation_matrix_field()` (in module `qutip.continuous_variables`), 276
`correlation_matrix_quadrature()` (in module `qutip.continuous_variables`), 276
`correlation_ss()` (in module `qutip.correlation`), 292
`cosm()` (Qobj method), 159
`covariance_matrix()` (in module `qutip.continuous_variables`), 275
`cphase()` (in module `qutip.qip.gates`), 320
`create()` (in module `qutip.operators`), 253
`create_dump_dir()` (Dump method), 240
`create_new_stats()` (HEOMSolver method), 174
`create_pulse_gen()` (in module `qutip.control.pulsegen`), 340
`create_pulse_optimizer()` (in module `qutip.control.pulseoptim`), 333
`csign()` (in module `qutip.qip.gates`), 321
`css()` (in module `qutip.piqs`), 308
`ctrls()` (CircularSpinChain property), 213
`ctrls()` (LinearSpinChain property), 208
`ctrls()` (ModelProcessor property), 200
`ctrls()` (OptPulseProcessor property), 195
`ctrls()` (Processor property), 192
`ctrls()` (SpinChain property), 204
`Cubic_Spline` (class in `qutip.interpolate`), 173

D

- `dag()` (Qobj method), 160
`DecoherenceNoise` (class in `qutip.qip.noise`), 216
`deep_remove()` (in module `qutip.dimensions`), 268
`destroy()` (in module `qutip.operators`), 254
`diag()` (Qobj method), 160
`Dicke` (class in `qutip.piqs`), 182
`dicke()` (in module `qutip.piqs`), 308
`dicke_basis()` (in module `qutip.piqs`), 307
`dicke_blocks()` (in module `qutip.piqs`), 305
`dicke_blocks_full()` (in module `qutip.piqs`), 305
`dicke_function_trace()` (in module `qutip.piqs`), 305

- `dims_idx_to_tensor_idx()` (in module `qutip.dimensions`), 270
`dims_to_tensor_perm()` (in module `qutip.dimensions`), 269
`dims_to_tensor_shape()` (in module `qutip.dimensions`), 269
`displace()` (in module `qutip.operators`), 254
`display_lattice()` (*Lattice1d* method), 187
`display_unit_cell()` (*Lattice1d* method), 187
`distribute_operator()` (*Lattice1d* method), 187
Distribution (class in `qutip.distributions`), 189
`dnorm()` (*Qobj* method), 160
`dual_chan()` (*Qobj* method), 160
Dump (class in `qutip.control.dump`), 240
`dump_all()` (*DynamicsDump* property), 242
`dump_all()` (*OptimDump* property), 241
`dump_any()` (*DynamicsDump* property), 242
`dump_any()` (*OptimDump* property), 241
`dump_current()` (*TimeslotComputer* method), 235
`dumping()` (*Dynamics* property), 229
`dumping()` (*Optimizer* property), 223
DumpItem (class in `qutip.control.dump`), 242
DumpSummaryItem (class in `qutip.control.dump`), 242
`dyn_gen()` (*Dynamics* property), 229
`dyn_gen_phase()` (*Dynamics* property), 229
`dyn_gen_phase()` (*DynamicsSymplectic* property), 231
Dynamics (class in `qutip.control.dynamics`), 226
DynamicsDump (class in `qutip.control.dump`), 241
DynamicsGenMat (class in `qutip.control.dynamics`), 230
DynamicsSymplectic (class in `qutip.control.dynamics`), 231
DynamicsUnitary (class in `qutip.control.dynamics`), 230
- E**
- `eigenenergies()` (*Qobj* method), 160
`eigenstates()` (*Qobj* method), 161
`eliminate_auxillary_modes()` (*CircularSpinChain* method), 213
`eliminate_auxillary_modes()` (*LinearSpinChain* method), 208
`eliminate_auxillary_modes()` (*ModelProcessor* method), 200
`eliminate_auxillary_modes()` (*OptPulseProcessor* method), 196
`eliminate_auxillary_modes()` (*Processor* method), 192
`eliminate_auxillary_modes()` (*SpinChain* method), 204
`eliminate_states()` (*Qobj* method), 161
`energy_degeneracy()` (in module `qutip.piqs`), 306
`enr_destroy()` (in module `qutip.operators`), 254
`enr_fock()` (in module `qutip.states`), 246
`enr_identity()` (in module `qutip.operators`), 255
`enr_state_dictionaries()` (in module `qutip.states`), 245
`enr_thermal_dm()` (in module `qutip.states`), 246
`entropy_conditional()` (in module `qutip.entropy`), 272
`entropy_linear()` (in module `qutip.entropy`), 272
`entropy_mutual()` (in module `qutip.entropy`), 273
`entropy_vn()` (in module `qutip.entropy`), 273
`entropy_vn_dicke()` (in module `qutip.piqs`), 305
`enumerate_flat()` (in module `qutip.dimensions`), 269
eseries (class in `qutip`), 170
`essolve()` (in module `qutip.essolve`), 280
`estimate_num_coeffs()` (*PulseGenCrab* method), 238
`evaluate()` (*Qobj* static method), 161
EvoCompDumpItem (class in `qutip.control.dump`), 242
`excited()` (in module `qutip.piqs`), 308
`expand_operator()` (in module `qutip.qip.gates`), 325
`expect()` (in module `qutip.expect`), 270
ExpectOps (class in `qutip.solver`), 177
`expm()` (*Qobj* method), 162
`extract_states()` (*Qobj* method), 162
- F**
- `fid_err_func_wrapper()` (*Optimizer* method), 223
`fid_err_grad_wrapper()` (*Optimizer* method), 223
FidCompTraceDiff (class in `qutip.control.fidcomp`), 234
FidCompTraceDiffApprox (class in `qutip.control.fidcomp`), 234
FidCompUnitary (class in `qutip.control.fidcomp`), 233
`fidelity()` (in module `qutip.metrics`), 273
FidelityComputer (class in `qutip.control.fidcomp`), 232
`file_data_read()` (in module `qutip.fileio`), 344
`file_data_store()` (in module `qutip.fileio`), 344
`flag_system_changed()` (*Dynamics* method), 229
`flag_system_changed()` (*FidCompUnitary* method), 233
`flag_system_changed()` (*FidelityComputer* method), 233
`flatten()` (in module `qutip.dimensions`), 268
`floquet_basis_transform()` (in module `qutip.floquet`), 287
`floquet_markov_mesolve()` (in module `qutip.floquet`), 287
`floquet_master_equation_rates()` (in module `qutip.floquet`), 286
`floquet_master_equation_steadystate()` (in module `qutip.floquet`), 287

- floquet_modes() (in module *qutip.floquet*), 284
 floquet_modes_t() (in module *qutip.floquet*), 284
 floquet_modes_t_lookup() (in module *qutip.floquet*), 284
 floquet_modes_table() (in module *qutip.floquet*), 284
 floquet_state_decomposition() (in module *qutip.floquet*), 286
 floquet_states() (in module *qutip.floquet*), 285
 floquet_states_t() (in module *qutip.floquet*), 285
 floquet_wavefunction() (in module *qutip.floquet*), 285
 floquet_wavefunction_t() (in module *qutip.floquet*), 285
 fmmesolve() (in module *qutip.floquet*), 283
 fock() (in module *qutip.states*), 246
 fock_dm() (in module *qutip.states*), 247
 fredkin() (in module *qutip.qip.gates*), 323
 fsesolve() (in module *qutip.floquet*), 286
 full() (*Qobj* method), 162
 full_evo() (*Dynamics* property), 229
 fwd_evo() (*Dynamics* property), 229
- ## G
- Gate (class in *qutip.qip*), 190
 gate_expand_1toN() (in module *qutip.qip.gates*), 324
 gate_expand_2toN() (in module *qutip.qip.gates*), 325
 gate_expand_3toN() (in module *qutip.qip.gates*), 325
 gate_sequence_product() (in module *qutip.qip.gates*), 324
 gen_pulse() (*PulseGen* method), 236
 gen_pulse() (*PulseGenCrabFourier* method), 238
 gen_pulse() (*PulseGenGaussian* method), 237
 gen_pulse() (*PulseGenGaussianEdge* method), 238
 gen_pulse() (*PulseGenLinear* method), 236
 gen_pulse() (*PulseGenRandom* method), 236
 gen_pulse() (*PulseGenSaw* method), 237
 gen_pulse() (*PulseGenSine* method), 237
 gen_pulse() (*PulseGenSquare* method), 237
 gen_pulse() (*PulseGenTriangle* method), 237
 gen_pulse() (*PulseGenZero* method), 236
 general_stochastic() (in module *qutip.stochastic*), 291
 get_ctrl_dyn_gen() (*Dynamics* method), 229
 get_dispersion() (*LatticeId* method), 188
 get_drift_dim() (*Dynamics* method), 229
 get_dyn_gen() (*Dynamics* method), 229
 get_fid_err() (*FidCompTraceDiff* method), 234
 get_fid_err() (*FidCompUnitary* method), 233
 get_fid_err() (*FidelityComputer* method), 233
 get_fid_err_gradient() (*FidCompTraceDiff* method), 234
 get_fid_err_gradient() (*FidCompUnitary* method), 233
 get_fid_err_gradient() (*FidelityComputer* method), 233
 get_fidelity() (*FidCompUnitary* method), 233
 get_fidelity_prenorm() (*FidCompUnitary* method), 233
 get_full_coeffs() (*CircularSpinChain* method), 213
 get_full_coeffs() (*LinearSpinChain* method), 208
 get_full_coeffs() (*ModelProcessor* method), 200
 get_full_coeffs() (*OptPulseProcessor* method), 196
 get_full_coeffs() (*Processor* method), 192
 get_full_coeffs() (*SpinChain* method), 204
 get_full_tlist() (*CircularSpinChain* method), 213
 get_full_tlist() (*LinearSpinChain* method), 209
 get_full_tlist() (*ModelProcessor* method), 200
 get_full_tlist() (*OptPulseProcessor* method), 196
 get_full_tlist() (*Processor* method), 192
 get_full_tlist() (*Pulse* method), 220
 get_full_tlist() (*SpinChain* method), 204
 get_ideal_qobj() (*Pulse* method), 220
 get_ideal_qobjevo() (*Pulse* method), 221
 get_noisy_dynamics() (*ControlAmpNoise* method), 217
 get_noisy_dynamics() (*DecoherenceNoise* method), 216
 get_noisy_dynamics() (*RandomNoise* method), 218
 get_noisy_dynamics() (*RelaxationNoise* method), 217
 get_noisy_dynamics() (*UserNoise* method), 218
 get_noisy_pulses() (*CircularSpinChain* method), 213
 get_noisy_pulses() (*LinearSpinChain* method), 209
 get_noisy_pulses() (*ModelProcessor* method), 200
 get_noisy_pulses() (*OptPulseProcessor* method), 196
 get_noisy_pulses() (*Processor* method), 192
 get_noisy_pulses() (*SpinChain* method), 204
 get_noisy_qobjevo() (*Pulse* method), 221
 get_num_ctrls() (*Dynamics* method), 229
 get_ops_and_u() (*CircularSpinChain* method), 213
 get_ops_and_u() (*LinearSpinChain* method), 209
 get_ops_and_u() (*ModelProcessor* method), 201
 get_ops_and_u() (*SpinChain* method), 205
 get_optim_var_vals() (*PulseGenCrab* method), 238

- get_qobjevo() (*CircularSpinChain method*), 213
 get_qobjevo() (*LinearSpinChain method*), 209
 get_qobjevo() (*ModelProcessor method*), 201
 get_qobjevo() (*OptPulseProcessor method*), 196
 get_qobjevo() (*Processor method*), 193
 get_qobjevo() (*SpinChain method*), 205
 get_timeslot_for_fidelity_calc() (*TSlotCompUpdateAll method*), 235
 ghz() (*in module qutip.piqs*), 309
 ghz_state() (*in module qutip.states*), 247
 globalphase() (*in module qutip.qip.gates*), 324
 graph_degree() (*in module qutip.graph*), 341
 ground() (*in module qutip.piqs*), 309
 groundstate() (*Qobj method*), 162
- ## H
- hadamard_transform() (*in module qutip.qip.gates*), 324
 Hamiltonian() (*LatticeId method*), 186
 HarmonicOscillatorProbabilityFunction (*class in qutip.distributions*), 190
 HarmonicOscillatorWaveFunction (*class in qutip.distributions*), 190
 HEOMSolver (*class in qutip.nonmarkov.heom*), 173
 hilbert_dist() (*in module qutip.metrics*), 274
 hinton() (*in module qutip.visualization*), 312
 HSolverDL (*class in qutip.nonmarkov.heom*), 174
- ## I
- identity() (*in module qutip.operators*), 257
 identity_uncoupled() (*in module qutip.piqs*), 309
 init_coeffs() (*PulseGenCrab method*), 238
 init_comp() (*FidCompTraceDiff method*), 234
 init_comp() (*FidCompUnitary method*), 233
 init_comp() (*FidelityComputer method*), 233
 init_freqs() (*PulseGenCrabFourier method*), 239
 init_normalization() (*FidCompUnitary method*), 234
 init_optim() (*Optimizer method*), 223
 init_optim() (*OptimizerCrab method*), 225
 init_optim() (*OptimizerLBFGSB method*), 224
 init_pulse() (*PulseGen method*), 236
 init_pulse() (*PulseGenCrab method*), 238
 init_pulse() (*PulseGenCrabFourier method*), 239
 init_pulse() (*PulseGenLinear method*), 236
 init_pulse() (*PulseGenPeriodic method*), 237
 init_timeslots() (*Dynamics method*), 229
 initialize_controls() (*Dynamics method*), 229
 initialize_controls() (*DynamicsUnitary method*), 231
 inv() (*Qobj method*), 163
 is_scalar() (*in module qutip.dimensions*), 268
 isdiagonal() (*in module qutip.piqs*), 304
 isdicke() (*Pim method*), 184
 iswap() (*in module qutip.qip.gates*), 322
- iter_step_callback_func() (*Optimizer method*), 223
- ## J
- jmat() (*in module qutip.operators*), 255
 jspin() (*in module qutip.piqs*), 307
- ## K
- k() (*LatticeId method*), 188
 ket() (*in module qutip.states*), 248
 ket2dm() (*in module qutip.states*), 249
 kraus_to_choi() (*in module qutip.superop_reps*), 266
 kraus_to_super() (*in module qutip.superop_reps*), 266
- ## L
- LatticeId (*class in qutip.lattice*), 185
 level() (*Dump property*), 240
 lindblad_dissipator() (*in module qutip.superoperator*), 266
 lindbladian() (*Dicke method*), 182
 LinearSpinChain (*class in qutip.qip.device*), 207
 linspace_with() (*in module qutip.utilities*), 343
 liouvillian() (*Dicke method*), 183
 liouvillian() (*in module qutip.superoperator*), 265
 load_circuit() (*CircularSpinChain method*), 214
 load_circuit() (*LinearSpinChain method*), 209
 load_circuit() (*ModelProcessor method*), 201
 load_circuit() (*OptPulseProcessor method*), 196
 load_circuit() (*Processor method*), 193
 load_circuit() (*SpinChain method*), 205
 logarithmic_negativity() (*in module qutip.continuous_variables*), 276
- ## M
- m_degeneracy() (*in module qutip.piqs*), 306
 make_sphere() (*Bloch method*), 172
 marginal() (*Distribution method*), 189
 matrix_element() (*Qobj method*), 163
 matrix_histogram() (*in module qutip.visualization*), 313
 matrix_histogram_complex() (*in module qutip.visualization*), 313
 maximally_mixed_dm() (*in module qutip.states*), 247
 maximum_bipartite_matching() (*in module qutip.graph*), 342
 mcsolve() (*in module qutip.mcsolve*), 279
 MemoryCascade (*class in qutip.nonmarkov.memorycascade*), 175
 mesolve() (*in module qutip.mesolve*), 278
 ModelProcessor (*class in qutip.qip.device*), 199
 momentum() (*in module qutip.operators*), 257
- ## N
- n_thermal() (*in module qutip.utilities*), 343

norm() (*Qobj method*), 163
 normalize_gradient_PSU() (*FidCompUnitary method*), 234
 normalize_gradient_SU() (*FidCompUnitary method*), 234
 normalize_PSU() (*FidCompUnitary method*), 234
 normalize_SU() (*FidCompUnitary method*), 234
 num() (*in module qutip.operators*), 256
 num_ctrls() (*Dynamics property*), 230
 num_ctrls() (*DynamicsUnitary property*), 231
 num_dicke_ladders() (*in module qutip.piqs*), 304
 num_tls() (*in module qutip.piqs*), 304

O

ode2es() (*in module qutip.essolve*), 281
 onto_evo() (*Dynamics property*), 230
 onwd_evo() (*Dynamics property*), 230
 operator_at_cells() (*LatticeId method*), 188
 operator_between_cells() (*LatticeId method*), 188
 operator_to_vector() (*in module qutip.superoperator*), 265
 opt_pulse_crab() (*in module qutip.control.pulseoptim*), 335
 opt_pulse_crab_unitary() (*in module qutip.control.pulseoptim*), 338
 OptimDump (*class in qutip.control.dump*), 241
 OptimIterSummary (*class in qutip.control.optimizer*), 225
 optimize_circuit() (*CircularSpinChain method*), 214
 optimize_circuit() (*LinearSpinChain method*), 210
 optimize_circuit() (*SpinChain method*), 205
 optimize_pulse() (*in module qutip.control.pulseoptim*), 328
 optimize_pulse_unitary() (*in module qutip.control.pulseoptim*), 330
 Optimizer (*class in qutip.control.optimizer*), 221
 OptimizerBFGS (*class in qutip.control.optimizer*), 224
 OptimizerCrab (*class in qutip.control.optimizer*), 225
 OptimizerCrabFmin (*class in qutip.control.optimizer*), 225
 OptimizerLBFGSB (*class in qutip.control.optimizer*), 224
 OptimResult (*class in qutip.control.optimresult*), 226
 Options (*class in qutip.solver*), 177
 OptPulseProcessor (*class in qutip.qip.device*), 195
 orbital() (*in module qutip.orbital*), 318
 outfieldcorr() (*MemoryCascade method*), 175
 outfieldpropagator() (*MemoryCascade method*), 176
 overlap() (*Qobj method*), 164

P

parallel_map() (*in module qutip.ipynbtools*), 346
 parallel_map() (*in module qutip.parallel*), 345
 parfor() (*in module qutip.ipynbtools*), 346
 parfor() (*in module qutip.parallel*), 345
 partial_transpose() (*in module qutip.partial_transpose*), 272
 permute() (*Qobj method*), 164
 phase() (*in module qutip.operators*), 257
 phase_application() (*Dynamics property*), 230
 phase_basis() (*in module qutip.states*), 249
 phasegate() (*in module qutip.qip.gates*), 320
 photocurrent_mesolve() (*in module qutip.stochastic*), 289
 photocurrent_sesolve() (*in module qutip.stochastic*), 287
 Pim (*class in qutip.piqs*), 183
 pismolve() (*Dicke method*), 183
 plot_berry_curvature() (*in module qutip.topology*), 310
 plot_dispersion() (*LatticeId method*), 188
 plot_energy_levels() (*in module qutip.visualization*), 313
 plot_expectation_values() (*in module qutip.visualization*), 316
 plot_fock_distribution() (*in module qutip.visualization*), 314
 plot_pulses() (*CircularSpinChain method*), 214
 plot_pulses() (*LinearSpinChain method*), 210
 plot_pulses() (*ModelProcessor method*), 201
 plot_pulses() (*OptPulseProcessor method*), 197
 plot_pulses() (*Processor method*), 193
 plot_pulses() (*SpinChain method*), 205
 plot_qubism() (*in module qutip.visualization*), 316
 plot_schmidt() (*in module qutip.visualization*), 315
 plot_spin_distribution_2d() (*in module qutip.visualization*), 317
 plot_spin_distribution_3d() (*in module qutip.visualization*), 317
 plot_wigner() (*in module qutip.visualization*), 315
 plot_wigner_fock_distribution() (*in module qutip.visualization*), 314
 plot_wigner_sphere() (*in module qutip.visualization*), 317
 position() (*in module qutip.operators*), 258
 print_info() (*Pulse method*), 221
 process_fidelity() (*in module qutip.metrics*), 275
 Processor (*class in qutip.qip.device*), 191
 proj() (*Qobj method*), 164
 project() (*Distribution method*), 189
 projection() (*in module qutip.states*), 249
 prop() (*Dynamics property*), 230
 prop_grad() (*Dynamics property*), 230
 propagator() (*in module qutip.propagator*), 302
 propagator() (*MemoryCascade method*), 176

- propagator_steadystate() (in module *qutip.propagator*), 302
 PropagatorComputer (class in *qutip.control.propcomp*), 231
 PropCompApproxGrad (class in *qutip.control.propcomp*), 231
 PropCompDiag (class in *qutip.control.propcomp*), 232
 PropCompFrechet (class in *qutip.control.propcomp*), 232
 ptrace() (*Qobj* method), 164
 Pulse (class in *qutip.qip.pulse*), 219
 pulse_matrix() (*CircularSpinChain* method), 214
 pulse_matrix() (*LinearSpinChain* method), 210
 pulse_matrix() (*ModelProcessor* method), 201
 pulse_matrix() (*SpinChain* method), 206
 PulseGen (class in *qutip.control.pulsegen*), 235
 PulseGenCrab (class in *qutip.control.pulsegen*), 238
 PulseGenCrabFourier (class in *qutip.control.pulsegen*), 238
 PulseGenGaussian (class in *qutip.control.pulsegen*), 237
 PulseGenGaussianEdge (class in *qutip.control.pulsegen*), 238
 PulseGenLinear (class in *qutip.control.pulsegen*), 236
 PulseGenPeriodic (class in *qutip.control.pulsegen*), 237
 PulseGenRandom (class in *qutip.control.pulsegen*), 236
 PulseGenSaw (class in *qutip.control.pulsegen*), 237
 PulseGenSine (class in *qutip.control.pulsegen*), 237
 PulseGenSquare (class in *qutip.control.pulsegen*), 237
 PulseGenTriangle (class in *qutip.control.pulsegen*), 237
 PulseGenZero (class in *qutip.control.pulsegen*), 236
 purity() (*Qobj* method), 165
 purity_dicke() (in module *qutip.piqs*), 305
- ## Q
- qdiags() (in module *qutip.operators*), 258
 QDistribution (class in *qutip.distributions*), 190
 qeye() (in module *qutip.operators*), 256
 qft() (in module *qutip.qip.algorithms.qft*), 326
 qft_gate_sequence() (in module *qutip.qip.algorithms.qft*), 326
 qft_steps() (in module *qutip.qip.algorithms.qft*), 326
 qfunc() (in module *qutip.wigner*), 311
 qload() (in module *qutip.fileio*), 344
 Qobj (class in *qutip*), 157
 qobj() (*Pulse* property), 221
 QobjEvo (class in *qutip*), 167
 qpt() (in module *qutip.tomography*), 318
 qpt_plot() (in module *qutip.tomography*), 319
 qpt_plot_combined() (in module *qutip.tomography*), 319
 qsave() (in module *qutip.fileio*), 344
 qubit_states() (in module *qutip.qip.qubits*), 326
 QubitCircuit (class in *qutip.qip*), 190
 qutip (module), 347
 qutip.bloch_redfield (module), 281
 qutip.continuous_variables (module), 275
 qutip.control.pulsegen (module), 340
 qutip.control.pulseoptim (module), 327
 qutip.correlation (module), 291
 qutip.dimensions (module), 268
 qutip.entropy (module), 272
 qutip.essolve (module), 280
 qutip.expect (module), 270
 qutip.fileio (module), 344
 qutip.floquet (module), 283
 qutip.graph (module), 341
 qutip.ipynbtools (module), 346
 qutip.lattice (module), 310
 qutip.mcsolve (module), 279
 qutip.mesolve (module), 278
 qutip.metrics (module), 273
 qutip.nonmarkov.transfertensor (module), 327
 qutip.operators (module), 253
 qutip.orbital (module), 318
 qutip.parallel (module), 345
 qutip.partial_transpose (module), 272
 qutip.piqs (module), 304
 qutip.propagator (module), 302
 qutip.qip.algorithms.qft (module), 326
 qutip.qip.device (module), 327
 qutip.qip.gates (module), 319
 qutip.qip.qubits (module), 326
 qutip.random_objects (module), 261
 qutip.rhs_generate (module), 302
 qutip.scattering (module), 303
 qutip.semidefinite (module), 346
 qutip.sesolve (module), 277
 qutip.states (module), 242
 qutip.steadystate (module), 299
 qutip.stochastic (module), 287
 qutip.superop_reps (module), 266
 qutip.superoperator (module), 265
 qutip.tensor (module), 271
 qutip.three_level_atom (module), 264
 qutip.tomography (module), 318
 qutip.topology (module), 310
 qutip.utilities (module), 343
 qutip.visualization (module), 312
 qutip.wigner (module), 311
 qutrit_basis() (in module *qutip.states*), 250
 qutrit_ops() (in module *qutip.operators*), 258
 qzero() (in module *qutip.operators*), 258
- ## R
- rand_dm() (in module *qutip.random_objects*), 261
 rand_dm_ginibre() (in module *qutip.random_objects*), 262

rand_dm_hs() (in module *qutip.random_objects*), 262
rand_herm() (in module *qutip.random_objects*), 262
rand_ket() (in module *qutip.random_objects*), 263
rand_ket_haar() (in module *qutip.random_objects*), 263
rand_stochastic() (in module *qutip.random_objects*), 263
rand_super() (in module *qutip.random_objects*), 264
rand_super_bcsz() (in module *qutip.random_objects*), 264
rand_unitary() (in module *qutip.random_objects*), 263
rand_unitary_haar() (in module *qutip.random_objects*), 264
RandomNoise (class in *qutip.qip.noise*), 218
read_coeff() (*CircularSpinChain* method), 214
read_coeff() (*LinearSpinChain* method), 210
read_coeff() (*ModelProcessor* method), 201
read_coeff() (*OptPulseProcessor* method), 198
read_coeff() (*Processor* method), 193
read_coeff() (*SpinChain* method), 206
recompute_evolution() (*TSlotCompUpdateAll* method), 235
refresh_drift_attribs() (*Dynamics* method), 230
RelaxationNoise (class in *qutip.qip.noise*), 217
remove_pulse() (*CircularSpinChain* method), 215
remove_pulse() (*LinearSpinChain* method), 210
remove_pulse() (*ModelProcessor* method), 201
remove_pulse() (*OptPulseProcessor* method), 198
remove_pulse() (*Processor* method), 193
remove_pulse() (*SpinChain* method), 206
render() (*Bloch* method), 172
report() (*Stats* method), 179, 240
reset() (*FidCompTraceDiff* method), 234
reset() (*FidCompTraceDiffApprox* method), 235
reset() (*FidCompUnitary* method), 234
reset() (*FidelityComputer* method), 233
reset() (*HEOMSolver* method), 174
reset() (*HSolverDL* method), 174
reset() (*PropagatorComputer* method), 231
reset() (*PropCompApproxGrad* method), 232
reset() (*PropCompDiag* method), 232
reset() (*PropCompFrechet* method), 232
reset() (*PulseGen* method), 236
reset() (*PulseGenCrab* method), 238
reset() (*PulseGenCrabFourier* method), 239
reset() (*PulseGenGaussian* method), 237
reset() (*PulseGenGaussianEdge* method), 238
reset() (*PulseGenLinear* method), 237
reset() (*PulseGenPeriodic* method), 237
reset() (*PulseGenRandom* method), 236
Result (class in *qutip.solver*), 178
reverse_cuthill_mckee() (in module *qutip.graph*), 341
rhot() (*MemoryCascade* method), 176
rhs_clear() (in module *qutip.rhs_generate*), 303
rhs_generate() (in module *qutip.rhs_generate*), 302
rotation() (in module *qutip.qip.gates*), 323
run() (*CircularSpinChain* method), 215
run() (*HSolverDL* method), 175
run() (*LinearSpinChain* method), 210
run() (*ModelProcessor* method), 201
run() (*OptPulseProcessor* method), 198
run() (*Processor* method), 194
run() (*SpinChain* method), 206
run_analytically() (*CircularSpinChain* method), 215
run_analytically() (*LinearSpinChain* method), 210
run_analytically() (*ModelProcessor* method), 202
run_analytically() (*OptPulseProcessor* method), 198
run_analytically() (*Processor* method), 194
run_analytically() (*SpinChain* method), 206
run_optimization() (*Optimizer* method), 223
run_optimization() (*OptimizerBFGS* method), 224
run_optimization() (*OptimizerCrabFmin* method), 225
run_optimization() (*OptimizerLBFGSB* method), 224
run_state() (*CircularSpinChain* method), 215
run_state() (*LinearSpinChain* method), 211
run_state() (*ModelProcessor* method), 202
run_state() (*OptPulseProcessor* method), 198
run_state() (*Processor* method), 194
run_state() (*SpinChain* method), 206
rx() (in module *qutip.qip.gates*), 319
ry() (in module *qutip.qip.gates*), 319
rz() (in module *qutip.qip.gates*), 319

S

save() (*Bloch* method), 172
save_amps() (*Dynamics* method), 230
save_coeff() (*CircularSpinChain* method), 215
save_coeff() (*LinearSpinChain* method), 211
save_coeff() (*ModelProcessor* method), 202
save_coeff() (*OptPulseProcessor* method), 199
save_coeff() (*Processor* method), 194
save_coeff() (*SpinChain* method), 207
scattering_probability() (in module *qutip.scattering*), 303
serial_map() (in module *qutip.parallel*), 345
sesolve() (in module *qutip.sesolve*), 277
set_all_tlist() (*CircularSpinChain* method), 216
set_all_tlist() (*LinearSpinChain* method), 211
set_all_tlist() (*ModelProcessor* method), 202
set_all_tlist() (*OptPulseProcessor* method), 199

- set_all_tlist() (*Processor method*), 194
 set_all_tlist() (*SpinChain method*), 207
 set_label_convention() (*Bloch method*), 172
 set_optim_var_vals() (*PulseGenCrab method*), 238
 set_phase_option() (*FidCompUnitary method*), 234
 set_total_time() (*Stats method*), 180
 set_up_ops() (*CircularSpinChain method*), 216
 set_up_ops() (*LinearSpinChain method*), 211
 set_up_ops() (*SpinChain method*), 207
 set_up_params() (*CircularSpinChain method*), 216
 set_up_params() (*LinearSpinChain method*), 211
 set_up_params() (*ModelProcessor method*), 202
 set_up_params() (*SpinChain method*), 207
 show() (*Bloch method*), 172
 sigmam() (*in module qutip.operators*), 259
 sigmap() (*in module qutip.operators*), 259
 sigmax() (*in module qutip.operators*), 259
 sigmay() (*in module qutip.operators*), 259
 sigmaz() (*in module qutip.operators*), 259
 simdiag() (*in module qutip*), 347
 singlet_state() (*in module qutip.states*), 250
 sinm() (*Qobj method*), 165
 smepdpsolve() (*in module qutip.stochastic*), 288
 smesolve() (*in module qutip.stochastic*), 288
 snot() (*in module qutip.qip.gates*), 320
 solve() (*Pim method*), 184
 SolverConfiguration (*class in qutip.solver*), 178
 spec() (*eseries method*), 170
 spectrum() (*in module qutip.correlation*), 296
 spectrum_correlation_fft() (*in module qutip.correlation*), 298
 spectrum_pi() (*in module qutip.correlation*), 297
 spectrum_ss() (*in module qutip.correlation*), 297
 sphereplot() (*in module qutip.visualization*), 315, 318
 spin_algebra() (*in module qutip.piqs*), 306
 spin_coherent() (*in module qutip.states*), 250
 spin_Jm() (*in module qutip.operators*), 260
 spin_Jp() (*in module qutip.operators*), 260
 spin_Jx() (*in module qutip.operators*), 260
 spin_Jy() (*in module qutip.operators*), 260
 spin_Jz() (*in module qutip.operators*), 260
 spin_q_function() (*in module qutip.wigner*), 311
 spin_state() (*in module qutip.states*), 250
 spin_wigner() (*in module qutip.wigner*), 311
 SpinChain (*class in qutip.qip.device*), 203
 spost() (*in module qutip.superoperator*), 265
 spre() (*in module qutip.superoperator*), 265
 sprepost() (*in module qutip.superoperator*), 266
 sqrtiswap() (*in module qutip.qip.gates*), 322
 sqrtm() (*Qobj method*), 165
 sqrtnot() (*in module qutip.qip.gates*), 319
 sqrtswap() (*in module qutip.qip.gates*), 322
 squeeze() (*in module qutip.operators*), 260
 squeezing() (*in module qutip.operators*), 261
 ssepdpsolve() (*in module qutip.stochastic*), 289
 ssesolve() (*in module qutip.stochastic*), 287
 state_degeneracy() (*in module qutip.piqs*), 305
 state_index_number() (*in module qutip.states*), 251
 state_number_enumerate() (*in module qutip.states*), 250
 state_number_index() (*in module qutip.states*), 251
 state_number_qobj() (*in module qutip.states*), 251
 Stats (*class in qutip.control.stats*), 239
 Stats (*class in qutip.solver*), 178
 steadystate() (*in module qutip.steadystate*), 299
 stochastic_solvers() (*in module qutip.stochastic*), 289
 StochasticSolverOptions (*class in qutip.stochastic*), 180
 super_tensor() (*in module qutip.tensor*), 271
 super_to_choi() (*in module qutip.superop_reps*), 266
 superradiant() (*in module qutip.piqs*), 308
 swap() (*in module qutip.qip.gates*), 322
 swapalpha() (*in module qutip.qip.gates*), 321
- ## T
- targets() (*Pulse property*), 221
 tau1() (*Pim method*), 184
 tau2() (*Pim method*), 184
 tau3() (*Pim method*), 184
 tau4() (*Pim method*), 184
 tau5() (*Pim method*), 184
 tau6() (*Pim method*), 184
 tau7() (*Pim method*), 184
 tau8() (*Pim method*), 184
 tau9() (*Pim method*), 184
 tau_column() (*in module qutip.piqs*), 309
 tau_valid() (*Pim method*), 184
 temporal_basis_vector() (*in module qutip.scattering*), 303
 temporal_scattered_state() (*in module qutip.scattering*), 303
 tensor() (*in module qutip.tensor*), 271
 tensor_contract() (*in module qutip.tensor*), 271
 TerminationConditions (*class in qutip.control.termcond*), 225
 thermal_dm() (*in module qutip.states*), 252
 three_level_basis() (*in module qutip.three_level_atom*), 265
 three_level_ops() (*in module qutip.three_level_atom*), 265
 tidyup() (*eseries method*), 170
 tidyup() (*Qobj method*), 165
 TimeslotComputer (*class in qutip.control.tslotcomp*), 235
 tlist() (*Pulse property*), 221
 to_chi() (*in module qutip.superop_reps*), 267

to_choi() (in module *qutip.superop_reps*), 266
 to_kraus() (in module *qutip.superop_reps*), 267
 to_stinespring() (in module *qutip.superop_reps*), 268
 to_super() (in module *qutip.superop_reps*), 267
 toffoli() (in module *qutip.qip.gates*), 323
 tr() (*Qobj* method), 166
 tracedist() (in module *qutip.metrics*), 274
 trans() (*Qobj* method), 166
 transform() (*Qobj* method), 166
 trunc_neg() (*Qobj* method), 166
 TSlotCompUpdateAll (class in *qutip.control.tslotcomp*), 235
 ttmsolve() (in module *qutip.nonmarkov.transfertensor*), 327
 TTMSolverOptions (class in *qutip.nonmarkov.transfertensor*), 176
 tunneling() (in module *qutip.operators*), 261
 TwoModeQuadratureCorrelation (class in *qutip.distributions*), 190

U

unflatten() (in module *qutip.dimensions*), 268
 unit() (*Qobj* method), 166
 unitarity_check() (*Dynamics* method), 230
 update() (*HarmonicOscillatorProbabilityFunction* method), 190
 update() (*HarmonicOscillatorWaveFunction* method), 190
 update() (*TwoModeQuadratureCorrelation* method), 190
 update_ctrl_amps() (*Dynamics* method), 230
 update_fid_err_log() (*OptimDump* method), 241
 update_grad_log() (*OptimDump* method), 241
 update_grad_norm_log() (*OptimDump* method), 241
 update_psi() (*TwoModeQuadratureCorrelation* method), 190
 update_rho() (*TwoModeQuadratureCorrelation* method), 190
 UserNoise (class in *qutip.qip.noise*), 218

V

value() (*eseries* method), 170
 variance() (in module *qutip.expect*), 270
 vector_mutation (*Bloch* attribute), 172
 vector_style (*Bloch* attribute), 172
 vector_to_operator() (in module *qutip.superoperator*), 265
 vector_width (*Bloch* attribute), 172
 version_table() (in module *qutip.ipynbtools*), 347
 visualize() (*Distribution* method), 189

W

weighted_bipartite_matching() (in module *qutip.graph*), 342

wigner() (in module *qutip.wigner*), 311
 wigner_covariance_matrix() (in module *qutip.continuous_variables*), 276
 WignerDistribution (class in *qutip.distributions*), 190
 winding_number() (*LatticeId* method), 188
 writeout() (*DynamicsDump* method), 242
 writeout() (*EvoCompDumpItem* method), 242
 writeout() (*OptimDump* method), 241

X

x() (*LatticeId* method), 188

Z

zero_ket() (in module *qutip.states*), 253